

**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE**

TITLE 14 CFR PART 97.33

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or feet RVR.

<u>AIRPORT ID</u> N57	<u>PROCEDURE NAME</u> RNAV (GPS) RWY 6	<u>ORIGINAL/AMENDMENT</u> ORIG	<u>CITY</u> TOUGHKENAMON	<u>STATE</u> PA		
<u>AIRPORT ELEVATION</u> 435	<u>TDZE</u> 435	<u>SUPERSEDED</u>	<u>ORIGINAL/AMENDMENT</u> NONE	<u>DATED</u>	<u>MAG VAR</u> 9W	<u>EPOCH YEAR</u> 1965
<u>FACILITY</u> RNAV	<u>COORDINATES OF FACILITIES</u>	<u>ACTUAL EFFECTIVE DATE</u> 25 FEBRUARY 2021	<u>REQUIRED EFFECTIVE DATE</u> ROUTINE	<u>CANCEL/SUSPEND</u>		

TERMINAL ROUTES

FROM	FIX TYPE	TO	FIX TYPE	LEG TYPE	FO/FB	RNP	COURSE	DISTANCE	ALTITUDE
DELFA	IF/IAF	ZIXIS		TF	FB	1.00	054.63	5.00	2000
ZIXIS	FAF	YOSGU/2.40 NM TO RW06		TF	FB	0.30	054.68	2.38	
YOSGU/2.40 NM TO RW06		RW06	MAP	TF	FO	0.30	054.68	2.40	
RW06	MAP	800 MSL		CA			054.68		
800 MSL		ZEYNU		DF	FO	1.00			2200

MISSED APPROACH

MAP:

LP: RW06
LNAV: RW06

MISSED APPROACH INSTRUCTIONS:

CLIMB TO 2200 DIRECT ZEYNU AND HOLD.

ALTERNATE MISSED APPROACH INSTRUCTIONS:



COORDINATED WITH:

A4A **ALPA** **AOPA** **APA** **HAI** **NBAA** **OTHER:** ZNY ARTCC, PHL APCH, ARPT MGR

FLIGHT CHECKED BY
DANIEL KIRBY

Digitally signed by
ALLAN WILL
Nov 17, 2020

OFFICE
FICO
DATE
11/13/2020

DEVELOPED BY
TOMMY BYRNS
Digitally signed by
TOMMY BYRNS
Sep 16, 2020

OFFICE
AJV-A423
DATE
07/21/2020

APPROVED BY
MARLON ROBINSON

Digitally signed by
ALLAN WILL
Nov 17, 2020

OFFICE
AJV-A420
DATE
TITLE
MANAGER



FAS DATA BLOCK INFORMATION

<u>DATA FIELD</u>	<u>DATA</u>
OPERATION TYPE	0
SBAS SERVICE PROVIDER IDENTIFIER	0
AIRPORT IDENTIFIER	N57
RUNWAY	RW06
APPROACH PERFORMANCE DESIGNATOR	0
ROUTE INDICATOR	
REFERENCE PATH DATA SELECTOR	0
REFERENCE PATH IDENTIFIER (APPROACH ID)	W06A
LTP/FTP LATITUDE	394937.1075N
LTP/FTP LONGITUDE	0754628.0595W
LTP/FTP ELLIPSOIDAL HEIGHT	+00990
FPAP LATITUDE	395039.3465N
FPAP LONGITUDE	0754505.2290W
THRESHOLD CROSSING HEIGHT (TCH)	00045.0
TCH UNITS SELECTOR (METERS OR FEET USED)	F
GLIDEPATH ANGLE (GPA)	03.00
COURSE WIDTH AT THRESHOLD	106.75
LENGTH OFFSET	1624
HORIZONTAL ALERT LIMIT (HAL)	40.0
VERTICAL ALERT LIMIT (VAL)	0.0
CRC REMAINDER	C520BC1F

ADDITIONAL PATH POINT RECORD INFORMATION

ICAO CODE	K6
LTP ORTHOMETRIC HEIGHT	+01321
FPAP ORTHOMETRIC HEIGHT	+01321

