

**Federal Aviation
Administration**

Transmittal Letter 20-13

May 1, 2020

**PREPARED BY THE AERONAUTICAL INFORMATION GROUP, AJV-53
(AVAILABLE ON THE WEB AT [HTTP://NFDC.FAA.GOV](http://NFDC.FAA.GOV))**

**The enclosed Standard Instrument Approach Procedures, Departure
Procedures/Takeoff Minimums and Fix Actions are effective as indicated.**

By amending: §97.23 VOR, VOR/DME, VOR or TACAN, and VOR/DME or TACAN; §97.25 LOC, LOC/DME, LDA,
LDA/DME, SDF, SDF/DME; §97.27 NDB, NDB/DME; §97.29 ILS, ILS/DME, MLS, MLS/DME,
MLS/RNAV; §97.31 RADAR SIAPs; §97.33 RNAV SIAPs; and §97.35 COPTER SIAPs, Identified as follows:
.....EFFECTIVE UPON PUBLICATION

AIRAC DATE	STATE	CITY	AIRPORT	FDC NUMBER	FDC DATE	SUBJECT
6/18/2020	OH	Columbus	Ohio State University	0/5533	4/21/2020	RNAV (GPS) RWY 9R, Amdt 1A

AIRAC Date: 18 JUNE 2020

FDC 0/5533 OSU IAP OHIO STATE UNIVERSITY, COLUMBUS, OH. RNAV (GPS) RWY 9R, AMDT 1A...
LNAV/VNAV DA 1192/HAT 287 ALL CATS. PBN REQUIREMENTS NOTE: RNP APCH. DELETE NOTE:
DME/DME RNP-0.3 NA. CHART NOTE: CIRCLING RWY 23 NA AT NIGHT. CHART NOTE: FOR
INOPERATIVE ALS, INCREASE LNAV/VNAV VISIBILITY ALL CATS TO 7/8 SM. CHART NOTE: FOR
UNCOMPENSATED BARO-VNAV SYSTEMS, LNAV/VNAV NA BELOW -16C OR ABOVE 38C. DELETE
NOTE: FOR UNCOMPENSATED BARO-VNAV SYSTEMS, LNAV/VNAV NA BELOW -16C (4F) OR ABOVE
38C (100F). THIS IS RNAV (GPS) RWY 9R, AMDT 1B. 2004201709-PERM