U.S. Department of Transportation

Federal Aviation Administration

Transmittal Letter 20-19

July 24, 2020

PREPARED BY THE AERONAUTICAL INFORMATION GROUP, AJV-53 (AVAILABLE ON THE WEB AT HTTP://NFDC.FAA.GOV)

The enclosed Standard Instrument Approach Procedures, Departure Procedures/Takeoff Minimums and Fix Actions are effective as indicated.

By amending: §97.23 VOR, VOR/DME, VOR or TACAN, and VOR/DME or TACAN; §97.25 LOC, LOC/DME, LDA, LDA/DME, SDF, SDF/DME; §97.27 NDB, NDB/DME; §97.29 ILS, ILS/DME, MLS, MLS/DME, MLS/RNAV; §97.31 RADAR SIAPs; §97.33 RNAV SIAPs; and §97.35 COPTER SIAPs, Identified as follows:

AIRAC DATE	STATE	CITY	AIRPORT	FDC NUMBER	FDC DATE	SUBJECT
9/10/2020	NC	Lincolnton	Lincolnton- Lincoln County Rgnl	0/2313	7/21/2020	RNAV (GPS) RWY 5, Amdt 1C

AIRAC Date: 10 SEPTEMBER 2020

FDC 0/2313 IPJ IAP LINCOLNTON-LINCOLN COUNTY RGNL, LINCOLNTON, NC. RNAV (GPS) RWY 5, AMDT 1C... CIRCLING CAT B MDA 1440/HAA 562. CHART VDP AT 1.16 NM TO RW05*. DELETE NOTE: RWY 5 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NA. CHART NOTE: RWY 5 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NA. DELETE NOTE: BARO-VNAV NA WHEN USING CHARLOTTE ALTIMETER SETTING. CHART NOTE: BARO-VNAV AND VDP NA WHEN USING CHARLOTTE ALTIMETER SETTING. DELETE NOTE: FOR UNCOMPENSATED BARO-VNAV SYSTEMS, LNAV/VNAV NA BELOW -16C (4F) OR ABOVE 47C (116F). CHART NOTE: FOR UNCOMPENSATED BARO-VNAV SYSTEMS, LNAV/VNAV NA BELOW -16C OR ABOVE 47C. DELETE NOTE: DME/DME RNP-0.3. PBN REQUIREMENTS NOTE: RNP APCH. THIS IS RNAV (GPS) RWY 5, AMDT 1D. 2007202133-PERM