

FEDERAL AVIATION ADMINISTRATION  
FLIGHT STANDARDS SERVICE  
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.  
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

| Arrival Name | Number | STAR Computer Code | Superseded Number | Dated      | Effective Date |
|--------------|--------|--------------------|-------------------|------------|----------------|
| CPTAN (RNAV) | FOUR   | CPTAN.CPTAN4       | THREE             | 01/25/2024 | 9 JUL 2026     |

TRANSITION ROUTES:

| Transition Name | Transition Computer Codes | From FIX/NAVAID | To FIX/NAVAID | Course | Distance | MEA   | MOCA | MAA | Crossing Altitudes / Fixes |
|-----------------|---------------------------|-----------------|---------------|--------|----------|-------|------|-----|----------------------------|
| BORRD           | BORRD.CPTAN4              | BORRD           | BORRD         |        |          |       |      |     | AT/ABOVE FL240             |
|                 |                           |                 | FALTI         | 166.37 | 16.22    | FL180 | 1600 |     | AT/ABOVE FL180             |
|                 |                           |                 | CAARL         | 160.78 | 11.67    | 6000  | 1600 |     | AT/ABOVE 14000             |
|                 |                           |                 | CPTAN         | 160.82 | 15.20    | 6000  | 1300 |     | BETWEEN 10000 AND 11000    |
| KENLL           | KENLL.CPTAN4              | KENLL           | KENLL         |        |          |       |      |     |                            |
|                 |                           |                 | JOEYY         | 166.05 | 39.69    | FL180 | 1600 |     |                            |
|                 |                           |                 | ROTOW         | 166.20 | 20.00    | FL180 | 1600 |     |                            |
|                 |                           |                 | STEPP         | 166.26 | 23.22    | FL180 | 1600 |     | AT/ABOVE FL250             |
|                 |                           |                 | BORRD         | 166.33 | 22.41    | FL180 | 1600 |     | AT/ABOVE FL240             |
|                 |                           |                 | FALTI         | 166.37 | 16.22    | FL180 | 1600 |     | AT/ABOVE FL180             |
|                 |                           |                 | CAARL         | 160.78 | 11.67    | 6000  | 1600 |     | AT/ABOVE 14000             |
|                 |                           |                 | CPTAN         | 160.82 | 15.20    | 6000  | 1300 |     | BETWEEN 10000 AND 11000    |
| ROKKT           | ROKKT.CPTAN4              | ROKKT           | ROKKT         |        |          |       |      |     |                            |
|                 |                           |                 | DEBRL         | 188.27 | 79.65    | 10000 | 1700 |     |                            |
|                 |                           |                 | EBAYY         | 166.23 | 99.68    | 10000 | 1700 |     |                            |
|                 |                           |                 | CPTAN         | 150.98 | 34.41    | 6000  | 1300 |     | BETWEEN 10000 AND 11000    |
| WAMBI           | WAMBI.CPTAN4              | WAMBI           | WAMBI         |        |          |       |      |     |                            |
|                 |                           |                 | CPTAN         | 207.94 | 108.06   | 6000  | 1300 |     | BETWEEN 10000 AND 11000    |

ARRIVAL ROUTE DESCRIPTION:

DJT: FROM CPTAN ON TRACK 162.56/7.82 TO CROSS SNKLR AT OR ABOVE 6000.

LANDING DJT RWY 10L, 14: FROM SNKLR ON TRACK 162.09/12.05 TO CROSS FRWAY AT 4000, THEN ON TRACK 223.68/8.01 TO JUUNO, THEN ON TRACK 224.00/3.01 TO CROSS SANZZ AT 4000 AND AT 210 KIAS, THEN ON TRACK 271.41/5.00 TO CROSS DLMAN AT 4000, THEN ON TRACK 271.41. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE.

LANDING DJT RWY 28R: FROM SNKLR ON TRACK 162.09/12.05 TO CROSS FRWAY AT 4000, THEN ON TRACK 175.90/9.07 TO CROSS HETMO AT 4000 AND AT 210 KIAS, THEN ON TRACK 176.57/2.62 TO TROLN, THEN ON TRACK 099.00/3.04 TO CROSS WTCAP AT 4000, THEN ON TRACK 099.00. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE.

LANDING DJT RWY 32: FROM SNKLR ON TRACK 162.09/12.05 TO CROSS FRWAY AT 4000, THEN ON TRACK 175.90/9.07 TO CROSS HETMO AT 4000 AND AT 210 KIAS, THEN ON TRACK 175.35/9.65 TO EHMON, THEN ON TRACK 141.33/4.38 TO CROSS KIDGE AT 4000, THEN ON TRACK 141.33. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE.

FEDERAL AVIATION ADMINISTRATION  
FLIGHT STANDARDS SERVICE  
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.  
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

| Arrival Name                                                                                                                                                                                                                                                                                                                                                                                                               | Number      | STAR Computer Code  | Superseded Number | Dated             | Effective Date    |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|---------------------|-------------------|-------------------|-------------------|
| <b>CPTAN (RNAV)</b>                                                                                                                                                                                                                                                                                                                                                                                                        | <b>FOUR</b> | <b>CPTAN.CPTAN4</b> | <b>THREE</b>      | <b>01/25/2024</b> | <b>9 JUL 2026</b> |
| LANDING 06FA: FROM CPTAN ON TRACK 162.56/7.82 TO CROSS SNKLR AT OR ABOVE 6000, THEN ON TRACK 180.00/11.40 TO CROSS AMILA AT 4000, THEN ON HEADING 270.00. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE.                                                                                                                                                                                                                   |             |                     |                   |                   |                   |
| LANDING BCT: FROM CPTAN ON TRACK 162.56/7.82 TO CROSS SNKLR AT OR ABOVE 6000, THEN ON TRACK 177.58/14.71 TO CROSS KLUBZ AT 5000, THEN ON TRACK 223.66/3.54 TO JUUNO, THEN ON TRACK 203.82/4.37 TO HUSPU, THEN ON TRACK 182.59/9.90 TO JESNA, THEN ON TRACK 209.47/2.92 TO CROSS WHILE AT 5000, THEN ON HEADING 210.00. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE.                                                      |             |                     |                   |                   |                   |
| LANDING FXE/PMP: FROM CPTAN ON TRACK 162.56/7.82 TO CROSS SNKLR AT OR ABOVE 6000, THEN ON TRACK 177.58/14.71 TO CROSS KLUBZ AT 5000, THEN ON TRACK 223.66/3.54 TO JUUNO, THEN ON TRACK 203.82/4.37 TO HUSPU, THEN ON TRACK 182.59/9.90 TO JESNA, THEN ON TRACK 168.10/11.49 TO CROSS SPNER AT 5000, THEN ON TRACK 192.11/7.68 TO CROSS IMAPY AT 4000, THEN ON TRACK 192.11. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE. |             |                     |                   |                   |                   |

**PBN REQUIREMENT NOTES:**

RNAV 1 - DME/DME/IRU OR GPS

WAMBI TRANSITION: RNAV 1 - GPS

**EQUIPMENT REQUIREMENT NOTES:**

RADAR REQUIRED

**PROCEDURAL DATA NOTES:**

NOTE: JET AIRCRAFT ONLY

NOTE: DO NOT FILE ROKKT TRANSITION - TO BE ASSIGNED BY ATC.

NOTE: WAMBI TRANSITION, GPS REQUIRED.

NOTE: WAMBI TRANSITION FOR FXE/PMP ARRIVALS ONLY.

NOTE: BORRD TRANSITION FOR MCO, ORL, SFB, ISM, LEE DEPARTURES ONLY.

**FIXES AND/OR HOLDING PATTERNS:**

CHART HOLDING AT BORRD: HOLD N, LT, 166.33 INBOUND, 10 NM LEGS.

CHART HOLDING AT CPTAN: HOLD N, LT, 160.78 INBOUND, 10 NM LEGS.

CHART HOLDING AT FALT: HOLD N, LT, 166.37 INBOUND, 10 NM LEGS.

CHART HOLDING AT JOEYY: HOLD N, RT, 166.05 INBOUND, 10 NM LEGS.

CHART: GLYPH, WILBA, CUPED, RUMDE

**COMMUNICATIONS:****AIRPORTS SERVED:**

| <u>AIRPORT ID</u> | <u>CITY</u>     | <u>STATE</u> |
|-------------------|-----------------|--------------|
| BCT               | BOCA RATON      | FL           |
| FXE               | FORT LAUDERDALE | FL           |
| DJT               | WEST PALM BEACH | FL           |
| PMP               | POMPANO BEACH   | FL           |
| 06FA              | JUPITER         | FL           |

**LOST COMMUNICATIONS PREFERENCES:**

FEDERAL AVIATION ADMINISTRATION  
FLIGHT STANDARDS SERVICE  
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.  
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

| Arrival Name        | Number      | STAR Computer Code  | Superseded Number | Dated             | Effective Date    |
|---------------------|-------------|---------------------|-------------------|-------------------|-------------------|
| <b>CPTAN (RNAV)</b> | <b>FOUR</b> | <b>CPTAN.CPTAN4</b> | <b>THREE</b>      | <b>01/25/2024</b> | <b>9 JUL 2026</b> |

**REMARKS:**

ABBREVIATED AMDT.

THE ENVIRONMENTAL REVIEW UNDER ORDER 1050.1 (LATEST EDITION) AND THE NOISE SCREENING HAVE BEEN ACCOMPLISHED.

295 FT SHIPS USED TO EVALUATE WATER.

**ADDITIONAL FLIGHT DATA:**

DME/DME ASSESSMENT: SAT (RNP 2.0)

MAG VAR : DJT 06W/2010

CHART AT DLMAN TERMINUS: DJT LDG RWY 10L, 14.

CHART AT WTCAP TERMINUS: DJT LDG RWY 28R.

CHART AT KIDGE TERMINUS: DJT LDG RWY 32.

CHART AT AMILA TERMINUS: LDG 06FA.

CHART AT WHILE TERMINUS: LDG BCT.

CHART AT IMAPY TERMINUS: LDG FXE/PMP.

**FLIGHT INSPECTED BY:****ORGANIZATION:** **DATE:**

PROCESSED IAW TECHNICAL SUPPORT GROUP (AJF-17) MEMO DATED 07/07/2021, SUBJECT, GUIDANCE FOR PROCEDURAL CHANGES REQUIRING FLIGHT INSPECTION/VALIDATION.

Flight Inspected Signature:

*Digitally signed by***TARA N MARTINELLI**

Apr 28, 2026

**DEVELOPED BY:**

THOMAS KUKLISH

AJV-A432

04/13/2026

Developed By Signature:

*Digitally signed by***TARA N MARTINELLI**

Apr 28, 2026

**APPROVED BY:**

TARA MARTINELLI

AJV-A432

Approved By Signature:

*Digitally signed by***TARA N MARTINELLI**

Apr 28, 2026

**CHANGES:**

1. REMOVED ALL PBI IDENTIFIERS AND REPLACED WITH DJT.
2. COMMUNICATIONS: REMOVED CHART: PALM BEACH APP CON.
3. PBN REQUIREMENT NOTES: CHANGED GPS ONLY TO RNAV 1 - GPS FOR WAMBI TRANSITION.
4. PROCEDURAL DATA NOTES: ADDED NOTE: WAMBI TRANSITION, GPS REQUIRED.

**REASONS:**

1. AIRPORT NAME CHANGE FROM PBI TO DJT.
2. APP CON NOW AUTOMATICALLY CHARTED PER FAAO 8260.19K, PARA 4-5-12F CRITERIA.
3. REQUIRED DOCUMENTATION PER FAAO 8260.19K, PARA 4-5-12D CRITERIA.
4. REQUIRED DOCUMENTATION PER FAAO 8260.19K, PARA 4-5-12J CRITERIA.

FEDERAL AVIATION ADMINISTRATION  
FLIGHT STANDARDS SERVICE  
STAR (DATA RECORD)

| Arrival Name<br>CPTAN (RNAV) | Number<br>FOUR           |   | STAR Computer Code<br>CPTAN.CPTAN4 |             |        | Superseded Number<br>THREE |                | Dated<br>01/25/2024 | Effective Date<br>9 JUL 2026 |
|------------------------------|--------------------------|---|------------------------------------|-------------|--------|----------------------------|----------------|---------------------|------------------------------|
| FIX/NAVAID                   | LAT/LONG                 | C | FO/FB                              | LEG<br>TYPE | TC     | DIST<br>(NM)               | ALTITUDE       | SPEED               | REMARKS                      |
| En Route Transition          |                          |   |                                    |             |        |                            |                |                     |                              |
| BORRD                        | 275505.88N / 0802653.15W | Y |                                    | IF          |        |                            | AT/ABOVE FL240 | AT 280K             | BORRD.CPTAN4                 |
| FALTI                        | 273946.37N / 0802044.84W | Y | FB                                 | TF          | 160.37 | 16.22                      | AT/ABOVE FL180 |                     |                              |
| CAARL                        | 272910.78N / 0801509.24W | Y | FB                                 | TF          | 154.78 | 11.67                      | AT/ABOVE 14000 |                     |                              |
| CPTAN                        | 271522.91N / 0800753.90W | Y | FB                                 | TF          | 154.82 | 15.20                      | 10000B11000    | AT 250K             |                              |
| En Route Transition          |                          |   |                                    |             |        |                            |                |                     |                              |
| KENLL                        | 293428.35N / 0810725.26W | Y |                                    | IF          |        |                            |                |                     | KENLL.CPTAN4                 |
| JOEYY                        | 285703.01N / 0805159.06W | Y | FB                                 | TF          | 160.05 | 39.69                      |                |                     |                              |
| ROTOW                        | 283810.82N / 0804417.05W | Y | FB                                 | TF          | 160.20 | 20.00                      |                |                     |                              |
| STEPP                        | 281615.75N / 0803524.09W | Y | FB                                 | TF          | 160.26 | 23.22                      | AT/ABOVE FL250 |                     |                              |
| BORRD                        | 275505.88N / 0802653.15W | Y | FB                                 | TF          | 160.33 | 22.41                      | AT/ABOVE FL240 | AT 280K             |                              |
| FALTI                        | 273946.37N / 0802044.84W | Y | FB                                 | TF          | 160.37 | 16.22                      | AT/ABOVE FL180 |                     |                              |
| CAARL                        | 272910.78N / 0801509.24W | Y | FB                                 | TF          | 154.78 | 11.67                      | AT/ABOVE 14000 |                     |                              |
| CPTAN                        | 271522.91N / 0800753.90W | Y | FB                                 | TF          | 154.82 | 15.20                      | 10000B11000    | AT 250K             |                              |
| En Route Transition          |                          |   |                                    |             |        |                            |                |                     |                              |
| ROKKT                        | 303735.44N / 0810426.47W | Y |                                    | IF          |        |                            |                |                     | ROKKT.CPTAN4                 |
| DEBRL                        | 291748.73N / 0810802.88W | Y | FB                                 | TF          | 182.27 | 79.65                      |                |                     |                              |
| EBAYY                        | 274340.20N / 0803003.59W | Y | FB                                 | TF          | 160.23 | 99.68                      |                |                     |                              |
| CPTAN                        | 271522.91N / 0800753.90W | Y | FB                                 | TF          | 144.98 | 34.41                      | 10000B11000    | AT 250K             |                              |
| En Route Transition          |                          |   |                                    |             |        |                            |                |                     |                              |
| WAMBI                        | 285600.80N / 0792235.72W | Y |                                    | IF          |        |                            |                |                     | WAMBI.CPTAN4                 |
| CPTAN                        | 271522.91N / 0800753.90W | Y | FB                                 | TF          | 201.94 | 108.06                     | 10000B11000    | AT 250K             |                              |
| Common Route                 |                          |   |                                    |             |        |                            |                |                     |                              |
| CPTAN                        | 271522.91N / 0800753.90W | Y |                                    | IF          |        |                            | 10000B11000    | AT 250K             | CPTAN.CPTAN4                 |
| SNKLR                        | 270810.96N / 0800424.56W | Y | FB                                 | TF          | 156.56 | 07.82                      | AT/ABOVE 6000  |                     |                              |

FEDERAL AVIATION ADMINISTRATION  
FLIGHT STANDARDS SERVICE  
STAR (DATA RECORD)

| Arrival Name<br>CPTAN (RNAV) |                          | Number<br>FOUR |       | STAR Computer Code<br>CPTAN.CPTAN4 |        | Superseded Number<br>THREE |               | Dated<br>01/25/2024 | Effective Date<br>9 JUL 2026 |
|------------------------------|--------------------------|----------------|-------|------------------------------------|--------|----------------------------|---------------|---------------------|------------------------------|
| FIX/NAVAID                   | LAT/LONG                 | C              | FO/FB | LEG<br>TYPE                        | TC     | DIST<br>(NM)               | ALTITUDE      | SPEED               | REMARKS                      |
| Common Route                 |                          |                |       |                                    |        |                            |               |                     |                              |
| CPTAN                        | 271522.91N / 0800753.90W | Y              |       | IF                                 |        |                            | 10000B11000   | AT 250K             | CPTAN.CPTAN4                 |
| SNKLR                        | 270810.96N / 0800424.56W | Y              | FB    | TF                                 | 156.56 | 07.82                      | AT/ABOVE 6000 |                     |                              |
| AMILA                        | 265648.90N / 0800304.61W | Y              | FO    | TF                                 | 174.00 | 11.40                      | AT 4000       |                     |                              |
| 06FA                         |                          |                |       | VM                                 | 264.00 |                            |               |                     |                              |
|                              |                          |                |       |                                    |        |                            |               |                     |                              |
| Common Route                 |                          |                |       |                                    |        |                            |               |                     |                              |
| CPTAN                        | 271522.91N / 0800753.90W | Y              |       | IF                                 |        |                            | 10000B11000   | AT 250K             | CPTAN.CPTAN4                 |
| SNKLR                        | 270810.96N / 0800424.56W | Y              | FB    | TF                                 | 156.56 | 07.82                      | AT/ABOVE 6000 |                     |                              |
| KLUBZ                        | 265335.21N / 0800200.01W | Y              | FB    | TF                                 | 171.58 | 14.71                      | AT 5000       |                     |                              |
| JUUNO                        | 265046.47N / 0800425.15W | Y              | FB    | TF                                 | 217.66 | 03.54                      |               |                     |                              |
| HUSPU                        | 264636.21N / 0800554.80W | Y              | FB    | TF                                 | 197.82 | 04.37                      |               |                     |                              |
| JESNA                        | 263641.54N / 0800515.39W | Y              | FB    | TF                                 | 176.59 | 09.90                      |               |                     |                              |
| WHILE                        | 263400.39N / 0800633.18W | Y              | FO    | TF                                 | 203.47 | 02.92                      | AT 5000       |                     |                              |
| KBCT                         |                          |                |       | VM                                 | 204.00 |                            |               |                     |                              |
|                              |                          |                |       |                                    |        |                            |               |                     |                              |
| Common Route                 |                          |                |       |                                    |        |                            |               |                     |                              |
| CPTAN                        | 271522.91N / 0800753.90W | Y              |       | IF                                 |        |                            | 10000B11000   | AT 250K             | CPTAN.CPTAN4                 |
| SNKLR                        | 270810.96N / 0800424.56W | Y              | FB    | TF                                 | 156.56 | 07.82                      | AT/ABOVE 6000 |                     |                              |
| KLUBZ                        | 265335.21N / 0800200.01W | Y              | FB    | TF                                 | 171.58 | 14.71                      | AT 5000       |                     |                              |
| JUUNO                        | 265046.47N / 0800425.15W | Y              | FB    | TF                                 | 217.66 | 03.54                      |               |                     |                              |
| HUSPU                        | 264636.21N / 0800554.80W | Y              | FB    | TF                                 | 197.82 | 04.37                      |               |                     |                              |
| JESNA                        | 263641.54N / 0800515.39W | Y              | FB    | TF                                 | 176.59 | 09.90                      |               |                     |                              |
| SPNER                        | 262543.72N / 0800119.40W | Y              | FB    | TF                                 | 162.10 | 11.49                      | AT 5000       |                     |                              |
| IMAPY                        | 261804.11N / 0800213.95W | Y              | FO    | TF                                 | 186.11 | 07.68                      | AT 4000       |                     |                              |
| KFXE,KPMP                    |                          |                |       | FM                                 | 186.11 |                            |               |                     |                              |
|                              |                          |                |       |                                    |        |                            |               |                     |                              |
| Runway Transition            |                          |                |       |                                    |        |                            |               |                     |                              |
| SNKLR                        | 270810.96N / 0800424.56W | Y              |       | IF                                 |        |                            | AT/ABOVE 6000 |                     |                              |
| FRWAY                        | 265708.04N / 0795856.71W | Y              | FB    | TF                                 | 156.09 | 12.05                      | AT 4000       |                     |                              |

FEDERAL AVIATION ADMINISTRATION  
FLIGHT STANDARDS SERVICE  
STAR (DATA RECORD)

| Arrival Name<br>CPTAN (RNAV) |                          | Number<br>FOUR |       | STAR Computer Code<br>CPTAN.CPTAN4 |        | Superseded Number<br>THREE |               | Dated<br>01/25/2024 | Effective Date<br>9 JUL 2026 |
|------------------------------|--------------------------|----------------|-------|------------------------------------|--------|----------------------------|---------------|---------------------|------------------------------|
| FIX/NAVAID                   | LAT/LONG                 | C              | FO/FB | LEG<br>TYPE                        | TC     | DIST<br>(NM)               | ALTITUDE      | SPEED               | REMARKS                      |
| JUUNO                        | 265046.47N / 0800425.15W | Y              | FB    | TF                                 | 217.68 | 08.01                      |               |                     |                              |
| SANZZ                        | 264823.51N / 0800629.59W | Y              | FB    | TF                                 | 218.00 | 03.01                      | AT 4000       | AT 210K             |                              |
| DLMAN                        | 264759.30N / 0801203.78W | Y              | FO    | TF                                 | 265.41 | 05.00                      | AT 4000       |                     |                              |
| KDJT:RWY 10L,RWY 14          |                          |                |       | FM                                 | 265.41 |                            |               |                     |                              |
| Runway Transition            |                          |                |       |                                    |        |                            |               |                     |                              |
| SNKLR                        | 270810.96N / 0800424.56W | Y              |       | IF                                 |        |                            | AT/ABOVE 6000 |                     |                              |
| FRWAY                        | 265708.04N / 0795856.71W | Y              | FB    | TF                                 | 156.09 | 12.05                      | AT 4000       |                     |                              |
| HETMO                        | 264810.68N / 0795710.08W | Y              | FB    | TF                                 | 169.90 | 09.07                      | AT 4000       | AT 210K             |                              |
| TROLN                        | 264535.18N / 0795641.32W | Y              | FB    | TF                                 | 170.57 | 02.62                      |               |                     |                              |
| WTCAP                        | 264525.57N / 0795317.99W | Y              | FO    | TF                                 | 093.00 | 03.04                      | AT 4000       |                     |                              |
| KDJT:RWY 28R                 |                          |                |       | FM                                 | 093.00 |                            |               |                     |                              |
| Runway Transition            |                          |                |       |                                    |        |                            |               |                     |                              |
| SNKLR                        | 270810.96N / 0800424.56W | Y              |       | IF                                 |        |                            | AT/ABOVE 6000 |                     |                              |
| FRWAY                        | 265708.04N / 0795856.71W | Y              | FB    | TF                                 | 156.09 | 12.05                      | AT 4000       |                     |                              |
| HETMO                        | 264810.68N / 0795710.08W | Y              | FB    | TF                                 | 169.90 | 09.07                      | AT 4000       | AT 210K             |                              |
| EHMON                        | 263840.12N / 0795510.74W | Y              | FB    | TF                                 | 169.35 | 09.65                      |               |                     |                              |
| KIDGE                        | 263532.51N / 0795144.49W | Y              | FO    | TF                                 | 135.33 | 04.38                      | AT 4000       |                     |                              |
| KDJT:RWY 32                  |                          |                |       | FM                                 | 135.33 |                            |               |                     |                              |