

**Federal Aviation
Administration**

Transmittal Letter 20-19

July 24, 2020

**PREPARED BY THE AERONAUTICAL INFORMATION GROUP, AJV-53
(AVAILABLE ON THE WEB AT [HTTP://NFDC.FAA.GOV](http://NFDC.FAA.GOV))**

**The enclosed Standard Instrument Approach Procedures, Departure
Procedures/Takeoff Minimums and Fix Actions are effective as indicated.**

By amending: §97.23 VOR, VOR/DME, VOR or TACAN, and VOR/DME or TACAN; §97.25 LOC, LOC/DME, LDA, LDA/DME, SDF, SDF/DME; §97.27 NDB, NDB/DME; §97.29 ILS, ILS/DME, MLS, MLS/DME, MLS/RNAV; §97.31 RADAR SIAPs; §97.33 RNAV SIAPs; and §97.35 COPTER SIAPs, Identified as follows:EFFECTIVE UPON PUBLICATION						
AIRAC DATE	STATE	CITY	AIRPORT	FDC NUMBER	FDC DATE	SUBJECT
9/10/2020	GA	Cordele	Crisp County-Cordele	0/8030	7/15/2020	RNAV (GPS) RWY 28, Amdt 1

AIRAC Date: 10 SEPTEMBER 2020

FDC 0/8030 CKF IAP CRISP COUNTY-CORDELE, CORDELE, GA. RNAV (GPS) RWY 28, AMDT 1... CIRCLING CAT A MDA 800/ HAA 490. PBN REQUIREMENTS NOTE: RNP APCH. DELETE NOTE: DME/DME RNP-0.3 NA. DELETE NOTE: BARO-VNAV NA WHEN USING ALBANY ALTIMETER SETTING. DELETE NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE ALBANY ALTIMETER SETTING: INCREASE LPV DA TO 765 FEET; LNAV/VNAV DA TO 865 FEET AND INCREASE ALL MDA 100 FEET, INCREASE LPV AND LNAV/VNAV ALL CATS VISIBILITY 3/8 SM; INCREASE LNAV AND CIRCLING CATS C AND D VISIBILITY 1/4 SM. DELETE NOTE: FOR UNCOMPENSATED BARO-VNAV SYSTEMS, LNAV/VNAV NA BELOW -15C (5F) OR ABOVE 54C (130F). CHART NOTE: FOR UNCOMPENSATED BARO-VNAV SYSTEMS, LNAV/VNAV NA BELOW -15C OR ABOVE 54C. THIS IS RNAV (GPS) RWY 28, AMDT 1A. 2007101216-PERM