

**U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION  
VOR STANDARD INSTRUMENT APPROACH PROCEDURE  
FLIGHT STANDARDS SERVICE - TITLE 14 CFR PART 97.23**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES				MISSED APPROACH
FROM	TO	COURSE AND DISTANCE	ALTITUDE	
OBK VOR/DME (IAF)	LEGON INT/5.00 DME	269.19 / 5.00	2400	MAP: 4.73 MILES AFTER HZLET INT OR AT 16.33 DME FIX
LEGON INT/5.00 DME (IF)	HZLET INT/11.60 DME	269.19 / 6.60 (R-269)	2400	CLIMB TO 1900 THEN CLIMBING RIGHT TURN TO 2500 ON HEADING 130 AND OBK VOR/DME R-269 TO HZLET INT/OBK 11.60 DME AND HOLD.
				<b>ADDITIONAL FLIGHT DATA:</b> HOLD E, RT, 269.19 INBOUND. FAS OBST: 1119 AAO 421320N/0881254W HZLET TO RW26: 2.94/40

- PT NA SIDE OF COURSE OUTBOUND FT WITHIN \_\_\_\_\_ MILES OF \_\_\_\_\_ (IAF)
- PROFILE STARTS AT OBK VOR/DME
- FAC 269.19 FAF HZLET INT/11.60 DME DIST FAF TO MAP 4.73 THLD 4.73
- MIN. ALT OBK VOR/DME 2400, LEGON 2400, HZLET 2400
- MSA FROM: OBK VOR/DME 130-220 3400, 220-130 2500

MAG VAR: 2W EPOCH YEAR:2000

MINIMUMS															
TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT										ALTERNATE: N A		X			
CATEGORY	A			B			C			D			E		
	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA
S-26	1380	1	495	1380	1	495	1380	1 3/8	495		NA				
CIRCLING	1380	1	493	1380	1	493	1380	1 1/2	493		NA				
CHICAGO DUPAGE ALTIMETER SETTING															
S-26	1440	1	555	1440	1	555	1440	1 5/8	555		NA				
CIRCLING	1440	1	553	1440	1	553	1440	1 5/8	553		NA				

**NOTES:**  
 CHART NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA.  
 CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS ON OBK VOR/DME AIRWAY RADIALS 293 CW 347.  
 CHART PROFILE NOTE: VGSI AND DESCENT ANGLES NOT COINCIDENT.  
 CHART NOTE: OBTAIN LOCAL ALTIMETER SETTING ON CTAF; WHEN NOT RECEIVED, USE CHICAGO DUPAGE ALTIMETER SETTING.



CITY AND STATE CHICAGO/LAKE IN THE HILLS, IL	ELEVATION: 887	THRE: 885	FACILITY IDENTIFIER: OBK	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: VOR RWY 26, AMDT 4 10 MAR 2011	SUP	
	AIRPORT NAME:  LAKE IN THE HILLS				AMDT	3A
					DATE	11/23/2005