

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
BRIXX (RNAV)	FOUR	BRIXX.BRIXX4	THREE	06/17/2021	21MAR2024

TRANSITION ROUTES:

Transition Name	Transition Computer Codes	From FIX/NAVAID	To FIX/NAVAID	Course	Distance	MEA	MOCA	MAA	Crossing Altitudes / Fixes
CHBLI	CHBLI.BRIXX4	CHBLI	CHBLI						AT/ABOVE FL280
			GRIJO	165.48	22.23	12000	5500		AT/ABOVE FL220
			ZINNN	165.49	07.85	12000	4800		
			CORKK	163.63	19.74	12000	4800		AT/ABOVE 14000
			BRIXX	126.77	09.08	12000	3900		AT 12000

ARRIVAL ROUTE DESCRIPTION:

LANDING KSJC/KNUQ: FROM BRIXX ON TRACK 144.19/20.99 TO CROSS LUYTA AT 12000, THEN ON TRACK 140.00. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE.

PBN REQUIREMENT NOTES:

RNAV 1 - DME/DME/IRU OR GPS

EQUIPMENT REQUIREMENT NOTES:

RADAR REQUIRED

PROCEDURAL DATA NOTES:

FIXES AND/OR HOLDING PATTERNS:

CHART HOLDING AT ZINNN: HOLD N, RT, 165.49 INBOUND, 10 NM LEGS.

COMMUNICATIONS:

CHART: ZOA

CHART: NORCAL APP CON

CHART: TWR (KSJC/KNUQ)

CHART: GND CON (KSJC/KNUQ)

AIRPORTS SERVED:

AIRPORT ID	CITY	STATE
KNUQ	MOUNTAIN VIEW	CA
KSJC	SAN JOSE	CA

LOST COMMUNICATIONS PREFERENCES:

REMARKS:



FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
BRIX (RNAV)	FOUR	BRIX.BRIX4	THREE	06/17/2021	21MAR2024

ADDITIONAL FLIGHT DATA:

DME/DME ASSESSMENT: SAT (RNP 2.0)
MAG VAR: KSJC 13E/2020
CHART AT LUYTA TERMINUS: LDG KNUQ AND KSJC

FLIGHT INSPECTED BY:

WENDI S GIMA

ORGANIZATION:

FPO

DATE:

01/02/2024

Flight Inspected Signature:

*Digitally signed by***CASIMIR L TABAKA**

Jan 04, 2024

DEVELOPED BY:

Charles Hirst, Specialist

AJV-A431

10/05/2023

Developed By Signature:

*Digitally signed by***ERIC N SUSKI**

Nov 16, 2023

APPROVED BY:

Eric Suski, Manager

AJV-A431

Approved By Signature:

*Digitally signed by***ERIC N SUSKI**

Nov 16, 2023

CHANGES:

1. REMOVED JILNA WP AND MADE LUYTA WP THE STAR TERMINUS WITH AN ALTITUDE RESTRICTION OF AT 12000.
2. ARRIVAL: REMOVED OR AS ASSIGNED BY ATC; FM LEG CHANGED FROM 105 TO 140 (MB).
3. ADDED KNUQ ARPT TO THE STAR.
4. ADDED KNUQ TO COMMON ROUTE PROPERTIES.
5. ADDED RNAV 1 – DME/DME/IU OR GPS REQUIRED TO PBN REQUIREMENT NOTES.
6. ADDED RADAR REQUIRED TO EQUIPMENT REQUIREMENT NOTES.
7. CHANGED MOCA ON GRIJO TO ZINNN SEGMENT FROM 4100 TO 4800.

REASONS:


- 1-4. ATC REQUEST.
- 5-6. IAW 8260.19I 4-5-3 DOCUMENTATION STANDARDS.
7. IAW FAAO 8260.3E 2-2-7 d.(3) DESCENDING MOCAS AND MEAS.



FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
BRIXX (RNAV)	FOUR	BRIXX.BRIXX4	THREE	06/17/2021	21MAR2024
Graphic Depiction 1					



FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STAR (DATA RECORD)

Arrival Name BRIXX (RNAV)	Number FOUR	STAR Computer Code BRIXX.BRIXX4			Superseded Number THREE		Dated 06/17/2021		Effective Date 21MAR2024
<u>FIX/NAVAID</u>	<u>LAT/LONG</u>	<u>C</u>	<u>FO/FB</u>	<u>LEG TYPE</u>	<u>TC</u>	<u>DIST (NM)</u>	<u>ALTITUDE</u>	<u>SPEED</u>	<u>REMARKS</u>
En Route Transition									
CHBLI	383350.32N / 1223219.55W	Y		IF			AT/ABOVE FL280		CHBLI.BRIXX4
GRIJO	381135.89N / 1223134.66W	Y	FB	TF	178.48	22.23	AT/ABOVE FL220	AT 280K	
ZINNN	380344.51N / 1223118.92W	Y	FB	TF	178.49	07.85			
CORKK	374400.92N / 1222951.18W	Y	FB	TF	176.63	19.74	AT/ABOVE 14000		
BRIXX	373704.24N / 1222228.30W	Y	FB	TF	139.77	09.08	AT 12000	AT 250K	
Common Route									
BRIXX	373704.24N / 1222228.30W	Y		IF			AT 12000	AT 250K	BRIXX.BRIXX4
LUYTA	371741.60N / 1221216.39W	Y	FO	TF	157.19	20.99	AT 12000		
KNUQ,KSJC				FM	153.00				