

US DEPARTMENT OF TRANSPORTATION FEDERAL AVIATION ADMINISTRATION		RNAV - STANDARD INSTRUMENT APPROACH PROCEDURE TITLE 14 CFR PART 97.33		Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.											
TERMINAL ROUTES				MISSED APPROACH											
FROM	TO	COURSE AND DISTANCE	ALTITUDE	LNAV: RW08 CLIMB TO 2100 THEN CLIMBING RIGHT TURN TO 3100 DIRECT PENNS AND HOLD. ADDITIONAL FLIGHT DATA: HOLD NW, RT, 121.71 INBOUND. FAS OBST: 1060 AAO 410040N/0751354W WUSUS TO RW08: 3.00/45											
ZENTI (IF/IAF)	WUSUS (FB)	047.40 / 6.00	2400												
WUSUS (FAF)	HAVVI/3.40 NM TO RW08 (FB)	077.39 / 2.52													
HAVVI/3.40 NM TO RW08	RW08 (MAP) (FO)	077.43 / 3.40													
RW08 (MAP)	2100 MSL	077.43	2100												
2100 MSL	PENNS (FO)		3100												
1. PT <u> </u> SIDE OF COURSE <u> </u> OUTBOUND <u> </u> FT WITHIN <u> </u> MILES OF <u> </u> (IAF) 2. HOLD SW ZENTI, RT, 047.40 INBOUND, 3400 FT. IN LIEU OF PT (IAF) 3. FAC: 077.39 FAF: WUSUS DIST FAF TO MAP: 5.92 THLD: 5.92 4. MIN. ALT: ZENTI 3400, WUSUS 2400, HAVVI/3.40 NM TO RW08 1580 5. DIST TO THLD FROM OM: <u> </u> MM: <u> </u> IM: <u> </u> 150 HAT: <u> </u> 100 HAT: <u> </u> GS ANT: <u> </u> 6. MIN GS INCPT: <u> </u> GS ALT AT: <u> </u> OM: <u> </u> MM: <u> </u> IM: <u> </u> 7. GS ANGLE: <u> </u> TCH: <u> </u> 34:1 IS NOT CLEAR 8. MSA FROM: RW08 3600				MAG VAR: 11W EPOCH YEAR: 1980											
MINIMUMS															
TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT			ALTERNATE: N A X												
CATEGORY ==>	A			B			C			D			E		
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA
LNAV MDA	1320	1	849	1320	1 1/4	849		NA			NA				
CIRCLING	1400	1 1/4	920	1460	1 1/2	980		NA			NA				
NOTES: CHART NOTE: PROCEDURE NA AT NIGHT. CHART NOTE: DME/DME RNP-0.3 NA. CHART NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. CHART PLANVIEW NOTE: RADAR REQUIRED. (SEE FORM 8260-10)															
CITY AND STATE EAST STROUDSBURG, PA		ELEVATION: 480 THRE: 471 AIRPORT NAME: STROUDSBURG-POCONO		FACILITY IDENTIFIER: RNAV		PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 8, ORIG 20 SEPTEMBER 2012				SUP: AMDT: NONE DATED					

US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

NOTES, (CONT.):

CHART NOTE: OBTAIN LOCAL ALTIMETER SETTING ON CTAF; WHEN NOT RECEIVED, USE ALLENTOWN ALTIMETER SETTING AND INCREASE ALL MDA 80 FT, AND LNAV VISIBILITY CAT A 1/4 MILE.

QUALITY
2
CHECKED

CITY AND STATE

EAST STROUDSBURG, PA

ELEVATION: 480

THRE: 471

AIRPORT NAME:

STROUDSBURG-POCONO

FACILITY
IDENTIFIER:

RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:

RNAV (GPS) RWY 8, ORIG

20 SEPTEMBER 2012

SUP:

AMDT: NONE

DATED:

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

[illegible][illegible]

SEGMENT	1	2	3	4	5	6	7	8	9	0	1	2	3
SUSAP N53 K6FR08	AZENTI	010ZENTIK6EA0EE	AR	HF			04740040	+ 03400	18000			B JS	
SUSAP N53 K6FR08	R	010ZENTIK6EA0E	I	IF				+ 03400	18000			B JS	
SUSAP N53 K6FR08	R	020WUSUSK6EA1E	F	051TF			04740060	+ 02400			RW08	K6PGB	JS
SUSAP N53 K6FR08	R	020WUSUSK6EA2WN			N	ALNAV							JS
SUSAP N53 K6FR08	R	021HAVVIK6EA0E	S	031TF			07740025	V 0158001599		-300		B JS	
SUSAP N53 K6FR08	R	030RW08 K6PGOGY	M	031TF			07740034	00516		-300		B JS	
SUSAP N53 K6FR08	R	040	O	M	CA		0774	+ 02100				B JS	
SUSAP N53 K6FR08	R	050PENNSK6EA0EY	R	DF				+ 03100				B JS	
SUSAP N53 K6FR08	R	060PENNSK6EA0EE	R	HM			12170040	+ 03100				B JS	

[illegible][illegible]

CITY AND STATE EAST STROUDSBURG, PA	ELEVATION: 480 THRE: 471	FACILITY IDENTIFIER:	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:	SUP:
	AIRPORT NAME: STROUDSBURG-POCONO	RNAV	RNAV (GPS) RWY 8, ORIG 20 SEPTEMBER 2012	AMDT: NONE
				DATED:

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICES - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC SUMMARY - 424-18 - RNAV (GPS)

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE	SPEED
	ZENTI	ZENTI	010	IAF	HF	R	FO		047.4 (036.4T)	004.0	AA 03400	
		ZENTI	010	FACF	IF		FB				AA 03400	
		WUSUS	020	FAF	TF		FB	0.5	047.4 (036.4T)	006.0	AA 02400	
		HAVVI	021	SDF	TF		FB	0.3	077.4 (066.4T)	002.5	AA 01580	GS 01599
		RW08	030	MAP	TF		FO	0.3	077.4 (066.4T)	003.4	AT 00516	

MISSED APPROACH	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE	SPEED
		040		CA		FB		077.4 (066.4T)		AA 02100	
	PENNS	050		DF	R	FO				AA 03100	
	PENNS	060		HM	R	FO		121.7 (110.7T)	004.0	AA 03100	

POINT DATA	WAYPOINT	LAT IN SECS	LONG IN SECS	LAT IN MINS	LONG IN MINS
	HAVVI	N410041.93	W0751402.74	N4100.699	W07514.046
	PENNS	N405250.29	W0750634.38	N4052.838	W07506.573
	WUSUS	N405941.47	W0751705.46	N4059.691	W07517.091
	ZENTI	N405451.78	W0752147.48	N4054.863	W07521.791
	RW08	N410203.49	W0750955.67	N4102.058	W07509.928

RUNWAY DATA	RWY	THRESHOLD ELEVATION	TCH
	RW08	00471	45

CITY AND STATE
EAST STROUDSBURG, PA

ELEVATION: 480 THRE: 471
AIRPORT NAME:
STROUDSBURG-POCONO

FACILITY
IDENTIFIER:

RNAV

PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:
RNAV (GPS) RWY 8, ORIG
20 SEPTEMBER 2012

SUP:
AMDT: NONE
DATED: