

**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
GRAPHIC DEPARTURE PROCEDURES (DP)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u>
DIBVY	THREE	DIBVY3.GAL	TWO	1/13/2011	7 OCT 2021

<u>TYPE:</u>	<u>OBSTACLE</u>	<u>COPTER</u>	<u>SID</u>	<u>SPECIAL</u>	<u>RNAV</u>
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

DP ROUTE DESCRIPTION:

TAKEOFF RWY 7: CLIMB ON HEADING 067.86 TO 650, THEN CLIMBING RIGHT TURN TO AT OR ABOVE 6000 DIRECT DIBVY AND ON TRACK 079.64 TO GAL VOR/DME THENCE ...

TAKEOFF RWY 25: CLIMB ON HEADING 247.88 TO 650, THEN CLIMBING LEFT TURN TO AT OR ABOVE 6000 DIRECT DIBVY AND ON TRACK 079.64 TO GAL VOR/DME THENCE ...

... ON FILED ROUTE AND ALTITUDE.

TRANSITION ROUTES (GRAPHIC DEPICTION ONLY):

<u>TRANSITION NAME</u>	<u>TRANSITION COMPUTER CODE</u>	<u>FROM FIX/NAVAID</u>	<u>TO FIX/NAVAID</u>	<u>COURSE</u>	<u>DISTANCE</u>	<u>MEA</u>	<u>MOCA</u>	<u>CROSSING ALTITUDE/FIXES</u>
------------------------	-------------------------------------	----------------------------	--------------------------	---------------	-----------------	------------	-------------	------------------------------------

PROCEDURAL DATA NOTES:

NOTE: GPS REQUIRED.

NOTE: RNAV 1.

TAKEOFF MINIMUMS:

RWY 7, 25: STANDARD.

TAKEOFF OBSTACLES NOTES:

NOTE: RWY 7: TREES BEGINNING 243 FT FROM DER, 78 FT RIGHT OF CENTERLINE, UP TO 50 FT AGL/181 FT MSL. TREES BEGINNING 1014 FT FROM DER, 491 FT LEFT OF CENTERLINE, UP TO 50 FT AGL/165 FT MSL.

NOTE: RWY 25: TREES BEGINNING 1914 FT FROM DER, 86 FT RIGHT OF CENTERLINE, UP TO 50 FT AGL/240 FT MSL. TREES BEGINNING 224 FT FROM DER, 367 FT LEFT OF CENTERLINE, UP TO 50 FT AGL/191 FT MSL

CONTROLLING OBSTACLES:**LOST COMMUNICATIONS PROCEDURES:****ADDITIONAL FLIGHT DATA:**

DME/DME ASSESSMENT: NOT CONDUCTED.

REFERENCE MAG VAR PKFU 11E EPOCH YR. 2025

AIRPORTS SERVED:

<u>AIRPORT NAME</u>	<u>AIRPORT ID</u>	<u>CITY</u>	<u>STATE</u>
KOYUKUK	PKFU	KOYUKUK	AK

COMMUNICATIONS:

CTAF, ANCHORAGE CENTER



<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u>
DIBVY	THREE	DIBVY3.GAL	TWO	1/13/2011	7 OCT 2021

FIXES AND/OR NAVAIDS:REMARKS:

ABBREVIATED AMENDMENT, DOES NOT SATISFY PERIODIC REVIEW REQUIREMENTS.

FLIGHT INSPECTED BYOFFICEDATE

Processed IAW Aircraft Operations Group (AJF-10) Memo, April 29, 2020
 Subject: Flight Inspection Review Not Required.

Digitally signed by
DONALD H LANIER
 May 25, 2021

DEVELOPED BYOFFICEDATE

DON LANIER (PETER GETZ)

Digitally signed by
DONALD H LANIER
 May 25, 2021

AJV-A431

04/20/2021

APPROVED BYOFFICEDATETITLE

LONNIE EVERHART

Digitally signed by
DONALD H LANIER
 May 25, 2021

AJV-A430

MANAGER

REQUIRED EFFECTIVE DATE

ROUTINE

COORDINATED WITH:

A4A ☐ **ALPA** ☒ **AOPA** ☒ **APA** ☐ **HAI** ☐ **NBAA** ☒ **OTHER:** AMGR

CHANGES - REASONS:

1) CHANGED RWY NUMBERS FROM 6, 24 TO 7, 25 - MAG VAR UPDATED FROM, 17 EAST 2010 TO 11 EAST 2025.

2) DP ROUTE DESCRIPTION CHANGED FROM CLIMB HEADING 061.86 TO 650 THEN CLIMBING RIGHT TURN TO 6000 DIRECT DIBVY, AND ON 073.64 TRACK TO GAL VOR/DME. TO: CLIMB ON HEADING 067.87 TO 650, THEN CLIMBING RIGHT TURN TO AT OR ABOVE 6000 DIRECT DIBVY AND ON TRACK 079.64 TO GAL VOR/DME - MAG VAR CHANGE AND IAW 8260.46.

3) DP ROUTE DESCRIPTION CHANGED FROM CLIMB HEADING 241.88 TO 650 THEN CLIMBING RIGHT TURN TO 6000 DIRECT DIBVY, AND ON 073.64 TRACK TO GAL VOR/DME. TO: CLIMB ON HEADING 247.88 TO 650, THEN CLIMBING RIGHT TURN TO AT OR ABOVE 6000 DIRECT DIBVY AND ON TRACK 079.64 TO GAL VOR/DME - MAG VAR CHANGE AND IAW 8260.46.

QUALITY
20
CHECKED

**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
DEPARTURE (DATA RECORD)**

DP NAME					NUMBER	DP COMPUTER CODE	SUPERSEDED NUMBER	DATED	ACTUAL EFFECTIVE DATE
DIBVY					THREE	DIBVY3.GAL	TWO	1/13/2011	7 OCT 2021
FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
RWY 7 (AER)	645229.14N/1574435.00W	N	-	-	-	-			
650		-	-	VA	078.86	-	AT/ABOVE 650		
DIBVY	644437.99N/1573316.81W	Y	FO	DF	-	-	AT/ABOVE 6000		RIGHT TURN
GAL (VOR/DME)	644417.26N/1564737.69W	Y	FB	TF	90.64	20.00			
RWY 25 (AER)	645236.74N/1574304.14W	N	-	-	-	-			
650		-	-	VA	258.88	-	AT/ABOVE 650		
DIBVY	644437.99N/1573316.81W	Y	FO	DF	-	-	AT/ABOVE 6000		LEFT TURN
GAL (VOR/DME)	644417.26N/1564737.69W	Y	FB	TF	90.64	20.00			