

TERMINAL ROUTES				MISSED APPROACH
FROM	TO	COURSE AND DISTANCE	ALTITUDE	
SBY VORTAC	OKKOE (FO)	049.46 / 11.11	2000	LPV: DA LNAV/VNAV: DA LNAV: RW23
EZIZI (IAF)	OKKOE (NOPT) (FB)	146.65 / 9.50	2000	
OKKOE (IF/IAF)	NUTPY (FB)	228.75 / 6.05	1700	CLIMB TO 2000 DIRECT FEYKO AND HOLD.
NUTPY (FAF)	ZASBA/1.60 NM TO RW23 (FB)	228.70 / 3.35		
ZASBA/1.60 NM TO RW23	RW23 (MAP) (FO)	228.67 / 1.60		
RW23/RW23 (MAP)	371 MSL	228.67		ADDITIONAL FLIGHT DATA: HOLD SW, RT, 048.55 INBOUND. CHART FAS OBST: 159 TREE 382057N/0753057W DISTANCE TO THLD FROM 322 HAT: 0.85 NM. WAAS CHANNEL # 78018 REFERENCE PATH ID: W23A LTP HAE: -20.9 M
371 MSL	FEYKO (FO)		2000	

1. PT SIDE OF COURSE OUTBOUND FT WITHIN MILES OF (IAF)
2. HOLD NE OKKOE, RT, 228.75 INBOUND, 2000 FT. IN LIEU OF PT (IAF)
3. FAC: 228.70 FAF: NUTPY DIST FAF TO MAP: 4.95 THLD: 4.95
4. MIN. ALT: OKKOE 2000, NUTPY 1700, ZASBA/1.60 NM TO RW23 600'
5. DIST TO THLD FROM OM: MM: IM: 150 HAT: 100 HAT: GS ANT:
6. MIN GS INCPT: 1700 GS ALT AT: NUTPY 1700 OM: MM: IM:
7. GS ANGLE: 3.00 TCH: 51.0 34:1 IS NOT CLEAR
8. MSA FROM: RW23 2100

MAG VAR: 12W EPOCH YEAR: 2000

MINIMUMS															
TAKEOFF:	SEE FAA FORM 8260-15A FOR THIS AIRPORT						ALTERNATE: N A			STANDARD @					
CATEGORY \Rightarrow	A			B			C			D			E		
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA
LPV DA	371	1	322	371	1	322	371	1	322	371	1	322			
LNAV/VNAV DA	451	1 1/2	402	451	1 1/2	402	451	1 1/2	402	451	1 1/2	402			
LNAV MDA	420	1	371	420	1	371	420	1	371	420	1 1/4	371			
CIRCLING	480	1	427	520	1	467	520	1 1/2	467	620	2	567			

NOTES:
 CHART NOTE: BARO-VNAV NA WHEN USING GEORGETOWN ALTIMETER SETTING. @ NA WHEN LOCAL WEATHER NOT AVAILABLE.
 CHART NOTE: FOR UNCOMPENSATED BARO-VNAV SYSTEMS, LNAV/VNAV NA BELOW -15C (5F) OR ABOVE 43C (109F).
 CHART NOTE: DME/DME RNP-0.3 NA.
 CHART NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA.
 (SEE FORM 8260-10)

QUALITY
 5
 CHECKED

CITY AND STATE SALISBURY, MD	ELEVATION: 53 TDZE: 49 AIRPORT NAME: SALISBURY-OCEAN CITY WICOMICO RGNL	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 23, AMDT 1 18 NOV 2010	SUP: AMDT: ORIG-A DATED 08/30/2007
---------------------------------	--	------------------------------	--	--

US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

NOTES, (CONT.):

CHART PROFILE NOTE: VGSI AND RNAV GLIDEPATH NOT COINCIDENT.

***LNAV ONLY**

CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED USE GEORGETOWN ALTIMETER SETTING AND INCREASE ALL DA 52 FEET AND ALL MDA 60 FEET; INCREASE LPV ALL CATS AND LNAV CATS C/D VISIBILITY 1/4 MILE.

CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT SBY VORTAC ON V29 SOUTHBOUND.



CITY AND STATE SALISBURY, MD	ELEVATION: 53 AIRPORT NAME: SALISBURY-OCEAN CITY WICOMICO RGNL	TDZE: 49	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 23, AMDT 1 18 NOV 2010	SUP:
					AMDT: ORIG-A
					DATED: 08/30/2007

**RNAV STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

FAS DATA BLOCK INFORMATION

<u>DATA FIELD</u>	<u>DATA</u>
OPERATION TYPE	0
SBAS SERVICE PROVIDER IDENTIFIER	0
AIRPORT IDENTIFIER	KSBY
RUNWAY	RW23
APPROACH PERFORMANCE DESIGNATOR	0
ROUTE INDICATOR	0
REFERENCE PATH DATA SELECTOR	0
REFERENCE PATH IDENTIFIER (APPROACH ID)	W23A
LTP/FTP LATITUDE	382041.8060N
LTP/FTP LONGITUDE	0753023.4175W
LTP/FTP ELLIPSOIDAL HEIGHT	-00209
FPAP LATITUDE	381930.2500N
FPAP LONGITUDE	0753131.0200W
THRESHOLD CROSSING HEIGHT (TCH)	00051.0
TCH UNITS SELECTOR (METERS OR FEET USED)	F
GLIDEPATH ANGLE (GPA)	03.00
COURSE WIDTH AT THRESHOLD	106.75
LENGTH OFFSET	1224
HORIZONTAL ALERT LIMIT (HAL)	40.0
VERTICAL ALERT LIMIT (VAL)	50.0

CRC REMAINDER 31A2DC2C

ADDITIONAL PATH POINT RECORD INFORMATION

ICAO CODE	K6
LTP ORTHOMETRIC HEIGHT	+00150
FPAP ORTHOMETRIC HEIGHT	+00150



CITY AND STATE SALISBURY, MD	ELEVATION: 53	TDZE: 49	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 23, AMDT 1 18 NOV 2010	SUP:
	AIRPORT NAME: SALISBURY-OCEAN CITY WICOMICO RGNL				AMDT: ORIG-A
					DATED: 08/30/2007

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION

**RNAV STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

	1	2	3	4	5	6	7	8	9	0	1	2	3
RUNWAY	123456789012345678901234567890123456789012345678901234567890123456789012345678901234567890123456789012												

SUSAP	KS	BYK6GRW23	0050002287	N38204181W075302342-0100	-0020900049000051100R								

	1	2	3	4	5	6	7	8	9	0	1	2	3
PP	123456789012345678901234567890123456789012345678901234567890123456789012345678901234567890123456789012												

SUSAP	KS	BYK6PR23	RW23 001	0000W23A0N3820418060W07530234175-002090300N3819302500W07531310200106751224000510F40050031A2DC2C									
SUSAP	KS	BYK6PR23	RW23 002E	+00150+00150LPV	78018								

	1	2	3	4	5	6	7	8	9	0	1	2	3
MSA	123456789012345678901234567890123456789012345678901234567890123456789012345678901234567890123456789012												

SUSAP	KS	BYK6SRW23	K6PG	0	18018002125								M



CITY AND STATE SALISBURY, MD	ELEVATION: 53 AIRPORT NAME: SALISBURY-OCEAN CITY WICOMICO RGNL	TDZE: 49	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 23, AMDT 1 18 NOV 2010	SUP:
					AMDT: ORIG-A
					DATED: 08/30/2007