

**Federal Aviation
Administration**

Transmittal Letter 22-19

July 22, 2022

**PREPARED BY THE AERONAUTICAL INFORMATION GROUP, AJV-53
(AVAILABLE ON THE WEB AT [HTTP://NFDC.FAA.GOV](http://NFDC.FAA.GOV))**

**The enclosed Standard Instrument Approach Procedures, Departure
Procedures/Takeoff Minimums and Fix Actions are effective as indicated.**

By amending: §97.23 VOR, VOR/DME, VOR or TACAN, and VOR/DME or TACAN; §97.25 LOC, LOC/DME, LDA, LDA/DME, SDF, SDF/DME; §97.27 NDB, NDB/DME; §97.29 ILS, ILS/DME, MLS, MLS/DME, MLS/RNAV; §97.31 RADAR SIAPs; §97.33 RNAV SIAPs; and §97.35 COPTER SIAPs, Identified as follows:
.....EFFECTIVE UPON PUBLICATION

AIRAC DATE	STATE	CITY	AIRPORT	FDC NUMBER	FDC DATE	SUBJECT
9/8/2022	KS	Syracuse	Syracuse-Hamilton County Muni	2/6929	7/15/2022	RNAV (GPS) RWY 36, Orig-A

AIRAC Date: 9 SEPTEMBER 2022

FDC 2/6929 3K3 IAP SYRACUSE-HAMILTON COUNTY MUNI, SYRACUSE, KS. RNAV (GPS) RWY 36, ORIG-A... LPV DA 3569/HAT 251 ALL CATS. CIRCLING CAT A MDA 3980/HAA 654, CAT C MDA 4200/HAA 874; VIS CAT C 2 1/2. ALTERNATE MINIMUMS: STANDARD EXCEPT CAT C 900-2 1/2; NA WHEN LOCAL WEATHER NOT AVAILABLE. CHANGE ALTIMETER NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE LAMAR ALTIMETER SETTING: INCREASE LPV DA TO 3723 FEET AND ALL VISIBILITIES 1/8 SM; INCREASE LNAV/VNAV DA TO 3932 FEET AND ALL VISIBILITIES 3/8 SM; INCREASE ALL MDAS 160 FEET AND VISIBILITY CIRCLING CAT A/B 1/4 SM AND LNAV CAT C AND CIRCLING CAT C 1/2 SM. PBN REQUIREMENTS NOTE: RNP APCH-GPS. DELETE NOTE: DME/DME RNP-0.3 NA. THIS IS RNAV (GPS) RWY 36, ORIG-B. 2207011319-PERM