

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
VOR STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.23

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES

FROM	TO	COURSE AND DISTANCE	ALTITUDE
KASPR INT	FOW VOR/DME	337.53 / 15.30	2900

MISSED APPROACH

MAP: 7.72 MILES AFTER FOW VOR/DME OR AT MABHU/FOW 7.72 DME FIX

CLIMB TO 2900 THEN RIGHT TURN DIRECT FOW VOR/DME AND HOLD.

ADDITIONAL FLIGHT DATA:

**FAS OBST: 1329 AAO 441448N/0931920W
 FAC CROSSES MID POINT OF RWY 12-30.**

1. PT SIDE OF COURSE OUTBOUND FT WITHIN MILES OF (IAF)
2. **HOLD S FOW VOR/DME, RT, 016.89 INBOUND, 2900 FT. IN LIEU OF PT (IAF)**
3. FAC 016.89 FAF FOW VOR/DME DIST FAF TO MAP 7.72 THLD
4. MIN. ALT FOW VOR/DME 2900
8. MSA FROM: FOW VOR/DME 2900

MAG VAR: 2E

EPOCH YEAR: 2000

MINIMUMS

TAKEOFF:	STANDARD	X	SEE FAA FORM 8260-15A FOR THIS AIRPORT						ALTERNATE: N A			STANDARD @					
			A			B			C			D			E		
CATEGORY	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA		
CIRCLING	1680	1	620	1680	1	620	1680	1 3/4	620		NA						

NOTES:

CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE OWATONNA ALTIMETER SETTING AND INCREASE @ NA WHEN LOCAL WEATHER NOT AVAILABLE. ALL MDA 60 FEET, AND CAT C VISIBILITY 1/4 MILE.



CITY AND STATE FARIBAULT, MN	ELEVATION: 1060 TDZE:	FACILITY IDENTIFIER: FOW	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: VOR-A, AMDT 6 23 SEP 2010	SUP VOR OR GPS-A
	AIRPORT NAME: FARIBAULT MUNI			AMDT 5A
				DATE 01/18/2007