

US DEPARTMENT OF TRANSPORTATION FEDERAL AVIATION ADMINISTRATION							RNAV - STANDARD INSTRUMENT APPROACH PROCEDURE TITLE 14 CFR PART 97.33									Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.					
TERMINAL ROUTES												MISSED APPROACH									
FROM			TO			COURSE AND DISTANCE			ALTITUDE			LNAV: RW17									
ORWAY			OHAGY (FB)			303.75 / 20.74			7500			CLIMB TO 6000 THEN CLIMBING LEFT TURN TO 7500 DIRECT BORUM AND HOLD.									
STANO			OGHAL (FB)			032.31 / 13.95			8100												
DRAKE (IAF)			ZENRU (FB)			208.30 / 7.74			7000			ADDITIONAL FLIGHT DATA: HOLD S, RT, 341.00 INBOUND. FAS OBST: 5379 AAO 382224N/1043104W 5529 AAO 382345N/1043158W CHART R-2601. CHART VDP AT 2.70 NM TO RW17. PUBXO TO RW17: 3.00/50.0.									
OHAGY (IAF)			ZENRU (FB)			260.40 / 6.00			7000												
OGHAL (IAF)			ZENRU (FB)			080.24 / 6.00			7000												
ZENRU (IF)			PUBXO (FB)			170.32 / 6.50			6500												
PUBXO (FAF)			RW17 (MAP) (FO)			170.33 / 5.40															
(SEE FORM 8260-10)																					
1. PT _____ SIDE OF COURSE _____ OUTBOUND _____ FT WITHIN _____ MILES OF _____ (IAF)																					
2. PROFILE STARTS AT ZENRU																					
3. FAC: 170.33 FAF: PUBXO DIST FAF TO MAP: 5.40 THLD: 5.40																					
4. MIN. ALT: ZENRU 7000, PUBXO 6500																					
5. DIST TO THLD FROM OM: _____ MM: _____ IM: _____ 150 HAT: _____ 100 HAT: _____ GS ANT: _____																					
6. MIN GS INCPT: _____ GS ALT AT: _____ OM: _____ MM: _____ IM: _____																					
7. GS ANGLE: _____ TCH: 34:1 IS NOT CLEAR																					
8. MSA FROM: RW17 10200																					
MAG VAR: 8E EPOCH YEAR: 2015																					
MINIMUMS																					
TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT																					
ALTERNATE: N A @																					
CATEGORY ==>		A			B			C			D			E							
		DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA					
LNAV MDA		5640	1 1/4	911	5640	1 1/4	911	5640	2 1/2	911	5640	2 1/2	911								
CIRCLING		5640	1 1/4	911	5640	1 1/4	911	5640	2 3/4	911	5640	3	911								
NOTES:																					
CHART NOTE: DME/DME RNP-0.3 NA.																					
CHART SPEED ICON IN PLANVIEW AT OGHAL: MAX 210 KIAS.																					
CHART SPEED ICON IN PLANVIEW AT OHAGY: MAX 210 KIAS.																					
CHART NOTE: RWY 17 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED																					
@ NA WHEN LOCAL WEATHER NOT AVAILABLE.																					
@ CAT A, B 1000-2, CAT C 1000-2 3/4, CAT D 1000-3																					
CITY AND STATE																					
PUEBLO, CO																					
ELEVATION: 4729 TDZE: 4729																					
AIRPORT NAME:																					
PUEBLO MEMORIAL																					
FACILITY IDENTIFIER: RNAV																					
PROCEDURE NO./AMDT NO./EFFECTIVE DATE:																					
RNAV (GPS) RWY 17, ORIG-A																					
15 SEPTEMBER 2016																					
SUP:																					
AMDT: ORIG																					
DATED 06/27/2013																					

US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES, (CONT.):

FROM	TO	COURSE AND DISTANCE	ALTITUDE
RW17 (MAP)	6000 MSL	170.33	6000
6000 MSL	BORUM (FO)		7500

NOTES, (CONT.):

CHART NOTE: VDP NA WHEN USING LA JUNTA ALTIMETER SETTING

CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE LA JUNTA ALTIMETER SETTING AND INCREASE ALL MDA 200 FEET; INCREASE LNAV CAT B VISIBILITY AND CIRCLING CAT B/C VISIBILITY 1/4 MILE, CIRCLING CAT D VISIBILITY 1/2 MILE.

CHART PROFILE NOTE: VGSI AND DESCENT ANGLES NOT COINCIDENT (VGSI ANGLE {ANGLE}/TCH {FEET})

QUALITY
6
CHECKED

CITY AND STATE
PUEBLO, CO

ELEVATION: 4729 TDZE: 4729
AIRPORT NAME:
PUEBLO MEMORIAL

FACILITY
IDENTIFIER:
RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:
RNAV (GPS) RWY 17, ORIG-A
15 SEPTEMBER 2016

SUP:
AMDT: ORIG
DATED: 06/27/2013

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICES - TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC SUMMARY - KPUB

ROUTES

TRANSITION	WPT SEQ	WPT NAME	LEG TYPE	FB/FO	RNP	MAG CRS	REC NAV	ANGLE	TURN DIR	CENTER FIX	TURN RADIUS	ALTITUDE DESCRIPTION & VALUE	SPEED LIMIT DESCRIPTION & VALUE	WPT DESCRIPTION CODE
DRAKE	010	DRAKE	IF	FB										E A
DRAKE	020	ZENRU	TF	FB	1.0	208.3						AA 07000		EE B
ORWAY	010	ORWAY	IF	FB										E
ORWAY	020	OHAGY	TF	FB	2.0	303.8						AA 07500		E A
ORWAY	030	ZENRU	TF	FB	1.0	260.4						AA 07000		EE B
STANO	010	STANO	IF	FB										E
STANO	020	OGHAL	TF	FB	2.0	032.3						AA 08100		E A
STANO	030	ZENRU	TF	FB	1.0	080.2						AA 07000		EE B
	010	ZENRU	IF	FB								AA 07000		E I
	020	PUBXO	TF	FB	1.0	170.3				RW17		AA 06500		E F
	030	RW17	TF	FO	0.3	170.3		3.00				AT 04779		GY M
	040		CA	FB		170.3						AA 06000		M
	050	BORUM	DF	FO					L			AA 07500		EY
	060	BORUM	HM	FO		341.0			R			AA 07500		EE

POINTS

POINT NAME	LATITUDE	LONGITUDE
DRAKE	N383624.05	W1042451.18
ORWAY	N381632.08	W1040320.14
STANO	N381920.32	W1044949.29
BORUM	N380530.37	W1042210.27
OGHAL	N382958.69	W1043819.58
OHAGY	N383019.82	W1042302.78
PUBXO	N382339.37	W1043026.70
ZENRU	N383009.50	W1043041.20

RUNWAYS

RUNWAY	THRESHOLD LATITUDE	THRESHOLD LONGITUDE	THRESHOLD ELEVATION	PROCEDURE TCH
RW17	N381815.06	W1043014.69	04729	50

QUALITY
6
CHECKED

CITY AND STATE PUEBLO, CO	ELEVATION: 4729 TDZE: 4729	FACILITY IDENTIFIER:	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:	SUP:
	AIRPORT NAME: PUEBLO MEMORIAL	RNAV	RNAV (GPS) RWY 17, ORIG A 15 SEPTEMBER 2016	AMDT: ORIG
			DATED: 06/27/2013	