

**FEDERAL AVIATION ADMINISTRATION  
FLIGHT STANDARDS SERVICE  
GRAPHIC DEPARTURE PROCEDURES (DP)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.  
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

| <u>DP NAME</u> | <u>NUMBER</u> | <u>DP COMPUTER CODE</u> | <u>SUPERSEDED NUMBER</u> | <u>DATED</u> | <u>ACTUAL EFFECTIVE DATE</u> |
|----------------|---------------|-------------------------|--------------------------|--------------|------------------------------|
| JADKO          | ONE           | JADKO1..JADKO           | NONE                     |              | 16MAY2024                    |

| <u>TYPE:</u> | <u>OBSTACLE</u>          | <u>COPTER</u>            | <u>SID</u>                          | <u>SPECIAL</u>           | <u>RNAV</u>                         |
|--------------|--------------------------|--------------------------|-------------------------------------|--------------------------|-------------------------------------|
|              | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |

**DP ROUTE DESCRIPTION:**

TAKEOFF RWY 06: CLIMB ON HEADING 057.43 TO 2100, THEN CLIMBING RIGHT TURN DIRECT LOSOM TO CROSS LOSOM AT OR ABOVE 5500, THEN ON TRACK 155.46 TO CROSS STRKS BETWEEN 6100 AND 6900, THEN ON TRACK 172.00 TO ELICA, THENCE...

TAKEOFF RWY 24: CLIMB ON HEADING 237.44 TO INTERCEPT COURSE 153.00 TO PESLE, THEN ON TRACK 098.30 TO ROLIE, THEN ON TRACK 130.28 TO ELICA, THENCE...  
THENCE ON TRACK 146.05 TO JADKO.

EXPECT FILED ALTITUDE 10 MINUTES AFTER DEPARTURE.

**TRANSITION ROUTES (GRAPHIC DEPICTION ONLY):**

| <u>TRANSITION NAME</u> | <u>TRANSITION<br/>COMPUTER CODE</u> | <u>FROM<br/>FIX/NAVAID</u> | <u>TO<br/>FIX/NAVAID</u> | <u>COURSE</u> | <u>DISTANCE</u> | <u>MEA</u> | <u>MOCA</u> | <u>CROSSING<br/>ALTITUDE/FIXES</u> |
|------------------------|-------------------------------------|----------------------------|--------------------------|---------------|-----------------|------------|-------------|------------------------------------|
| AVRRY                  | JADKO1.AVRRY                        | JADKO                      | ARRDY                    | TRACK 083.62  | 10.33           | 7600       | 7600        | AT/ABOVE 13000                     |
|                        |                                     | ARRDY                      | PEELR                    | TRACK 083.68  | 22.25           | 13000      | 10000       |                                    |
|                        |                                     | PEELR                      | MTBAL                    | TRACK 078.71  | 14.77           | 13000      | 8800        |                                    |
|                        |                                     | MTBAL                      | AVRRY                    | TRACK 056.20  | 25.24           | 13000      | 7600        |                                    |
| MTBAL                  | JADKO1.MTBAL                        | JADKO                      | ARRDY                    | TRACK 083.62  | 10.33           | 7600       | 7600        | AT/ABOVE 13000                     |
|                        |                                     | ARRDY                      | PEELR                    | TRACK 083.68  | 22.25           | 13000      | 10000       |                                    |
|                        |                                     | PEELR                      | MTBAL                    | TRACK 078.71  | 14.77           | 13000      | 8800        |                                    |
| SANTA CATALINA         | JADKO1.SXC                          | JADKO                      | ROHRS                    | TRACK 182.49  | 15.38           | 7000       | 7000        | AT/ABOVE 15000                     |
|                        |                                     | ROHRS                      | DEGLE                    | TRACK 182.45  | 9.91            | 15000      | 7000        |                                    |
|                        |                                     | DEGLE                      | COMIX                    | TRACK 234.13  | 20.05           | 15000      | 4100        |                                    |
|                        |                                     | COMIX                      | PADRZ                    | TRACK 267.17  | 19.34           | 15000      | 2200        |                                    |
|                        |                                     | PADRZ                      | SXC VORTAC               | TRACK 278.29  | 30.09           | 15000      | 4400        |                                    |

**PBN REQUIREMENT NOTES:**

RNAV 1-GPS

**EQUIPMENT REQUIREMENT NOTES:**

RADAR REQUIRED

NFDD 058

03/25/2024

45

|                |               |                         |                          |              |                              |
|----------------|---------------|-------------------------|--------------------------|--------------|------------------------------|
| <u>DP NAME</u> | <u>NUMBER</u> | <u>DP COMPUTER CODE</u> | <u>SUPERSEDED NUMBER</u> | <u>DATED</u> | <u>ACTUAL EFFECTIVE DATE</u> |
| JADKO          | ONE           | JADKO1..JADKO           | NONE                     |              | 16MAY2024                    |

**PROCEDURAL DATA NOTES:**  
CHART NOTE: TURBOJET AND TURBOPROP AIRCRAFT ONLY.  
CHART NOTE: RWY 06 DEPARTURES: MAINTAIN AT OR BELOW 210 KIAS UNTIL LEAVING 3500.

**TAKEOFF MINIMUMS:**  
RWY 06: STANDARD WITH MINIMUM CLIMB OF 602 FT PER NM TO 5800.  
RWY 24: STANDARD WITH MINIMUM CLIMB OF 439 FT PER NM TO 4100.

**TAKEOFF OBSTACLES NOTES:**  
SEE FORM 8260-15A, TAKEOFF MINIMUMS AND OBSTACLE DEPARTURE PROCEDURES (ODP).

**CONTROLLING OBSTACLES:**  
RWY 06: 4560 FT MSL AAO 340903.00N/1170512.00W (CLIMB GRADIENT), 4819 MSL AAO 340609.00N/1170227.00W (CLIMB-TO ALTITUDE)  
RWY 24: 3306 AAO 335922.16N/1171451.29W (CLIMB GRADIENT) (CLIMB-TO ALTITUDE)

**MSA:**  
MSA FROM SBD 12800

**LOST COMMUNICATIONS PROCEDURES:**

**ADDITIONAL FLIGHT DATA:**  
CHART: R-2503A/B/C/D  
CHART: TOP ALTITUDE: AVRRY AND MTBAL TRANSITIONS: 14000, SANTA CATALINA TRANSITION: 15000  
DME/DME ASSESSMENT: NOT CONDUCTED.  
CHART KREI  
CHART REDLANDS AEROBATIC OPERATIONS AREA (CHART SUPPLEMENT SPECIAL NOTICES)  
CHART NOTE: SCHEDULED AEROBATIC ACTIVITY BEGINNING 4.5 NM E OF RWY 6 DER/2.7 NM W OF LOSOM 3500 FT TO 7500 FT MSL. 123.05.

**AIRPORTS SERVED:**

|                   |                |              |
|-------------------|----------------|--------------|
| <u>AIRPORT ID</u> | <u>CITY</u>    | <u>STATE</u> |
| KSBD              | SAN BERNARDINO | CA           |

**COMMUNICATIONS:**  
CHART ATIS, GND CON, TOWER

**FIXES AND/OR NAVAIDS:**  
LVLL, TTRUE, WURMO

**REMARKS:**  
DO NOT CHART MOCA FROM JADKO TO ARRDY  
NON-FAA SERVICE PROVIDER

**FLIGHT INSPECTED BY**

CHRISTIAN F BAUR

**SIGNATURE**

**Chris Baur**

 Digitally signed by Chris Baur  
Date: 2023.07.03 17:43:31 -07'00'

**OFFICE**

HAC

**DATE**

08/30/2022

**DEVELOPED BY**

BOB ABBOTT

**SIGNATURE**

**Bob Abbott**

 Digitally signed by Bob Abbott  
Date: 2023.07.03 17:43:45 -07'00'

**OFFICE**

HAC

**DATE**

07/13/2021

**APPROVED BY**

TONY LAWSON

**SIGNATURE**

**Tony Lawson**

 Digitally signed by Tony Lawson  
Date: 2023.09.06 10:41:02 -07'00'

**OFFICE**

HAC

**DATE**

09/01/2023

**TITLE**

CHIEF DESIGNER

FAA Form 8260-15B (03/23) Supersedes Previous Edition

Electronic Version

Page 2 of 3

| <u>DP NAME</u> | <u>NUMBER</u> | <u>DP COMPUTER CODE</u> | <u>SUPERSEDED NUMBER</u> | <u>DATED</u> | <u>ACTUAL EFFECTIVE DATE</u> |
|----------------|---------------|-------------------------|--------------------------|--------------|------------------------------|
| JADKO          | ONE           | JADKO1..JADKO           | NONE                     |              | 16MAY2024                    |

---

**REQUIRED EFFECTIVE DATE****COORDINATED WITH:**

**A4A** ☒    **ALPA** ☒    **AOPA** ☒    **APA** ☒    **HAI** ☐    **NBAA** ☒    **OTHER:**SCT, ZLA, UPS, SBIAA, REI AMGR

**CHANGES - REASONS:**

03/25/2024

47

NFDD 058

FEDERAL AVIATION ADMINISTRATION  
FLIGHT STANDARDS SERVICE  
DEPARTURE (DATA RECORD)

| DP NAME     |                        | NUMBER |       | DP COMPUTER CODE |        | SUPERSEDED NUMBER |                | DATED         |                          | ACTUAL EFFECTIVE DATE |  |
|-------------|------------------------|--------|-------|------------------|--------|-------------------|----------------|---------------|--------------------------|-----------------------|--|
| JADKO       |                        | ONE    |       | JADKO1.JADKO     |        | NONE              |                |               |                          | 16MAY2024             |  |
| FIX/NAVAID  | LAT/LONG               | C      | FO/FB | LEG TYPE         | TC     | DIST (NM)         | ALTITUDE       | SPEED         | REMARKS                  |                       |  |
| RW06 (AER)  | 340526.72N/1171501.57W | N      | -     | -                | -      | -                 |                | AT/BELOW 210K | TO 3500                  |                       |  |
| 2100 MSL    | -                      | -      | -     | VA               | 070.43 | -                 |                |               | CG 602 FT PER NM TO 5800 |                       |  |
| LOSOM       | 340540.69N/1170430.56W | Y      | FB    | DF               | -      | -                 | AT/ABOVE 5500  |               | RIGHT TURN               |                       |  |
| STRKS       | 335810.60N/1170240.31W | Y      | FB    | TF               | 168.46 | 7.64              | 6100B6900      |               |                          |                       |  |
| ELICA       | 335022.36N/1170329.44W | Y      | FB    | TF               | 185.00 | 7.82              |                |               |                          |                       |  |
|             |                        |        |       |                  |        |                   |                |               |                          |                       |  |
| RW24 (AER)  | 340559.84N/1171309.54W | N      | -     | -                | -      | -                 |                |               |                          |                       |  |
| -           | 340420.19N/1171846.23W | -      | -     | VI               | 250.44 | 4.95              |                |               | CG 439 FT PER NM TO 4100 |                       |  |
| PESLE       | 335941.61N/1171722.76W | Y      | FB    | CF               | 166.00 | 4.78              |                |               | LEFT TURN                |                       |  |
| ROLIE       | 335708.54N/1170932.34W | Y      | FB    | TF               | 111.30 | 7.00              |                |               |                          |                       |  |
| ELICA       | 335022.36N/1170329.44W | Y      | FB    | TF               | 143.28 | 8.43              |                |               |                          |                       |  |
|             |                        |        |       |                  |        |                   |                |               |                          |                       |  |
| ELICA       | 335022.36N/1170329.44W | Y      | -     | IF               | -      | -                 |                |               |                          |                       |  |
| JADKO       | 334030.29N/1165858.32W | Y      | FB    | TF               | 159.05 | 10.55             |                |               |                          |                       |  |
|             |                        |        |       |                  |        |                   |                |               |                          |                       |  |
| TRANSITIONS |                        |        |       |                  |        |                   |                |               |                          |                       |  |
| JADKO       | 334030.29N/1165858.32W | Y      | -     | IF               | -      | -                 |                |               | JADKO1.AVRRY             |                       |  |
| ARRDY       | 333918.05N/1164640.81W | Y      | FB    | TF               | 096.62 | 10.33             | AT/ABOVE 13000 |               |                          |                       |  |
| PEELR       | 333639.62N/1162012.96W | Y      | FB    | TF               | 096.68 | 22.25             |                |               |                          |                       |  |
| MTBAL       | 333611.93N/1160232.30W | Y      | FB    | TF               | 091.71 | 14.77             |                |               |                          |                       |  |
| AVRRY       | 334507.35N/1153414.56W | Y      | FB    | TF               | 069.20 | 25.24             |                |               |                          |                       |  |

|                   |                        |               |              |                         |            |                          |                 |              |                              |
|-------------------|------------------------|---------------|--------------|-------------------------|------------|--------------------------|-----------------|--------------|------------------------------|
| NFDD 058          |                        |               |              |                         | 03/25/2024 |                          |                 | 48           |                              |
| <u>DP NAME</u>    |                        | <u>NUMBER</u> |              | <u>DP COMPUTER CODE</u> |            | <u>SUPERSEDED NUMBER</u> |                 | <u>DATED</u> | <u>ACTUAL EFFECTIVE DATE</u> |
| JADKO             |                        | ONE           |              | JADKO1.JADKO            |            | NONE                     |                 |              | 16MAY2024                    |
| <u>FIX/NAVAID</u> | <u>LAT/LONG</u>        | <u>C</u>      | <u>FO/FB</u> | <u>LEG TYPE</u>         | <u>TC</u>  | <u>DIST (NM)</u>         | <u>ALTITUDE</u> | <u>SPEED</u> | <u>REMARKS</u>               |
| JADKO             | 334030.29N/1165858.32W | Y             | -            | IF                      | -          | -                        |                 |              | JADKO1.MTBAL                 |
| ARRDY             | 333918.05N/1164640.81W | Y             | FB           | TF                      | 096.62     | 10.33                    | AT/ABOVE 13000  |              |                              |
| PEELR             | 333639.62N/1162012.96W | Y             | FB           | TF                      | 096.68     | 22.25                    |                 |              |                              |
| MTBAL             | 333611.93N/1160232.30W | Y             | FB           | TF                      | 091.71     | 14.77                    |                 |              |                              |
|                   |                        |               |              |                         |            |                          |                 |              |                              |
| JADKO             | 334030.29N/1165858.32W | Y             | -            | IF                      | -          | -                        |                 |              | JADKO1.SXC                   |
| ROHRS             | 332539.28N/1170352.85W | Y             | FB           | TF                      | 195.49     | 15.38                    | AT/ABOVE 15000  |              |                              |
| DEGLE             | 331605.10N/1170701.73W | Y             | FB           | TF                      | 195.45     | 9.91                     |                 |              |                              |
| COMIX             | 330814.77N/1172901.66W | Y             | FB           | TF                      | 247.13     | 20.05                    |                 |              |                              |
| PADRZ             | 331138.00N/1175143.00W | Y             | FB           | TF                      | 280.17     | 19.34                    |                 |              |                              |
| SXC VORTAC        | 332230.20N/1182511.68W | Y             | FB           | TF                      | 291.29     | 30.09                    |                 |              |                              |