

**Federal Aviation
Administration**

Transmittal Letter 19-24

October 4, 2019

**PREPARED BY THE AERONAUTICAL INFORMATION GROUP, AJV-53
(AVAILABLE ON THE WEB AT [HTTP://NFDC.FAA.GOV](http://NFDC.FAA.GOV))**

**The enclosed Standard Instrument Approach Procedures, Departure
Procedures/Takeoff Minimums and Fix Actions are effective as indicated.**

By amending: §97.23 VOR, VOR/DME, VOR or TACAN, and VOR/DME or TACAN; §97.25 LOC, LOC/DME, LDA,
LDA/DME, SDF, SDF/DME; §97.27 NDB, NDB/DME; §97.29 ILS, ILS/DME, MLS, MLS/DME,
MLS/RNAV; §97.31 RADAR SIAPs; §97.33 RNAV SIAPs; and §97.35 COPTER SIAPs, Identified as follows:
.....EFFECTIVE UPON PUBLICATION

AIRAC DATE	STATE	CITY	AIRPORT	FDC NUMBER	FDC DATE	SUBJECT
11/7/2019	TX	Lockhart	Lockhart Muni	9/5772	9/18/2019	RNAV (GPS) RWY 18, Orig-A

AIRAC Date: 7 NOVEMBER 2019

FDC 9/5772 50R IAP LOCKHART MUNI, Lockhart, TX. RNAV (GPS) RWY 18, ORIG-A... DELETE CIRCLING MINIMUMS. PBN REQUIREMENTS NOTE: RNP APCH. DELETE NOTE: DME/DME RNP-0.3 NA. DELETE NOTE: WHEN VGSI INOP, STRAIGHT-IN/CIRCLING RWY 18 PROCEDURE NA AT NIGHT. DELETE NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. CHART NOTE: USE SAN MARCOS ALTIMETER SETTING, WHEN NOT RECEIVED, USE AUSTIN-BERGSTROM INTL ALTIMETER SETTING AND INCREASE ALL DA 16 FEET, ALL MDA 20 FEET; INCREASE LNAV CAT B VISIBILITY 1/4 SM. DELETE NOTE: USE SAN MARCOS ALTIMETER SETTING, WHEN NOT RECEIVED, USE AUSTIN-BERGSTROM INTL ALTIMETER SETTING AND INCREASE ALL DA 16 FEET, ALL MDA 20 FEET, INCREASE LNAV CAT B AND CIRCLING CATS B AND C VISIBILITIES 1/4 MILE. THIS IS RNAV (GPS) RWY 18, ORIG-B. 1909091627-PERM