

US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

NOTES, (CONT.):

CHART PROFILE NOTE: DESCENT ANGLE NA.

CHART NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED.

TAA	FROM	TO	ALT
1.	105/30 CW 245/30 (NOPT)	UJILE (IF/IAF) (FB)	3900
2.	245/30 CW 355/30	YOKRU (IAF) (FB)	4100
3.	355/30 CW 105/30	VOKHY (IAF) (FB)	4200

QUALITY
22
CHECKED

CITY AND STATE
HORNELL, NY

ELEVATION: 1219 TDZE: 1213
AIRPORT NAME:
HORNELL MUNI

FACILITY
IDENTIFIER:
RNAV

PROCEDURE NO./ AMDT NO./EFFECTIVE DATE:
RNAV (GPS) RWY 18, ORIG-A
21 JULY 2016

SUP:	
AMDT:	ORIG
DATED:	05/31/2012

**RNAV STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

FAS DATA BLOCK INFORMATION

<u>DATA FIELD</u>	<u>DATA</u>
OPERATION TYPE	0
SBAS SERVICE PROVIDER IDENTIFIER	0
AIRPORT IDENTIFIER	KHTF
RUNWAY	RW18
APPROACH PERFORMANCE DESIGNATOR	0
ROUTE INDICATOR	
REFERENCE PATH DATA SELECTOR	0
REFERENCE PATH IDENTIFIER (APPROACH ID)	W18A
LTP/FTP LATITUDE	422314.7175N
LTP/FTP LONGITUDE	0774102.8500W
LTP/FTP ELLIPSOIDAL HEIGHT	+03369
FPAP LATITUDE	422148.9100N
FPAP LONGITUDE	0774030.2200W
THRESHOLD CROSSING HEIGHT (TCH)	00000.0
TCH UNITS SELECTOR (METERS OR FEET USED)	F
GLIDEPATH ANGLE (GPA)	00.00
COURSE WIDTH AT THRESHOLD	106.75
LENGTH OFFSET	1376
HORIZONTAL ALERT LIMIT (HAL)	40.0
VERTICAL ALERT LIMIT (VAL)	0.0

<u>CRC REMAINDER</u>	FE5C103D
----------------------	----------

ADDITIONAL PATH POINT RECORD INFORMATION

ICAO CODE	K6
LTP ORTHOMETRIC HEIGHT	+03697
FPAP ORTHOMETRIC HEIGHT	+03697

QUALITY
22
CHECKED

CITY AND STATE

HORNELL, NY

ELEVATION: 1219

TDZE: 1213

AIRPORT NAME:

HORNELL MUNI

 FACILITY
IDENTIFIER:

RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:

RNAV (GPS) RWY 18, ORIG-A

21 JULY 2016

SUP:

AMDT: ORIG

DATED: 05/31/2012

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

QUALITY
22
CHECKED

Page 4 of 5 Pages

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION								Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.				
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE												
FLIGHT STANDARDS SERVICES - FAR PART 97.33												
ARINC SUMMARY - 424-18 - RNAV (GPS)												
ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE	SPEED
	UJILE	UJILE	010	IAF	HF	R	FO		175.2 (164.2T)	004.0	AA 03900	
	VOKHY	VOKHY	010	IAF	IF		FB					
	VOKHY	UJILE	020		TF		FB	1.0	105.1 (094.1T)	008.8	AA 03900	
	YOKRU	YOKRU	010	IAF	IF		FB					
	YOKRU	UJILE	020		TF		FB	1.0	245.3 (234.3T)	008.8	AA 03900	
		UJILE	010	FACF	IF		FB				AA 03900	
		REGSE	020	FAF	TF		FB	0.5	175.2 (164.2T)	006.9	AA 02900	
		JASAR	021	SDF	TF		FB	0.3	175.2 (164.2T)	001.4	AA 02460	
		RW18	030	MAP	TF		FO	0.3	175.2 (164.2T)	003.8	AT 02240	
MISSED APPROACH		FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE	SPEED
			040		CA		FB		175.2 (164.2T)		AA 01620	
		FEKBO	050		DF		FO				AA 04200	
		FEKBO	060		HM	R	FO		355.3 (344.3T)	005.0	AA 04200	
POINT DATA		WAYPOINT	LAT IN SECS		LONG IN SECS		LAT IN MINS		LONG IN MINS			
		FEKBO	N420738.84		W0773508.25		N4207.647		W07735.138			
		JASAR	N422654.21		W0774226.43		N4226.904		W07742.441			
		REGSE	N422813.44		W0774256.65		N4228.224		W07742.944			
		UJILE	N423453.12		W0774529.39		N4234.885		W07745.490			
		VOKHY	N423531.46		W0775722.27		N4235.524		W07757.371			
		YOKRU	N424001.44		W0773548.71		N4240.024		W07735.812			
		RW18	N422314.72		W0774102.85		N4223.245		W07741.048			
RUNWAY DATA			THRESHOLD									
		RWY	ELEVATION		TCH							
		RW18	01213		50							



CITY AND STATE HORNELL, NY	ELEVATION: 1219	TDZE: 1213	FACILITY IDENTIFIER:	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE: RNAV (GPS) RWY 18, ORIG-A 21 JULY 2016	SUP:
	AIRPORT NAME: HORNELL MUNI		RNAV		AMDT: ORIG
					DATED: 05/31/2012