

**Federal Aviation  
Administration**

**Transmittal Letter 23-15**

**May 26, 2023**

**PREPARED BY THE AERONAUTICAL INFORMATION GROUP, AJV-53  
(AVAILABLE ON THE WEB AT [HTTP://NFDC.FAA.GOV](http://NFDC.FAA.GOV))**

**The enclosed Standard Instrument Approach Procedures, Departure  
Procedures/Takeoff Minimums and Fix Actions are effective as indicated.**

By amending: §97.23 VOR, VOR/DME, VOR or TACAN, and VOR/DME or TACAN; §97.25 LOC, LOC/DME, LDA, LDA/DME, SDF, SDF/DME; §97.27 NDB, NDB/DME; §97.29 ILS, ILS/DME, MLS, MLS/DME, MLS/RNAV; §97.31 RADAR SIAPs; §97.33 RNAV SIAPs; and §97.35 COPTER SIAPs, Identified as follows:  
.....EFFECTIVE UPON PUBLICATION

AIRAC DATE	STATE	CITY	AIRPORT	FDC NUMBER	FDC DATE	SUBJECT
7/13/2023	IL	Springfield	Abraham Lincoln Capital	3/0255	3/29/2023	RNAV (GPS) RWY 22, Orig-C

**AIRAC Date: 13 JULY 2023**

FDC 3/0255 SPI IAP ABRAHAM LINCOLN CAPITAL, SPRINGFIELD, IL. RNAV (GPS) RWY 22, ORIG-C... LNAV MDA 980/HAT 382. LNAV/VNAV VISIBILITY ALL CATS 7/8. DELETE PROFILE NOTE \*LNAV ONLY. CHANGE VDP: \*1 NM TO RW22 TO READ 1 NM TO RW22. DELETE NOTE: DME/DME RNP-0.3 NA. PBN REQUIREMENTS NOTE: RNP APCH-GPS. CHANGE NOTE TO READ: FOR UNCOMPENSATED BARO-VNAV SYSTEMS, LNAV/VNAV NA BELOW -16C OR ABOVE 54C. CHANGE NOTE TO READ: WHEN LOCAL ALTIMETER NOT RECEIVED, USE LINCOLN ALTIMETER SETTING: INCREASE LPV DA TO 942 FEET AND ALL VISIBILITIES 1/8 SM, LNAV/VNAV DA TO 1108 FEET AND ALL VISIBILITIES 1/8 SM; INCREASE ALL MDAS 60 FEET AND VISIBILITY LNAV AND CIRCLING CAT C/D 1/4 SM. CHANGE NOTE TO READ: FOR INOPERATIVE ALS, INCREASE LPV ALL CATS VISIBILITY TO 7/8 SM. CHANGE NOTE TO READ: FOR INOPERATIVE ALS WHEN USING LINCOLN ALTIMETER SETTING, INCREASE LPV ALL CATS VISIBILITY TO 1 SM, INCREASE LNAV/VNAV ALL CATS VISIBILITY TO 1 3/8 SM. ALTERNATE MINIMUMS STANDARD; EXCEPT CAT C 800-2 1/4, CAT D 800-2 1/2; NA WHEN LOCAL WEATHER NOT AVAILABLE. THIS IS RNAV (GPS) RWY 22, ORIG-D. 2303211229-PERM