

**Federal Aviation  
Administration**

**Transmittal Letter 20-03**

**December 13, 2019**

**PREPARED BY THE AERONAUTICAL INFORMATION GROUP, AJV-53  
(AVAILABLE ON THE WEB AT [HTTP://NFDC.FAA.GOV](http://NFDC.FAA.GOV))**

**The enclosed Standard Instrument Approach Procedures, Departure  
Procedures/Takeoff Minimums and Fix Actions are effective as indicated.**

By amending: §97.23 VOR, VOR/DME, VOR or TACAN, and VOR/DME or TACAN; §97.25 LOC, LOC/DME, LDA,  
LDA/DME, SDF, SDF/DME; §97.27 NDB, NDB/DME; §97.29 ILS, ILS/DME, MLS, MLS/DME,  
MLS/RNAV; §97.31 RADAR SIAPs; §97.33 RNAV SIAPs; and §97.35 COPTER SIAPs, Identified as follows:  
.....EFFECTIVE UPON PUBLICATION

AIRAC DATE	STATE	CITY	AIRPORT	FDC NUMBER	FDC DATE	SUBJECT
1/30/2020	VA	Richmond	Richmond Intl	9/6124	11/20/2019	RNAV (RNP) Y RWY 34, Orig-C

**AIRAC Date: 30 JANUARY 2020**

FDC 9/6124 RIC IAP RICHMOND INTL, Richmond, VA. RNAV (RNP) Y RWY 34, ORIG-C... RNP 0.11 DA 482/HAT 321 ALL CATS. RNP 0.30 DA 596/HAT 435 ALL CATS. CHART PROFILE NOTE: VGSI AND RNAV GLIDEPATH NOT COINCIDENT (ANGLE {3.00}/TCH {79}). DELETE NOTE: FOR UNCOMPENSATED BARO-VNAV SYSTEMS, PROCEDURE NA BELOW -11C (13F) OR ABOVE 54C (130F). CHART NOTE: FOR UNCOMPENSATED BARO-VNAV SYSTEMS, PROCEDURE NA BELOW -11C OR ABOVE 54C. DELETE NOTE: FOR INOPERATIVE ALS, INCREASE RNP 0.11 ALL CATS VISIBILITY TO RVR 4500 AND RNP 0.30 ALL CATS VISIBILITY TO 1 1/4 SM. CHART NOTE: FOR INOPERATIVE ALS, INCREASE RNP 0.30 ALL CATS VISIBILITY TO 1 1/4 SM. PBN REQUIREMENTS NOTE: RNP AR APCH. THIS IS RNAV (RNP) Y RWY 34, ORIG-D. 1910151932-PERM