

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION

GPS RNAV

STANDARD INSTRUMENT APPROACH PROCEDURE

FLIGHT STANDARDS SERVICE - FAR PART 97. 33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES				MISSED APPROACH											
FROM	TO	COURSE AND DISTANCE	ALTITUDE	MAP:											
EPH VORTAC	PAWYO WP	337.67/47.50	6000	RW35											
PAWYO WP (IAF)	ETORY WP	341.08/6.49	5000	CLIMBING LEFT TURN TO 5000 DIRECT PAWYO WP AND HOLD											
ETORY WP	1.00 ATD TO WAYWE WP	335.12/4.00	3900												
1.00 ATD TO WAYWE WP	WAYWE WP	335.12/1.00	3600												
				ADDITIONAL FLIGHT DATA: HOLD N, RT, 157.67 INBOUND FAS OBST: 1619 TREE 482603/1193011 CHART: 2500 TREE 482116/1193104 3295 TREE 482719/1193902 2999 TREE 483148/1193622 VASI RWY 17, 35 MIRLS RWY 17, 35 REILS RWY 17, 35											
1. PT <u>NA</u> SIDE OF COURSE <u>OUTBOUND</u> <u> </u> FT WITHIN <u> </u> MILES OF <u> </u> (IAF) 2. PROFILE STARTS <u>ETORY WP</u> 3. FAC <u>335.12</u> FAF <u>WAYWE WP</u> DIST FAF TO MAP <u> </u> THLD <u>6.00</u> 4. MIN. ALT <u>ETORY WP 5000, 1.00 ATD TO WAYWE WP 3900, WAYWE WP 3600</u> 8. MSA FROM: <u>RW35 9400</u>				MAG VAR: 19E EPOCH YEAR: 95											
MINIMUMS															
TAKEOFF:	STANDARD	X	SEE FAA FORM 8260-15 FOR THIS AIRPORT				ALTERNATE: N A X								
CATEGORY	A			B			C			D			E		
	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA
S-35	2840	1 1/4	1541	2840	1 1/2	1541	2840	3	1541	2840	3	1541			
CIRCLING	2840	1 1/4	1539	2840	1 1/2	1539	2840	3	1539	2880	3	1579			
NOTES:															
CITY AND STATE		ELEVATION: 1301 TDZE: 1299		FACILITY IDENTIFIER:		PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:				SUP					
OMAK, WA		OMAK		GPS		NOV 4 1999				AMDT NONE					
										DATED					