

FEDERAL AVIATION ADMINISTRATION  
 FLIGHT STANDARDS SERVICE  
 STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
<b>CARTR (RNAV)</b>	<b>ONE</b>	<b>CARTR.CARTR1</b>	<b>NONE</b>		<b>20FEB2025</b>

TRANSITION ROUTES:

Transition Name	Transition Computer Codes	From FIX/NAVAID	To FIX/NAVAID	Course	Distance	MEA	MOCA	MAA	Crossing Altitudes / Fixes
BOBRT	BOBRT.CARTR1	BOBRT	BOBRT						AT/BELOW FL300
			KRANC	255.40	33.92	12200	12200		
			LHO VOR/DME	244.30	20.59	12200	12200	AT/ABOVE 14000	
			CARTR	175.70	14.00	12000	11600		
CHEROKEE	CKW.CARTR1	CKW VOR/DME	CKW VOR/DME						
			SSIGN	263.94	70.13	12200	12200		
			BOBRT	262.90	75.00	12200	12200	AT/BELOW FL300	
			KRANC	255.40	33.92	12200	12200		
			LHO VOR/DME	244.30	20.59	12200	12200	AT/ABOVE 14000	
DUBOIS	DBS.CARTR1	DBS VORTAC	DBS VORTAC						
			LAVAH	158.38	84.82	12200	12200		
			LHO VOR/DME	176.24	54.75	12200	12200	AT/ABOVE 14000	
			CARTR	175.70	14.00	12000	11600		
MUDDY MOUNTAIN	DDY.CARTR1	DDY VOR/DME	DDY VOR/DME						
			STOPP	241.28	138.10	12200	12200		
			BOBRT	239.28	75.00	12200	12200	AT/BELOW FL300	
			KRANC	255.40	33.92	12200	12200		
			LHO VOR/DME	244.30	20.59	12200	12200	AT/ABOVE 14000	
JACKSON	JAC.CARTR1	JAC VOR/DME	JAC VOR/DME						
			LAVAH	211.12	74.16	13300	13300		
			LHO VOR/DME	176.24	54.75	12200	12200	AT/ABOVE 14000	
			CARTR	175.70	14.00	12000	11600		
ROCK SPRINGS	OCS.CARTR1	OCS VOR/DME	OCS VOR/DME						
			BOBRT	273.33	83.00	12200	12200	AT/BELOW FL300	



FEDERAL AVIATION ADMINISTRATION  
 FLIGHT STANDARDS SERVICE  
 STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date				
CARTR (RNAV)	ONE	CARTR.CARTR1	NONE		20FEB2025				
Transition Name	Transition Computer Codes	From FIX/NAVAID	To FIX/NAVAID	Course	Distance	MEA	MOCA	MAA	Crossing Altitudes / Fixes
			KRANC	255.40	33.92	12200	12200		
			LHO VOR/DME	244.30	20.59	12200	12200		AT/ABOVE 14000
			CARTR	175.70	14.00	12000	11600		

**ARRIVAL ROUTE DESCRIPTION:**

LANDING RWY 16L/R, 17: FROM CARTR ON TRACK 166.36/18.43 TO CROSS WEBER AT OR ABOVE 12000, THEN ON TRACK 164.69. EXPECT RADAR VECTORS FOR ILS OR RNAV APPROACH TO RWY 16L/R OR RWY 17 APPROACH.

LANDING RWY 34L/R, 35: FROM CARTR ON TRACK 177.80/20.27 TO CROSS SETTT AT OR ABOVE 14000, THEN ON TRACK 178.26/9.19 TO CROSS DYANN AT OR ABOVE 11000, THEN ON TRACK 159.72/10.59 TO CROSS ANNTY AT 11000, THEN ON TRACK 163.88/12.25 TO CROSS SURYP AT 11000, THEN ON TRACK 163.88. EXPECT RADAR VECTORS FOR THE RNAV (RNP) Z RWY 34L APPROACH OR RADAR VECTORS TO 34L/R, RWY 35 FINAL APPROACH COURSE.

**PBN REQUIREMENT NOTES:**

RNAV 1 - GPS

**EQUIPMENT REQUIREMENT NOTES:**

RADAR REQUIRED

**PROCEDURAL DATA NOTES:**

NOTE: JET AIRCRAFT ONLY

NOTE: GPS REQUIRED.

NOTE: ROCK SPRINGS TRANSITION, BOBRT TRANSITION, ATC ASSIGNED ONLY.

**FIXES AND/OR HOLDING PATTERNS:**

- CHART HOLDING AT BOBRT: HOLD E, RT, 261.79 INBOUND, 10 NM LEGS.
- CHART HOLDING AT DDY VOR/DME: HOLD NE, LT, 240.28 INBOUND, 12 NM LEGS.
- CHART HOLDING AT CKW VOR/DME: HOLD E, RT, 259.94 INBOUND, 12 NM LEGS.
- CHART HOLDING AT OCS VOR/DME: HOLD E, LT, 271.33 INBOUND, 10 NM LEGS.
- CHART HOLDING AT STOPP: HOLD NE, LT, 240.28 INBOUND, 12 NM LEGS.
- CHART HOLDING AT SSIGN: HOLD E, RT, 262.90 INBOUND, 12 NM LEGS.
- CHART HOLDING AT CARTR: HOLD N, LT, 175.64 INBOUND, 8 NM LEGS.
- CHART HOLDING AT LAVAH: HOLD N, LT, 176.00 INBOUND, 12 NM LEGS.
- CHART HOLDING AT LHO VOR/DME: HOLD N, LT, 175.70 INBOUND, 7 NM LEGS.
- CHART HOLDING AT FFU VORTAC: HOLD S, RT, 340.00 INBOUND, 7 NM LEGS.
- CHART: CEEDR

**COMMUNICATIONS:**

CHART: SALT LAKE ARTCC

**AIRPORTS SERVED:**

AIRPORT ID  
SLC

CITY  
SALT LAKE CITY

STATE  
UT



FEDERAL AVIATION ADMINISTRATION  
 FLIGHT STANDARDS SERVICE  
 STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.  
 Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
<b>CARTR (RNAV)</b>	<b>ONE</b>	<b>CARTR.CARTR1</b>	<b>NONE</b>		<b>20FEB2025</b>

**LOST COMMUNICATIONS PREFERENCES:**

LANDING NORTH: AFTER SURYP PROCEED TO CEEDR, THEN LEFT TURN TO FFU VORTAC AND HOLD AT 11000.  
 LANDING SOUTH: AFTER WEBER PROCEED ON THE ILS OR RNAV RWY 16L APPROACH.

**REMARKS:**

**ADDITIONAL FLIGHT DATA:**

DME/DME ASSESSMENT: UNSAT.  
 MAG VAR: SLC 11E/2020  
 CHART AT SURYP TERMINUS: SLC LDG RWY 34L/R, 35  
 CHART AT WEBER TERMINUS: SLC LDG RWY 16L/R, 17

**FLIGHT INSPECTED BY:**

CHRISTOPHER R VANDEVEER

**ORGANIZATION:**

AJF

**DATE:**

12/19/2024

Flight Inspected Signature:

*Digitally signed by*

**ROBERT G HAMILTON**

Dec 23, 2024

**DEVELOPED BY:**

Mark Whitney

SLC ARTCC

01/05/2024

Developed By Signature:

*Digitally signed by*

**ROBERT G HAMILTON**

Dec 23, 2024

**APPROVED BY:**

BEV BORDY

AJV-A430

Approved By Signature:

*Digitally signed by*

**ROBERT G HAMILTON**

Dec 23, 2024

**CHANGES:**

**REASONS:**




FEDERAL AVIATION ADMINISTRATION  
 FLIGHT STANDARDS SERVICE  
 STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
CARTR (RNAV)	ONE	CARTR.CARTR1	NONE		20FEB2025

Graphic Depiction 1



FEDERAL AVIATION ADMINISTRATION  
 FLIGHT STANDARDS SERVICE  
 STAR (DATA RECORD)

Effective Date  
 20FEB2025

Arrival Name CARTR (RNAV)	Number ONE	STAR Computer Code CARTR.CARTR1		Superseded Number NONE	Dated	Effective Date			
FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
En Route Transition									
BOBRT	415507.92N / 1104838.30W	Y		IF			AT/BELOW FL300		BOBRT.CARTR1
KRANC	415251.19N / 1113357.53W	Y	FB	TF	266.40	33.92			
LHO VOR/DME	414734.43N / 1120035.18W	Y	FB	TF	255.30	20.59	AT/ABOVE 14000		
CARTR	413339.75N / 1120245.73W	Y	FB	TF	186.70	14.00			
En Route Transition									
CKW VOR/DME	414520.55N / 1073455.14W	Y		IF					CKW.CARTR1
SSIGN	415045.17N / 1090824.12W	Y	FB	TF	274.94	70.13			
BOBRT	415507.92N / 1104838.30W	Y	FB	TF	273.90	75.00	AT/BELOW FL300		
KRANC	415251.19N / 1113357.53W	Y	FB	TF	266.40	33.92			
LHO VOR/DME	414734.43N / 1120035.18W	Y	FB	TF	255.30	20.59	AT/ABOVE 14000		
CARTR	413339.75N / 1120245.73W	Y	FB	TF	186.70	14.00			
En Route Transition									
DBS VORTAC	440519.87N / 1121233.64W	Y		IF					DBS.CARTR1
LAVAH	424154.72N / 1115121.50W	Y	FB	TF	169.38	84.82			
LHO VOR/DME	414734.43N / 1120035.18W	Y	FB	TF	187.24	54.75	AT/ABOVE 14000		
CARTR	413339.75N / 1120245.73W	Y	FB	TF	186.70	14.00			
En Route Transition									
DDY VOR/DME	430527.08N / 1061637.29W	Y		IF					DDY.CARTR1
STOPP	422106.33N / 1091403.88W	Y	FB	TF	252.28	138.10			
BOBRT	415507.92N / 1104838.30W	Y	FB	TF	250.28	75.00	AT/BELOW FL300		
KRANC	415251.19N / 1113357.53W	Y	FB	TF	266.40	33.92			
LHO VOR/DME	414734.43N / 1120035.18W	Y	FB	TF	255.30	20.59	AT/ABOVE 14000		
CARTR	413339.75N / 1120245.73W	Y	FB	TF	186.70	14.00			
En Route Transition									
JAC VOR/DME	433715.74N / 1104354.07W	Y		IF					JAC.CARTR1



FEDERAL AVIATION ADMINISTRATION  
 FLIGHT STANDARDS SERVICE  
 STAR (DATA RECORD)

Arrival Name CARTR (RNAV)	Number ONE	STAR Computer Code CARTR.CARTR1		Superseded Number NONE		Dated	Effective Date 20FEB2025		
<u>FIX/NAVAID</u>	<u>LAT/LONG</u>	<u>C</u>	<u>FO/FB</u>	<u>LEG TYPE</u>	<u>TC</u>	<u>DIST (NM)</u>	<u>ALTITUDE</u>	<u>SPEED</u>	<u>REMARKS</u>
LAVAH	424154.72N / 1115121.50W	Y	FB	TF	222.12	74.16			
LHO VOR/DME	414734.43N / 1120035.18W	Y	FB	TF	187.24	54.75	AT/ABOVE 14000		
CARTR	413339.75N / 1120245.73W	Y	FB	TF	186.70	14.00			
En Route Transition									
OCS VOR/DME	413524.76N / 1090055.18W	Y		IF					OCS.CARTR1
BOBRT	415507.92N / 1104838.30W	Y	FB	TF	284.33	83.00	AT/BELOW FL300		
KRANC	415251.19N / 1113357.53W	Y	FB	TF	266.40	33.92			
LHO VOR/DME	414734.43N / 1120035.18W	Y	FB	TF	255.30	20.59	AT/ABOVE 14000		
CARTR	413339.75N / 1120245.73W	Y	FB	TF	186.70	14.00			
Runway Transition									
CARTR	413339.75N / 1120245.73W	Y		IF					
WEBER	411513.95N / 1120144.88W	Y	FO	TF	177.62	18.44	AT/ABOVE 12000		
KSLC:RWY 16L,RWY 16R,RWY 17				FM	175.69				
Runway Transition									
CARTR	413339.75N / 1120245.73W	Y		IF					
SETTT	411337.16N / 1120652.38W	Y	FB	TF	188.80	20.27	AT/ABOVE 14000		
DYANN	410432.50N / 1120849.70W	Y	FB	TF	189.26	09.19	AT/ABOVE 11000		
ANNTY	405405.01N / 1120634.61W	Y	FB	TF	170.72	10.59	AT 11000		
SURYP	404152.31N / 1120508.31W	Y	FO	TF	174.88	12.25	AT 11000		
KSLC:RWY 34L,RWY 34R,RWY 35				FM	174.88				

