

**FEDERAL AVIATION ADMINISTRATION  
 FLIGHT STANDARDS SERVICE  
 RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE  
 TITLE 14 CFR PART 97.33**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated.  
 Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or feet RVR.

<u>AIRPORT ID</u> KVBT	<u>PROCEDURE NAME</u> RNAV (GPS) RWY 36	<u>ORIGINAL/AMENDMENT</u> 2B	<u>CITY</u> BENTONVILLE	<u>STATE</u> AR	
<u>AIRPORT ELEVATION</u> 1298	<u>TDZE</u> 1298	<u>SUPERSEDED</u> RNAV (GPS) RWY 36	<u>ORIGINAL/AMENDMENT</u> 2A	<u>DATED</u> 02/28/2019	<u>MAG VAR</u> 1E
<u>FACILITY</u> RNAV	<u>COORDINATES OF FACILITIES</u>	<u>ACTUAL EFFECTIVE DATE</u> 25 FEBRUARY 2021	<u>REQUIRED EFFECTIVE DATE</u> ROUTINE	<u>CANCEL/SUSPEND</u>	<u>EPOCH YEAR</u> 2020

**TAA**

FROM	FIX TYPE	TO	FIX TYPE	ALTITUDE
1. 269/30 CW 089/30	NOPT	269/8 CW 089/8		4500
2. 269/8 CW 089/8		KANGE	IF/IAF	3400
3. 089/30 CW 269/30		KANGE	IF/IAF	3500

**TERMINAL ROUTES**

FROM	FIX TYPE	TO	FIX TYPE	LEG TYPE	FO/FB	RNP	COURSE	DISTANCE	ALTITUDE
KANGE	IF/IAF	IDOMY		TF	FB	1.00	359.42	5.79	3000
IDOMY	FAF	RW36	MAP	TF	FO	0.30	359.42	5.22	
RW36	MAP	1548 MSL		CA			359.42		
1548 MSL		ZATEB		DF	FO	1.00			3200

**MISSED APPROACH**

**MAP:**

LPV: DA  
 LNAV/VNAV: DA  
 LNAV: RW36

**MISSED APPROACH INSTRUCTIONS:**

CLIMB TO 3200 DIRECT ZATEB AND HOLD.

**ALTERNATE MISSED APPROACH INSTRUCTIONS:**





**CHANGES - REASONS**

1. DELETED "PT" FROM TAA LINE 3 FIX TYPE -- NO PT ENTRY IF COURSE REVERSAL IS REQUIRED IAW 8260.19H, 8-6-3.A(1)(B).
2. ADDED "CHART NOTE: CIRCLING NA TO RWYS 17 AND 35" -- NEW TURF RWY 17/35 NOT APPROVED FOR IFR OPS PER EFPT.

**COORDINATED WITH:**

**A4A**  **ALPA**  **AOPA**  **APA**  **HAI**  **NBAA**  **OTHER:** ZME, AMGR, RZC APP CON

**FLIGHT CHECKED BY**

PROCESSED IAW AIRCRAFT OPERATIONS GROUP (AJF-10) MEMO, APRIL 29, 2020, SUBJECT:  
FLIGHT INSPECTION REVIEW NOT REQUIRED

**OFFICE**

**DATE**

*Digitally signed by*

**DEVELOPED BY**

JASON KRETSCHMER (DANIEL C JOHNSEN)

*Digitally signed by*

**JASON KRETSCHMER**

Jan 14, 2021

*Digitally signed by*

**JASON KRETSCHMER**

Jan 14, 2021

**JASON KRETSCHMER**

**OFFICE**

Jan 14, 2021

AJV-A421

**DATE**

10/02/2020

**APPROVED BY**

MARLON ROBINSON

**OFFICE**

AJV-A420

**DATE**

**TITLE**

MANAGER



FAS DATA BLOCK INFORMATION

<u>DATA FIELD</u>	<u>DATA</u>
OPERATION TYPE	0
SBAS SERVICE PROVIDER IDENTIFIER	0
AIRPORT IDENTIFIER	KVBT
RUNWAY	RW36
APPROACH PERFORMANCE DESIGNATOR	0
ROUTE INDICATOR	
REFERENCE PATH DATA SELECTOR	0
REFERENCE PATH IDENTIFIER (APPROACH ID)	W36A
LTP/FTP LATITUDE	362021.0225N
LTP/FTP LONGITUDE	0941309.8030W
LTP/FTP ELLIPSOIDAL HEIGHT	+03659
FPAP LATITUDE	362150.2440N
FPAP LONGITUDE	0941308.9960W
THRESHOLD CROSSING HEIGHT (TCH)	00045.0
TCH UNITS SELECTOR (METERS OR FEET USED)	F
GLIDEPATH ANGLE (GPA)	03.00
COURSE WIDTH AT THRESHOLD	106.75
LENGTH OFFSET	1408
HORIZONTAL ALERT LIMIT (HAL)	40.0
VERTICAL ALERT LIMIT (VAL)	50.0
CRC REMAINDER	B9998A3A

ADDITIONAL PATH POINT RECORD INFORMATION

ICAO CODE	K4
LTP ORTHOMETRIC HEIGHT	+03940
FPAP ORTHOMETRIC HEIGHT	+03940

