

FEDERAL AVIATION ADMINISTRATION
 FLIGHT STANDARDS SERVICE
 STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name SPIDR (RNAV)	Number FIVE	STAR Computer Code SPIDR.SPIDR5	Superseded Number FOUR	Dated 09/10/2020	Effective Date 26 DEC 2024
-------------------------------------	-----------------------	---	----------------------------------	----------------------------	--------------------------------------

TRANSITION ROUTES:

Transition Name	Transition Computer Codes	From FIX/NAVAID	To FIX/NAVAID	Course	Distance	MEA	MOCA	MAA	Crossing Altitudes / Fixes
MONTEBELLO	MOL.SPIDR5	MOL VOR/DME	MOL VOR/DME						AT FL210
			ZUMAT	115.17	16.34	15000	6200		
			DXOON	114.83	13.50	12000	4500		
			REDNG	114.99	13.32	8000	2800		AT 13000
			HEMME	114.45	06.09	8000	1700		BETWEEN 11000 AND 12000
			SPIDR	111.70	12.35	5000	1700		AT 8000

ARRIVAL ROUTE DESCRIPTION:

LANDING RWY 2, 34: FROM SPIDR ON TRACK 149.04/14.46 TO CROSS DUCXS AT 4000, THEN ON HEADING 149.04. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE.

LANDING RWY 16, 20: FROM SPIDR ON TRACK 105.11/4.48 TO RUPRT THEN ON HEADING 080.00. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE.

PBN REQUIREMENT NOTES:

RNAV 1 - DME/DME/IRU OR GPS

EQUIPMENT REQUIREMENT NOTES:

RADAR REQUIRED

PROCEDURAL DATA NOTES:

NOTE: JET AIRCRAFT ONLY

NOTE: LANDING SOUTH USE RUNWAY 16 TRANSITION, LANDING NORTH USE RUNWAY 2 TRANSITION. EXPECT RUNWAY ASSIGNMENT FROM TRACON 10 MILES PRIOR TO SPIDR.

FIXES AND/OR HOLDING PATTERNS:

CHART HOLDING AT HEMME: HOLD NW, LT, 114.45 INBOUND, 10 NM LEGS, 230 KIAS.

COMMUNICATIONS:

AIRPORTS SERVED:

AIRPORT ID	CITY	STATE
RIC	RICHMOND	VA

LOST COMMUNICATIONS PREFERENCES:

REMARKS:



FEDERAL AVIATION ADMINISTRATION
 FLIGHT STANDARDS SERVICE
 STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
SPIDR (RNAV)	FIVE	SPIDR.SPIDR5	FOUR	09/10/2020	26 DEC 2024

ADDITIONAL FLIGHT DATA:

DME/DME ASSESSMENT: SAT (RNP 2.0)
 MAG VAR: RIC 10W/2020
 CHART AT RUPRT TERMINUS: RIC LDG RWY 16, 20
 CHART AT DUCXS TERMINUS: RIC LDG RWY 2, 34

FLIGHT INSPECTED BY:

MICHAEL G CAMPBELL

ORGANIZATION: DATE:

FPO 08/23/2024

Flight Inspected Signature:

Digitally signed by

ALLAN WILL

Aug 26, 2024

DEVELOPED BY:

WILLIAM D. MELTON

AJV-A423 06/11/2024

Developed By Signature:

Digitally signed by

WILLIAM D MELTON

Jul 17, 2024

Digitally signed by

ALLAN WILL

Aug 26, 2024

APPROVED BY:

ALLAN WILL

AJV-A423

Approved By Signature:

CHANGES:

- ARRIVAL ROUTE DESCRIPTION: ARRIVAL ROUTE RWY 2, 34: REMOVED MEA/MOCA, ADDED 4000 CROSSING RESTRICTION AT DUCXS, CHANGED VM HEADING FROM 151.00 TO 149.04 AND DELETED OR AS ASSIGNED BY ATC
- ARRIVAL ROUTE DESCRIPTION: ARRIVAL ROUTE RWY 16, 20: REMOVED MEA/MOCA, DELETED DEEER, ADDED ON TRACK 105.11/4.48 TO RUPRT, THEN ON HEADING 080.00. CHANGED VM LEG FROM 081.00 TO 080.00 AND DELETED OR AS ASSIGNED BY ATC.
- PBN REQUIREMENT NOTES: COMBINED RNAV 1 AND DME/DME/IRU OR GPS REQUIRED NOTES AND MOVED FROM PROCEDURAL DATA NOTES.
- EQUIPMENT REQUIREMENT NOTES: MOVED RADAR REQUIRED NOTE FROM PROCEDURAL DATA NOTES TO EQUIPMENT REQUIREMENT NOTES.
- PROCEDURAL DATA NOTES: CHANGED FROM TURBOJET AIRCRAFT ONLY TO JET AIRCRAFT ONLY.
- PROCEDURAL DATA NOTES: DELETED NOTE: MAINTAIN LAST ATC ASSIGNED ALTITUDE UNTIL CLEARED TO "DESCEND VIA THE SPIDR STAR". ARTCC WILL ISSUE LANDING DIRECTION ASSIGNMENT (NORTH OR SOUTH) AND POTOMAC TRACON WILL ISSUE RUNWAY ASSIGNMENTS.
- PROCEDURAL DATA NOTES: ADDED NOTE: NOTE: LANDING SOUTH USE RUNWAY 16 TRANSITION, LANDING NORTH USE RUNWAY 2 TRANSITION. EXPECT RUNWAY ASSIGNMENT FROM TRACON 10 MILES PRIOR TO SPIDR.
- COMMUNICATIONS: DELETED ALL ENTRIES.
- AIRPORTS SERVED: REMOVED AIRPORT NAME, CHANGED AIRPORT ID FROM KRIC TO RIC.
- ADDITIONAL FLIGHT DATA: DELETED NOTE: CROSS HEMME AT 280 KIAS.
- ADDITIONAL FLIGHT DATA: ADDED CHART AT DUCXS TERMINUS: RIC LDG RWY 34, 2 AND CHART AT RUPRT TERMINUS: RIC LDG RWY 16,20.
- ADDITIONAL FLIGHT DATA: CHANGED NOTE FROM REFERENCE MAGNETIC VARIATION = KRIC 10W/2020 TO MAG VAR: RIC 10W/2020.

REASONS:

- FPT REQUEST.
- FPT REQUEST.
- IAW 8260.19J PARA 4-5-12.D
- IAW 8260.19J PARA 4-5-12.D
- IAW 8260.19J PARA 4-5-12.D
- ATC REQUEST.



FEDERAL AVIATION ADMINISTRATION
 FLIGHT STANDARDS SERVICE
 STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
 Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
SPIDR (RNAV)	FIVE	SPIDR.SPIDR5	FOUR	09/10/2020	26 DEC 2024

- 7. ATC REQUEST.
- 8. IAW 8260.19J PARA 4-5-12.F.
- 9. IAW 8260.19J PARA 4-5-12.G.
- 10. ATC REQUEST.
- 11. IAW 8260.19J PARA 4-5-12.J.(5).
- 12. IAW 8260.19J PARA 4-5-12.J.(2).




FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
SPIDR (RNAV)	FIVE	SPIDR.SPIDR5	FOUR	09/10/2020	26 DEC 2024

Graphic Depiction 1



KRIC

FEDERAL AVIATION ADMINISTRATION
 FLIGHT STANDARDS SERVICE
 STAR (DATA RECORD)

Arrival Name SPIDR (RNAV)	Number FIVE	STAR Computer Code SPIDR.SPIDR5		Superseded Number FOUR	Dated 09/10/2020	Effective Date 26 DEC 2024			
<u>FIX/NAVAID</u>	<u>LAT/LONG</u>	<u>C</u>	<u>FO/FB</u>	<u>LEG TYPE</u>	<u>TC</u>	<u>DIST (NM)</u>	<u>ALTITUDE</u>	<u>SPEED</u>	<u>REMARKS</u>
En Route Transition									
MOL VOR/DME	375401.89N / 0790624.80W	Y		IF			AT FL210		MOL.SPIDR5
ZUMAT	374943.49N / 0784630.69W	Y	FB	TF	105.17	16.34			
DXOON	374614.83N / 0783003.11W	Y	FB	TF	104.83	13.50			
REDNG	374246.66N / 0781349.96W	Y	FB	TF	104.99	13.32	AT 13000	AT 280K	
HEMME	374115.10N / 0780623.90W	Y	FB	TF	104.45	06.09	11000B12000		
SPIDR	373843.72N / 0775110.20W	Y	FB	TF	101.70	12.35	AT 8000		
Runway Transition									
SPIDR	373843.72N / 0775110.20W	Y		IF			AT 8000		
DUCXS	372747.20N / 0773916.00W	Y	FO	TF	139.04	14.46	AT 4000		
KRIC:RWY 2,RWY 34				VM	139.04				
Runway Transition									
SPIDR	373843.72N / 0775110.20W	Y		IF			AT 8000		
RUPRT	373819.64N / 0774533.13W	Y	FO	TF	095.11	04.48			
KRIC:RWY 16,RWY 20				VM	070.00				

