

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
MIIDY (RNAV)	FOUR	MIIDY.MIIDY4	THREE	09/05/2024	14 May 2026

TRANSITION ROUTES:

Transition Name	Transition Computer Codes	From FIX/NAVAID	To FIX/NAVAID	Course	Distance	MEA	MOCA	MAA	Crossing Altitudes / Fixes
LAFLN	LAFLN.MIIDY4	LAFLN	LAFLN						
			CHOPS	276.35	21.04	5000	2600		AT 11000
			BILIT	276.06	04.99	5000	2600		
			TRUTH	313.54	02.49	5000	2600		AT 10000
			MIIDY	313.51	10.34	5000	2600		AT/ABOVE 7000

ARRIVAL ROUTE DESCRIPTION:

LANDING BWI RWY 10: FROM MIIDY ON TRACK 301.66/5.00 TO CROSS TEAGY AT OR BELOW 6000, THEN ON TRACK 301.60/5.05 TO CROSS KAPTN AT 5000, THEN ON TRACK 310.54/5.04 TO CROSS NAVEY AT 5000 AND AT 230 KIAS, THEN ON TRACK 310.87/7.40 TO CROSS ANCRR AT 4000 AND AT 210 KIAS, THEN ON TRACK 311.10/5.20 TO LURRL, THEN ON TRACK 299.92/2.80 TO HUNNN, THEN ON TRACK 299.92/2.00 TO CROSS HUTOO AT 4000, THEN ON TRACK 299.92. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE.

LANDING BWI RWY 15L: FROM MIIDY ON TRACK 358.33/19.03 TO CROSS DRZZT AT 4000, THEN ON TRACK 337.71/11.27 TO DAAXX, THEN ON TRACK 301.22/9.56 TO CROSS DADLE AT 4000 AND AT 210 KIAS, THEN ON TRACK 333.97/2.58 TO CROSS RYJON AT 4000, THEN ON TRACK 335.19. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE.

LANDING BWI RWY 15R: FROM MIIDY ON TRACK 301.66/5.00 TO CROSS TEAGY AT OR BELOW 6000, THEN ON TRACK 301.60/5.05 TO CROSS KAPTN AT 5000, THEN ON TRACK 310.54/5.04 TO CROSS NAVEY AT 5000 AND AT 230 KIAS, THEN ON TRACK 310.87/7.40 TO CROSS ANCRR AT 4000 AND AT 210 KIAS, THEN ON TRACK 311.10/5.20 TO LURRL, THEN ON TRACK 299.92/2.80 TO HUNNN, THEN ON TRACK 003.04/11.49 TO CROSS ZARTZ AT 4000 AND AT 210 KIAS, THEN ON TRACK 337.70/2.00 TO CROSS WEXUM AT 4000, THEN ON TRACK 337.70. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE.

LANDING BWI RWY 28: FROM MIIDY ON TRACK 301.66/5.00 TO CROSS TEAGY AT OR BELOW 6000, THEN ON TRACK 301.60/5.05 TO CROSS KAPTN AT 5000, THEN ON TRACK 353.06/4.54 TO CROSS TOGAH AT 5000 AND AT 210 KIAS, THEN ON TRACK 019.66/4.90 TO CROSS BMTTR AT 4000, THEN ON TRACK 105.57/3.00 TO CROSS GINZU AT 4000, THEN ON TRACK 105.57. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE.

LANDING BWI RWY 33L: FROM MIIDY ON TRACK 316.14/8.33 TO CROSS SNUGI AT OR BELOW 5000, THEN ON TRACK 323.03/3.87 TO CROSS JANNS AT 4000 AND AT 210 KIAS. EXPECT ILS OR LOC RWY 33L APPROACH.

LANDING BWI RWY 33R: FROM MIIDY ON TRACK 322.90/12.95 TO CROSS DUDDS AT 3000. EXPECT ILS OR LOC RWY 33R APPROACH.

LANDING MTN: FROM MIIDY ON TRACK 021.73/18.68 TO CROSS JUGMO AT 3000, THEN ON HEADING 315.00. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE.

PBN REQUIREMENT NOTES:

RNAV 1 - DME/DME/IRU OR GPS

EQUIPMENT REQUIREMENT NOTES:

RADAR REQUIRED

PROCEDURAL DATA NOTES:

NOTE: JET AIRCRAFT ONLY

FIXES AND/OR HOLDING PATTERNS:

CHART HOLDING AT BILIT: HOLD E, LT, 275.00 INBOUND, 4 NM LEGS, 210 KIAS.

COMMUNICATIONS:



FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
MIIDY (RNAV)	FOUR	MIIDY.MIIDY4	THREE	09/05/2024	14 May 2026

AIRPORTS SERVED:

AIRPORT ID	CITY	STATE
BWI	BALTIMORE	MD
MTN	BALTIMORE	MD

LOST COMMUNICATIONS PREFERENCES:**REMARKS:**

ENVIRONMENTAL REVIEW UNDER ORDER 1050.1 (LATEST EDITION) AND THE NOISE SCREENING HAVE BEEN ACCOMPLISHED.
MOCA VALUES 2600 FT DUE TO 1549 MSL TWR (24-001005, 1A) LOCATED DOWNSTREAM IN RWY TRANSITIONS.

ADDITIONAL FLIGHT DATA:

DME/DME ASSESSMENT: SAT (RNP 2.0)
MAG VAR: BWI 11W/2000
CHART AT RYJON TERMINUS: BWI LDG RWY 15L
CHART AT DUDDS TERMINUS: BWI LDG RWY 33R
CHART AT HUTOO TERMINUS: BWI LDG RWY 10
CHART AT GINZU TERMINUS: BWI LDG RWY 28
CHART AT WEXUM TERMINUS: BWI LDG RWY 15R
CHART AT JANNS TERMINUS: BWI LDG RWY 33L
CHART AT JUGMO TERMINUS: LDG MTN
CHART R-4006

FLIGHT INSPECTED BY:

TERRY HESTER

ORGANIZATION:

AJF

DATE:

02/04/2026

Flight Inspected Signature:

Digitally signed by
CASIMIR L TABAKA

Feb 05, 2026

DEVELOPED BY:

GUY COPELAND

AJV-A432

12/10/2025

Developed By Signature:

Digitally signed by
CASIMIR L TABAKA
Feb 05, 2026**APPROVED BY:**

BEV BORDY

AJV-A430

Approved By Signature:

Digitally signed by
CASIMIR L TABAKA
Feb 05, 2026**CHANGES:**

1. RENAMED FHRST WAYPOINT TO GINZU.
2. RENAMED ZOEYY WAYPOINT TO WEXUM.
3. LANDING RWY 10, 15R, AND 28: ADDED TEAGY WAYPOINT WITH ALTITUDE RESTRICTION AT OR BELOW 6000 BETWEEN MIIDY AND KAPTN.
4. LANDING RWY 33L: CHANGED CROSSING RESTRICTION AT JANNS WAYPOINT FROM AT OR ABOVE 4000 TO AT 4000.



FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
MIIDY (RNAV)	FOUR	MIIDY.MIIDY4	THREE	09/05/2024	14 May 2026

5. LANDING RWY 33R: CHANGED CROSSING RESTRICTION AT DUDDS WAYPOINT FROM AT OR ABOVE 3000 TO AT 3000.
6. LAFLN TRANSITION: INCREASED ALL MOCA VALUES TO 2600.
7. ADDED REMARK MOCA VALUES 2600 FT DUE TO 1549 MSL TWR (24-001005, 1A) LOCATED DOWNSTREAM IN RWY TRANSITIONS.
8. REMOVED POTOMAC APP CON FROM COMMUNICATIONS.
9. REMOVED K IDENT FROM 17.1 FORM.
10. LANDING RWY 15R: FM COURSE CHANGE FROM 337.71 TO 337.70

REASONS:


- 1-5. ATC REQUEST.
- 6-7. NEW OBSTACLE EVALUATION.
8. APPROACH CONTROL AUTOMATICALLY CHARTED AND DOES NOT NEED TO BE DOCUMENTED IN THIS SECTION IAW 8260.19J 4-5-12(F).
9. CURRENT DOCUMENTATION STANDARDS.
10. FIX LOCATIONS UNCHANGED. VALUES ROUNDED BASED ON NEW EVALUTATION.



FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.


Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
MIIDY (RNAV)	FOUR	MIIDY.MIIDY4	THREE	09/05/2024	14 May 2026
Graphic Depiction 1					



FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
MIIDY (RNAV)	FOUR	MIIDY.MIIDY4	THREE	09/05/2024	14 May 2026
Graphic Depiction 2					



FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STAR (DATA RECORD)

Arrival Name MIIDY (RNAV)		Number FOUR		STAR Computer Code MIIDY.MIIDY4		Superseded Number THREE		Dated 09/05/2024	Effective Date 14 May 2026
FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
En Route Transition									
LAFLN	384727.40N / 0753047.72W	Y		IF					LAFLN.MIIDY4
CHOPS	384541.81N / 0755736.18W	Y	FB	TF	265.35	21.04	AT 11000	AT 250K	
BILIT	384515.82N / 0760357.59W	Y	FB	TF	265.06	04.99			
TRUTH	384636.08N / 0760638.37W	Y	FB	TF	302.54	02.49	AT 10000		
MIIDY	385209.40N / 0761748.46W	Y	FB	TF	302.51	10.34	AT/ABOVE 7000	AT 250K	
Common Route									
MIIDY	385209.40N / 0761748.46W	Y		IF			AT/ABOVE 7000	AT 250K	MIIDY.MIIDY4
JUGMO	391031.78N / 0761320.04W	Y	FO	TF	010.73	18.68	AT 3000		
KMTN				VM	304.00				
Runway Transition									
MIIDY	385209.40N / 0761748.46W	Y		IF			AT/ABOVE 7000	AT 250K	
TEAGY	385355.19N / 0762348.02W	Y	FB	TF	290.66	05.00	AT/BELOW 6000		
KAPTN	385541.79N / 0762951.72W	Y	FB	TF	290.60	05.05	AT 5000		
NAVEY	385810.99N / 0763529.26W	Y	FB	TF	299.54	05.04	AT 5000	AT 230K	
ANCRR	390152.15N / 0764343.60W	Y	FB	TF	299.87	07.40	AT 4000	AT 210K	
LURRL	390428.63N / 0764930.23W	Y	FB	TF	300.10	05.20			
HUNNN	390523.10N / 0765254.35W	Y	FB	TF	288.92	02.80			
HUTOO	390602.02N / 0765520.17W	Y	FO	TF	288.92	02.00	AT 4000		
KBWI:RWY 10				FM	288.92				
Runway Transition									
MIIDY	385209.40N / 0761748.46W	Y		IF			AT/ABOVE 7000	AT 250K	
DRZZT	391044.40N / 0762310.52W	Y	FB	TF	347.33	19.03	AT 4000		
DAAXX	392009.94N / 0763109.03W	Y	FB	TF	326.71	11.27			
DADLE	392327.88N / 0764243.50W	Y	FB	TF	290.22	09.56	AT 4000	AT 210K	

QUALITY
14
CHECKED

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STAR (DATA RECORD)

Arrival Name MIIDY (RNAV)		Number FOUR		STAR Computer Code MIIDY.MIIDY4		Superseded Number THREE		Dated 09/05/2024	Effective Date 14 May 2026
FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
RYJON	392531.57N / 0764443.81W	Y	FO	TF	322.97	02.58	AT 4000		
KBWI:RWY 15L				FM	324.19				
Runway Transition									
MIIDY	385209.40N / 0761748.46W	Y		IF			AT/ABOVE 7000	AT 250K	
TEAGY	385355.19N / 0762348.02W	Y	FB	TF	290.66	05.00	AT/BELOW 6000		
KAPTN	385541.79N / 0762951.72W	Y	FB	TF	290.60	05.05	AT 5000		
NAVEY	385810.99N / 0763529.26W	Y	FB	TF	299.54	05.04	AT 5000	AT 230K	
ANCRR	390152.15N / 0764343.60W	Y	FB	TF	299.87	07.40	AT 4000	AT 210K	
LURRL	390428.63N / 0764930.23W	Y	FB	TF	300.10	05.20			
HUNNN	390523.10N / 0765254.35W	Y	FB	TF	288.92	02.80			
ZARTZ	391646.19N / 0765457.24W	Y	FB	TF	352.04	11.49	AT 4000	AT 210K	
WEXUM	391826.57N / 0765622.11W	Y	FO	TF	326.70	02.00	AT 4000		
KBWI:RWY 15R				FM	326.70				
Runway Transition									
MIIDY	385209.40N / 0761748.46W	Y		IF			AT/ABOVE 7000	AT 250K	
TEAGY	385355.19N / 0762348.02W	Y	FB	TF	290.66	05.00	AT/BELOW 6000		
KAPTN	385541.79N / 0762951.72W	Y	FB	TF	290.60	05.05	AT 5000		
TOGAH	390001.29N / 0763139.42W	Y	FB	TF	342.06	04.54	AT 5000	AT 210K	
BMTTR	390452.21N / 0763042.59W	Y	FB	TF	008.66	04.90	AT 4000		
GINZU	390437.80N / 0762652.18W	Y	FO	TF	094.57	03.00	AT 4000		
KBWI:RWY 28				FM	094.57				
Runway Transition									
MIIDY	385209.40N / 0761748.46W	Y		IF			AT/ABOVE 7000	AT 250K	
SNUGI	385656.88N / 0762632.18W	Y	FB	TF	305.14	08.33	AT/BELOW 5000		
JANNS	385932.32N / 0763013.23W	Y	FB	TF	312.03	03.87	AT 4000	AT 210K	
KBWI:RWY 33L									

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STAR (DATA RECORD)

Arrival Name		Number		STAR Computer Code		Superseded Number		Dated	Effective Date
MIIDY (RNAV)		FOUR		MIIDY.MIIDY4		THREE		09/05/2024	14 May 2026
<u>FIX/NAVAID</u>	<u>LAT/LONG</u>	<u>C</u>	<u>FO/FB</u>	<u>LEG</u> <u>TYPE</u>	<u>TC</u>	<u>DIST</u> <u>(NM)</u>	<u>ALTITUDE</u>	<u>SPEED</u>	<u>REMARKS</u>
Runway Transition									
MIIDY	385209.40N / 0761748.46W	Y		IF			AT/ABOVE 7000	AT 250K	
DUDDS	390048.21N / 0763010.61W	Y	FB	TF	311.90	12.95	AT 3000		
KBWI:RWY 33R									

