

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
RNAV (RNP) STANDARD INSTRUMENT APPROACH PROCEDURE
TITLE 14 CFR PART 97.33

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or feet RVR.

<u>AIRPORT ID</u> MCO	<u>PROCEDURE NAME</u> RNAV (RNP) Z RWY 35R	<u>ORIGINAL/AMENDMENT</u> ORIG	<u>CITY</u> ORLANDO	<u>STATE</u> FL
<u>AIRPORT ELEVATION</u> 96	<u>TDZE</u> 90	<u>SUPERSEDED</u>	<u>ORIGINAL/AMENDMENT</u> NONE	<u>DATED</u> 6W
<u>FACILITY</u> RNAV	<u>COORDINATES OF FACILITIES</u>	<u>ACTUAL EFFECTIVE DATE</u> 19 MARCH 2026	<u>REQUIRED EFFECTIVE DATE</u> ROUTINE	<u>EPOCH YEAR</u> 2015
			<u>MAG VAR</u> 6W	<u>CANCEL/SUSPEND</u>

TERMINAL ROUTES

FROM	FIX TYPE	TO	FIX TYPE	LEG TYPE	FO/FB	RNP	COURSE	DISTANCE	ALTITUDE
MMADD	IAF	SERAY		TF	FB	1.00	301.56	8.84	4000
CRUSE	IAF	SERAY		TF	FB	1.00	005.47	3.15	4000
CUBAL	IF	CAVMN		TF	FB	1.00	186.38	2.48	4100
CAVMN		FESHA		RF	FB	1.00	(2.45 NM RADIUS CW (CFLHM))	7.65	3000
SERAY	IF	FESHA		TF	FB	1.00	005.49	3.29	3000
FESHA		HEWES	PFAF	TF	FB	1.00	005.48	4.41	1600
HEWES	PFAF	RW35R	MAP	TF	FO	0.30	005.48	4.57	
RW35R	MAP	500 MSL		CA			005.48		500
500 MSL		PRESK		DF	FO	1.00			3000

MISSED APPROACH

MAP:

RNP: DA

MISSED APPROACH INSTRUCTIONS:

CLIMB TO 500 THEN CLIMBING RIGHT TURN TO 3000 DIRECT PRESK AND HOLD, CONTINUE CLIMB-IN-HOLD TO 3000.

ALTERNATE MISSED APPROACH INSTRUCTIONS:

PROFILE:

1. PT	SIDE OF COURSE	OUTBOUND	FT WITHIN	MILES OF	(IAF)
2. PROFILE STARTS AT FESHA					
3. FAC: 005.48	PFAF: HEWES		DIST FAF TO MAP:	DIST FAF TO THLD:	
4. MIN ALT: FESHA 3000, HEWES 1600					
5. DIST TO THLD FROM PFAF: 4.57	MM: IM:	150 HAT:	270 HAT:	0.68	GS ANT:
6. MIN GP INCPT: 1600	GP ALT AT PFAF: HEWES 1600		OM:	MM:	IM:
7. GP ANGLE: 3.00	34:1: IS CLEAR	20:1: IS CLEAR	TCH: 55.0		
8. MSA FROM: RW35R 3000					

QUALITY
39
CHECKED

PBN REQUIREMENTS NOTE:

RNP AR APCH - GPS. AUTHORIZATION REQUIRED. FROM CAVMN: RF.

NOTES:

CHART NOTE: SIMULTANEOUS APPROACH AUTHORIZED.
CHART PROFILE NOTE: VGSI AND RNAV GLIDEPATH NOT COINCIDENT (VGSI ANGLE {ANGLE}/TCH {FEET}).
CHART PROFILE NOTE: SEE PLANVIEW FOR MULTIPLE IF LOCATIONS.
CHART NOTE: FOR UNCOMPENSATED BARO-VNAV SYSTEMS, PROCEDURE NA BELOW 2°C OR ABOVE 54°C.
CHART NOTE: FOR INOPERATIVE ALS, INCREASE RNP 0.13 ALL CATS VISIBILITY TO RVR 4500.
CHART SPEED ICON IN PLANVIEW AT MMADD: MAX 210 KIAS.
CHART SPEED ICON IN PLANVIEW AT CRUSE: MAX 210 KIAS.
CHART SPEED ICON IN PLANVIEW AT CUBAL: MAX 210 KIAS.
CHART SPEED ICON IN PLANVIEW AT CAVMN: MAX 200 KIAS.

ADDITIONAL FLIGHT DATA:

HOLD SE, RT, 320.00 INBOUND.
CHART MANDATORY 6000 AT MMADD.
CHART AT OR ABOVE 5000 AT CRUSE.
CHART MANDATORY 5000 AT CUBAL.

MINIMUMS:

TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT

ALTERNATE: NA ☐ STANDARD

CATEGORY:	A			B			C			D			E		
FINAL TYPE	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA
AUTHORIZATION REQUIRED															
RNP 0.13 DA	360	2400	270	360	2400	270	360	2400	270	360	2400	270			
RNP 0.30 DA	430	2600	340	430	2600	340	430	2600	340	430	2600	340			

CHANGES - REASONS

- 12/02/25: THIS IS AN UPDATED COPY OF THE FORM DEVELOPED ON 09/17/25.
1. TERMINAL ROUTES: INITIAL MMADD TO SERAY: CHANGED SEGMENT ALTITUDE FROM 6000 TO 4000 – UPDATED FORMS.
2. TERMINAL ROUTES: INTERMADIATE CUBAL TO CAVMN: CHANGED SEGMENT ALTITUDE FORM 5000 TO 4100 - UPDATED FORMS.
3. ADDITIONAL FLIGHT DATA: ADDED CHART AT OR ABOVE 5000 AT CRUSE - UPDATED FORMS.



COORDINATED WITH:

A4A

X

ALPA

X

AOPA

X

APA

X

HAI

NBAA

OTHER: :ZJX, ZMA, MCO ATCT, ORLANDO APP CON, AMGR.

FLIGHT CHECKED BY
RYAN CARAMANICA

Digitally signed by

RAKE MCGRAW

Jan 12, 2026

OFFICE

AJF

DATE

01/08/2026

DEVELOPED BY
JANTZEN TAYLOR

Digitally signed by

RAKE MCGRAW

Jan 12, 2026

OFFICE

AJV-A422

DATE

09/17/2025

APPROVED BY
RAKE MCGRAW

Digitally signed by

RAKE MCGRAW

Jan 12, 2026

OFFICE

AJV-A422

DATE

TITLE

MANAGER

