

**RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

NOTES, (CONT.):

CHART NOTE: BARO-VNAV AND VDP NA WHEN USING AUDUBON ALTIMETER SETTING.

CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE AUDUBON ALTIMETER SETTING AND INCREASE ALL DA 62 FEET AND ALL MDA 80 FEET AND INCREASE LNAV/VNAV ALL CATS VISIBILITY AND LNAV CAT C VISIBILITY 1/4 MILE.

TAA

	FROM	TO	ALT
1.	045/30 CW 225/30 (NOPT)	AMABE (IF/IAF) (FB)	3000
2.	225/30 CW 045/30	AMABE (IF/IAF) (FO)	3000



CITY AND STATE CARROLL, IA	ELEVATION: 1204	THRE: 1203	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 13, AMDT 1 15 NOVEMBER 2012	SUP:
	AIRPORT NAME: ARTHUR N NEU				AMDT: ORIG-A
					DATED: 04/07/2011

**RNAV STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.


FAS DATA BLOCK INFORMATION

<u>DATA FIELD</u>	<u>DATA</u>
OPERATION TYPE	0
SBAS SERVICE PROVIDER IDENTIFIER	0
AIRPORT IDENTIFIER	KCIN
RUNWAY	RW13
APPROACH PERFORMANCE DESIGNATOR	0
ROUTE INDICATOR	
REFERENCE PATH DATA SELECTOR	0
REFERENCE PATH IDENTIFIER (APPROACH ID)	W13A
LTP/FTP LATITUDE	420302.2950N
LTP/FTP LONGITUDE	0944739.6975W
LTP/FTP ELLIPSOIDAL HEIGHT	+03382
FPAP LATITUDE	420157.4700N
FPAP LONGITUDE	0944617.6300W
THRESHOLD CROSSING HEIGHT (TCH)	00040.0
TCH UNITS SELECTOR (METERS OR FEET USED)	F
GLIDEPATH ANGLE (GPA)	03.00
COURSE WIDTH AT THRESHOLD	106.75
LENGTH OFFSET	1224
HORIZONTAL ALERT LIMIT (HAL)	40.0
VERTICAL ALERT LIMIT (VAL)	50.0

CRC REMAINDER BA45CD5D

ADDITIONAL PATH POINT RECORD INFORMATION

ICAO CODE	K3
LTP ORTHOMETRIC HEIGHT	+03667
FPAP ORTHOMETRIC HEIGHT	+03667



CITY AND STATE CARROLL, IA	ELEVATION: 1204 THRE: 1203	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 13, AMDT 1 15 NOVEMBER 2012	SUP:
	AIRPORT NAME: ARTHUR N NEU			AMDT: ORIG-A
				DATED: 04/07/2011

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
 FLIGHT STANDARDS SERVICES - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC SUMMARY - 424-18 - RNAV (GPS)

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE	SPEED
	AMABE	AMABE	010	IAF	HF	R	FO		134.5 (136.5T)	004.0	AA 03000	
		AMABE	010	FACF	IF		FB				AA 03000	
		FOFEP	020	FAF	TF		FB	0.5	134.5 (136.5T)	007.0	AA 03000	
		ZIDRI	021	SDF	TF		FB	0.3	134.6 (136.6T)	003.4	AA 01900	GS 01912
		RW13	030	MAP	TF		FO	0.3	134.6 (136.6T)	002.1	AT 01243	

MISSED APPROACH	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE	SPEED
		040		CA		FB		134.6 (136.6T)		AA 01453	
	COHGI	050		DF		FO				AA 03000	
	COHGI	060		HM	L	FO		314.8 (316.8T)	004.0	AA 03000	

POINT DATA	WAYPOINT	LAT IN SECS	LONG IN SECS	LAT IN MINS	LONG IN MINS
	AMABE	N421208.19	W0945913.51	N4212.137	W09459.225
	COHGI	N415319.32	W0943523.80	N4153.322	W09435.397
	FOFEP	N420702.98	W0945245.01	N4207.050	W09452.750
	ZIDRI	N420433.95	W0944935.84	N4204.566	W09449.597
	RW13	N420302.30	W0944739.70	N4203.038	W09447.662

RUNWAY DATA	RWY	THRESHOLD ELEVATION	TCH
	RW13	01203	40

QUALITY
2
CHECKED

CITY AND STATE CARROLL, IA	ELEVATION: 1204 THRE: 1203	FACILITY IDENTIFIER: RNAV	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE: RNAV (GPS) RWY 13, AMDT 1 15 NOVEMBER 2012	SUP:
	AIRPORT NAME: ARTHUR N NEU			AMDT: ORIG-A
				DATED: 04/07/2011