

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
TITLE 14 CFR PART 97.33

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated.
 Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or feet RVR.

<u>AIRPORT ID</u> KCPP	<u>PROCEDURE NAME</u> RNAV (GPS) RWY 7	<u>ORIGINAL/AMENDMENT</u> 1G	<u>CITY</u> GREENSBORO	<u>STATE</u> GA		
<u>AIRPORT ELEVATION</u> 689	<u>TDZE</u> 678	<u>SUPERSEDED</u> RNAV (GPS) RWY 7	<u>ORIGINAL/AMENDMENT</u> 1F	<u>DATED</u> 05/19/2022	<u>MAG VAR</u> 5W	<u>EPOCH YEAR</u> 2000
<u>FACILITY</u> RNAV	<u>COORDINATES OF FACILITIES</u>	<u>ACTUAL EFFECTIVE DATE</u> 20 APRIL 2023	<u>REQUIRED EFFECTIVE DATE</u> ROUTINE	<u>CANCEL/SUSPEND</u>		

TERMINAL ROUTES

<u>FROM</u>	<u>FIX TYPE</u>	<u>TO</u>	<u>FIX TYPE</u>	<u>LEG TYPE</u>	<u>FO/FB</u>	<u>RNP</u>	<u>COURSE</u>	<u>DISTANCE</u>	<u>ALTITUDE</u>
BEYLO		GOBYI		TF	FB	1.00	308.81	13.56	2300
MADDI		JEVIN		TF	FB	1.00	179.52	5.26	2300
JEVIN	IAF	ETZOP	NOPT	TF	FB	1.00	158.95	5.00	2300
GLOSS	IAF	ETZOP	NOPT	TF	FB	1.00	058.12	8.37	2300
GOBYI	IAF	ETZOP	NOPT	TF	FB	1.00	339.00	5.00	2300
ETZOP	IF/IAF	AVSEW		TF	FB	1.00	068.97	7.10	2300
AVSEW	FAF	RW07	MAP	TF	FO	0.30	069.05	4.92	
RW07	MAP	1089 MSL		CA			069.05		
1089 MSL		EXJAN		DF	FO	1.00			2300

MISSED APPROACH

MAP:

LNAV: RW07

MISSED APPROACH INSTRUCTIONS:

CLIMB TO 2300 DIRECT EXJAN AND HOLD.

ALTERNATE MISSED APPROACH INSTRUCTIONS:

QUALITY
10
CHECKED

PROFILE:

1. PT SIDE OF COURSE OUTBOUND FT WITHIN MILES OF (IAF)

2. HOLD W ETZOP, RT, 068.97 INBOUND, 2300 FT. IN LIEU OF PT (IAF), MAX 6000.

3. FAF: 069.05 FAF: AVSEW DIST FAF TO MAP: 4.92 DIST FAF TO THLD: 4.92

4. MIN ALT: ETZOP 2300, AVSEW 2300

5. DIST TO THLD FROM OM: MM: IM: 150 HAT: GS ANT: MM: IM:

6. MIN GP INCPT: GP ALT AT FAF : OM: MM: IM:

7. GP ANGLE: 34:1: IS NOT CLEAR 20:1: IS CLEAR TCH:

8. MSA FROM: RW07 2500

PBN REQUIREMENTS NOTE:

RNP APCH - GPS.

NOTES:

CHART NOTE: RWY 7 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED.
CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT BEYLO ON V5-51-267 SOUTHBOUND.

ADDITIONAL FLIGHT DATA:

HOLD E, RT, 249.22 INBOUND.
CHART FAS OBST: 909 ANTENNA (13-080900) 333359N/0831129W.
CHART VDP AT 1.40 NM TO RW07.
AVSEW TO RW07: 3.04/34.

MINIMUMS:

TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT

ALTERNATE: NA ☐ STANDARD - NA WHEN LOCAL WEATHER NOT AVAILABLE.

CATEGORY:	A			B			C			D			E		
FINAL TYPE	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA
LNAV MDA	1160	1	482	1160	1	482	1160	1 3/8	482	1160	1 3/8	482			

CHANGES - REASONS

- THIS AMENDMENT INCORPORATES PREVIOUSLY RELEASED PNOTAMS.
- AIRPORT ID CHANGED FROM "K3J7" TO "KCPP" - UPDATED AIRNAV DATA.
- MOVED BACK-UP ALTIMETER NOTE TO PART C: GENERAL REMARKS - ALTIMETERS ON WMSCR.
- ADDED "20:1 IS CLEAR" TO PROFILE LINE 7 - 8260.19I
- DELETED "CHART PROFILE NOTE: VGSI AND DESCENT ANGLES NOT CONICIDENT..." - VGSI ANGLE 3.00/TCH 35.
- LOWERED LNAV CAT D VISIBILITY FROM "1 1/2" TO "1 3/8" - 8260.3E CALCULATIONS.



COORDINATED WITH:

A4A ☐ ALPA ☒ AOPA ☒ APA ☐ HAI ☐ NBAA ☒ OTHER: ZTL, AMGR

FLIGHT CHECKED BY

ROBERT E WILLIAMS

Digitally signed by
JASON KRETSCHMER
Feb 07, 2023

OFFICE

FPO

DATE

02/03/2023

DEVELOPED BY

CHARLES THIBODEAUX

Digitally signed by
CHARLES J THIBODEAUX

OFFICE

AJV-A421

DATE

11/09/2022

APPROVED BY

JASON KRETSCHMER

Jan 10, 2023
Digitally signed by
JASON KRETSCHMER
Jan 17, 2023

OFFICE

AJV-A421

DATE

TITLE
MANAGER

