

### TAKEOFF MINIMUMS AND OBSTACLE DEPARTURE PROCEDURES (ODP)

Bearings, headings, courses, tracks, and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

**(1) TAKEOFF MINIMUMS:**  
RWY 02, 20 STANDARD.

**(2) TEXTUAL DEPARTURE PROCEDURE:**

**(3) TAKEOFF OBSTACLE NOTES:**

NOTE: RWY 02, NUMEROUS TREES BEGINNING 995' FROM DER, 6' LEFT OF CENTERLINE, UP TO 100' AGL/1,152' MSL. NUMEROUS TREES BEGINNING FROM 2,106' FROM DER, 327' RIGHT OF CENTERLINE, UP TO 100' AGL/1,140' MSL. NUMEROUS POWER POLES 1,204' FROM DER, 654' RIGHT OF CENTERLINE, 55' AGL/1,125' MSL.

NOTE: RWY 20, NUMEROUS TREES BEGINNING 5' FROM DER, 487' LEFT OF CENTERLINE, UP TO 100' AGL/1,111' MSL. TANK 5,459' FROM DER, 1,062' LEFT OF CENTERLINE, 170' AGL/1,195' MSL. NUMEROUS TREES BEGINNING 672' FROM DER, 92' RIGHT OF CENTERLINE, UP TO 100' AGL/1,120' MSL.

**(4) CONTROLLING OBSTACLES:**



(5) City, State

URBANA, OH

(6) Airport

GRIMES FIELD

(7) Effective Date

23 SEP 2010

(8) Amdt. No.

1

TU10-17 Pub 9/23/10

# TAKEOFF MINIMUMS AND OBSTACLE DEPARTURE PROCEDURES (ODP)

Bearings, headings, courses, tracks, and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

**(1) TAKEOFF MINIMUMS:**  
**RWY 02, 20 STANDARD.**

**(2) TEXTUAL DEPARTURE PROCEDURE:**

**(3) TAKEOFF OBSTACLE NOTES:**

**NOTE: RWY 02, NUMEROUS TREES BEGINNING 995' FROM DER, 6' LEFT OF CENTERLINE, UP TO 100' AGL/1,152' MSL. NUMEROUS TREES BEGINNING FROM 2,106' FROM DER, 327' RIGHT OF CENTERLINE, UP TO 100' AGL/1,140' MSL. NUMEROUS POWER POLES 1,204' FROM DER, 654' LEFT OF CENTERLINE, 55' AGL/1,125' MSL.**

**NOTE: RWY 20, NUMEROUS TREES BEGINNING 5' FROM DER, 487' LEFT OF CENTERLINE, UP TO 100' AGL/1,111' MSL. TANK 5,459' FROM DER, 1,062' LEFT OF CENTERLINE, 170' AGL/1,195' MSL. NUMEROUS TREES BEGINNING 672' FROM DER, 92' RIGHT OF CENTERLINE, UP TO 100' AGL/1,120' MSL.**

**(4) CONTROLLING OBSTACLES:**



(5) City, State <b>URBANA, OH</b>	(6) Airport <b>GRIMES FIELD</b>	(7) Effective Date	(8) Amdt No. <b>1</b>
--------------------------------------	------------------------------------	--------------------	--------------------------

(9) Changes:

1. DELETED RWYS 05, 11, 23, AND 29.
2. DELETED TAKEOFF MINIMUMS: 300-1.
3. CHANGED TAKEOFF MINIMUMS FOR RWY 02,20 TO STANDARD.
4. UPDATED TAKEOFF OBSTACLE NOTES.

(10) Reasons:

1. NO LONGER IN DATABASE.
- 2-4. CURRENT CRITERIA.



(11) Coordinated With:

ATA  ALPA  APA  AOPA  NBAA  OTHER (specify)  ZID, DAY ATCT, AMGR

(12) Required Effective Date:

ROUTINE

(13) FLIGHT INSPECTED BY

Name: Robert E. Staake  
Date: 6/23/10

(14) DEVELOPED BY

Signature: JOSE ALONSO  
(DAN CAIRNS)  
Date: 05/03/10

(15) APPROVED BY

Signature: SUSAN L. CRUMB  
Date: JUN 29 2010