

TERMINAL ROUTES				MISSED APPROACH	
FROM	TO	COURSE AND DISTANCE	ALTITUDE		
ALMAY	FABAU (FO)	002.56 / 23.69	3000	LPV: DA LNAV/VNAV: DA LNAV: RW12 CLIMB TO 3000 DIRECT LIDSY AND HOLD.	
PRAGS (IAF)	FABAU (NOPT) (FB)	203.21 / 4.57	3000		
MKT VOR/DME (IAF)	FABAU (NOPT) (FB)	046.80 / 21.20	3000		
FABAU (IF/IAF)	DUZZI (FB)	124.94 / 7.00	2700		
DUZZI (FAF)	CHARG/1.90 NM TO RW12 (FB)	125.04 / 3.12		ADDITIONAL FLIGHT DATA: HOLD SE, RT, 305.27 INBOUND. CHART FAS OBST: 1167 TREE 442058N/0931953W DISTANCE TO THLD FROM 250 HATH: 0.66 NM. WAAS CHANNEL # 81932 REFERENCE PATH ID: W12A LTP HAE: 295.1 M	
CHARG/1.90 NM TO RW12 (SEE FORM 8260-10)	RW12 (MAP) (FO)	125.04 / 1.90			

1. PT SIDE OF COURSE OUTBOUND FT WITHIN MILES OF (IAF)
2. HOLD NW FABAU, RT, 124.94 INBOUND, 3000 FT. IN LIEU OF PT (IAF)
3. FAC: 125.04 FAF: DUZZI DIST FAF TO MAP: 5.02 THLD: 5.02
4. MIN. ALT: FABAU 3000, DUZZI 2700, CHARG/1.90 NM TO RW12 1700*
5. DIST TO THLD FROM OM: MM: IM: 150 HAT: 100 HAT: GS ANT:
6. MIN GS INCPT: 2700 GS ALT AT: DUZZI 2700 OM: MM: IM:
7. GS ANGLE: 3.00 TCH: 40.0 34:1 IS NOT CLEAR
8. MSA FROM: RW12 2900

MAG VAR: 2E EPOCH YEAR: 2000

MINIMUMS															
TAKEOFF:	SEE FAA FORM 8260-15A FOR THIS AIRPORT						ALTERNATE: N A			STANDARD @					
CATEGORY =====>	A			B			C			D			E		
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA
LPV DA	1310	1	250	1310	1	250	1310	1	250						
LNAV/VNAV DA	1331	1	271	1331	1	271	1331	1	271						
LNAV MDA	1420	1	360	1420	1	360	1420	1	360						
CIRCLING	1520	1	460	1520	1	460	1520	1 1/2	460						

NOTES:
 CHART NOTE: BARO-VNAV NA WHEN USING OWATONNA ALTIMETER SETTING. @ NA WHEN LOCAL WEATHER NOT AVAILABLE.
 CHART NOTE: FOR UNCOMPENSATED BARO-VNAV SYSTEMS, LNAV/VNAV NA BELOW -17C (2F) OR ABOVE 54C (130F).
 CHART NOTE: DME/DME RNP-0.3 NA.
 CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT ALMAY ON V24-398 EASTBOUND.
 (SEE FORM 8260-10)



CITY AND STATE	ELEVATION: 1060 THRE: 1060	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 12, AMDT 1	SUP: AMDT: ORIG
FARIBAULT, MN	AIRPORT NAME: FARIBAULT MUNI			DATED 09/23/2010

US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES, (CONT.):

FROM	TO	COURSE AND DISTANCE	ALTITUDE
RW12 (MAP)	1310 MSL	125.04	
1310 MSL	LIDSY (FO)		3000

NOTES, (CONT.):

CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT MKT VOR/DME ON V456 SOUTHWEST BOUND.

*LNAV ONLY

CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE OWATONNA ALTIMETER SETTING AND INCREASE ALL DA 41 FEET AND ALL MDA 60 FEET; INCREASE LNAV CAT C VISIBILITY 1/8 MILE.

CHART NOTE: PROCEDURE NA AT NIGHT.

CHART NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED.



CITY AND STATE FARIBAULT, MN	ELEVATION: 1060 THRE: 1060 AIRPORT NAME: FARIBAULT MUNI	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./ AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 12, AMDT 1	SUP:
				AMDT: ORIG
				DATED: 09/23/2010

**RNAV STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

FAS DATA BLOCK INFORMATION

<u>DATA FIELD</u>	<u>DATA</u>
OPERATION TYPE	0
SBAS SERVICE PROVIDER IDENTIFIER	0
AIRPORT IDENTIFIER	KFBL
RUNWAY	RW12
APPROACH PERFORMANCE DESIGNATOR	0
ROUTE INDICATOR	0
REFERENCE PATH DATA SELECTOR	0
REFERENCE PATH IDENTIFIER (APPROACH ID)	W12A
LTP/FTP LATITUDE	441953.2590N
LTP/FTP LONGITUDE	0931905.1625W
LTP/FTP ELLIPSOIDAL HEIGHT	+02951
FPAP LATITUDE	441859.5000N
FPAP LONGITUDE	0931726.1800W
THRESHOLD CROSSING HEIGHT (TCH)	00040.0
TCH UNITS SELECTOR (METERS OR FEET USED)	F
GLIDEPATH ANGLE (GPA)	03.00
COURSE WIDTH AT THRESHOLD	106.75
LENGTH OFFSET	1456
HORIZONTAL ALERT LIMIT (HAL)	40.0
VERTICAL ALERT LIMIT (VAL)	50.0

CRC REMAINDER 8B8F6BAB

ADDITIONAL PATH POINT RECORD INFORMATION

ICAO CODE	K3
LTP ORTHOMETRIC HEIGHT	+03231
FPAP ORTHOMETRIC HEIGHT	+03231



CITY AND STATE FARIBAULT, MN	ELEVATION: 1060 THRE: 1060	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 12, AMDT 1	SUP:
	AIRPORT NAME: FARIBAULT MUNI			AMDT: ORIG
				DATED: 09/23/2010

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICES - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

	1	2	3	4	5	6	7	8	9	0	1	2	3
PP	12345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901

	SUSAP KFBLK3PR12		RW12 001		0000W12A0N4419532590W09319051625+029510300N4418595000W09317261800106751456000400F4005008B8F6BAB								
	SUSAP KFBLK3PR12		RW12 002E		+03231+03231LPV		81932						

	1	2	3	4	5	6	7	8	9	0	1	2	3
MSA	12345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901

	SUSAP KFBLK3SRW12 K3PG			0	18018002925								M

QUALITY
CHECKED

CITY AND STATE FARIBAULT, MN	ELEVATION: 1060	THRE: 1060	FACILITY IDENTIFIER: RNAV	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE: RNAV (GPS) RWY 12, AMDT 1	SUP:
	AIRPORT NAME: FARIBAULT MUNI				AMDT: ORIG
					DATED: 09/23/2010

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICES - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC SUMMARY - 424-18 - RNAV (GPS)

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE	SPEED
	ALMAY	ALMAY	010		IF		FB					
	ALMAY	FABAU	020		TF		FO	2.0	002.6 (004.6T)	023.7	AA 03000	
	ALMAY	FABAU	030	IAF	HF	R	FO		124.9 (126.9T)	004.0	AA 03000	
	MKT	MKT	010	IAF	IF		FB					
	MKT	FABAU	020		TF		FB	1.0	046.8 (048.8T)	021.2	AA 03000	
	PRAGS	PRAGS	010	IAF	IF		FB					
	PRAGS	FABAU	020		TF		FB	1.0	203.2 (205.2T)	004.6	AA 03000	
		FABAU	010	FACF	IF		FB				AA 03000	
		DUZZI	020	FAF	TF		FB	0.5	124.9 (126.9T)	007.0	AA 02700	
		CHARG	021	SDF	TF		FB	0.3	125.0 (127.0T)	003.1	AA 01700	GS 01705
		RW12	030	MAP	TF		FO	0.3	125.0 (127.0T)	001.9	AT 01100	

MISSED APPROACH	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE	SPEED
		040		CA		FB		125.0 (127.0T)		AA 01310	
	LIDSY	050		DF		FO				AA 03000	
	LIDSY	060		HM	R	FO		305.3 (307.3T)	004.0	AA 03000	

POINT DATA	WAYPOINT	LAT IN SECS	LONG IN SECS	LAT IN MINS	LONG IN MINS
	MKT	N441311.66	W0935444.49	N4413.194	W09354.742
	ALMAY	N440330.87	W0933506.10	N4403.515	W09335.102
	CHARG	N442102.01	W0932111.88	N4421.034	W09321.198
	DUZZI	N442254.96	W0932440.41	N4422.916	W09324.674
	FABAU	N442707.51	W0933228.21	N4427.125	W09332.470
	LIDSY	N441200.63	W0930438.19	N4412.011	W09304.637
	PRAGS	N443115.56	W0932945.22	N4431.259	W09329.754
	RW12	N441953.26	W0931905.16	N4419.888	W09319.086

RUNWAY DATA	RWY	THRESHOLD ELEVATION	TCH
	RW12	01060	40



CITY AND STATE FARIBAULT, MN	ELEVATION: 1060	THRE: 1060	FACILITY IDENTIFIER:	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:	SUP:
	AIRPORT NAME:	FARIBAULT MUNI	RNAV	RNAV (GPS) RWY 12, AMDT 1	AMDT: ORIG
					DATED: 09/23/2010