

**Federal Aviation
Administration**

Transmittal Letter 23-02

November 25, 2022

**PREPARED BY THE AERONAUTICAL INFORMATION GROUP, AJV-53
(AVAILABLE ON THE WEB AT [HTTP://NFDC.FAA.GOV](http://NFDC.FAA.GOV))**

**The enclosed Standard Instrument Approach Procedures, Departure
Procedures/Takeoff Minimums and Fix Actions are effective as indicated.**

By amending: §97.23 VOR, VOR/DME, VOR or TACAN, and VOR/DME or TACAN; §97.25 LOC, LOC/DME, LDA, LDA/DME, SDF, SDF/DME; §97.27 NDB, NDB/DME; §97.29 ILS, ILS/DME, MLS, MLS/DME, MLS/RNAV; §97.31 RADAR SIAPs; §97.33 RNAV SIAPs; and §97.35 COPTER SIAPs, Identified as follows:
.....EFFECTIVE UPON PUBLICATION

AIRAC DATE	STATE	CITY	AIRPORT	FDC NUMBER	FDC DATE	SUBJECT
12/29/2022	CO	Wray	Wray Muni	2/9704	11/15/2022	RNAV (GPS) RWY 17, Amdt 2

AIRAC Date: 29 DECEMBER 2022

FDC 2/9704 2V5 IAP WRAY MUNI, WRAY, CO. RNAV (GPS) RWY 17, AMDT 2... CHANGE NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE IMPERIAL ALTIMETER SETTING AND INCREASE LPV DA TO 4020 FEET, INCREASE LNAV/NAV DA TO 4088 FEET AND ALL VISIBILITIES 1/8 SM. INCREASE ALL MDAS 160 FEET AND LNAV VISIBILITY CAT C/D 1/2 SM, AND CIRCLING VISIBILITY CAT C 1/2 SM, CAT D 1/4 SM. CHANGE NOTE TO READ: FOR UNCOMPENSATED BARO-VNAV SYSTEMS, LNAV/VNAV NA BELOW -22C OR ABOVE 53C. DELETE NOTE: DME/DME RNP-0.3 NA. PBN REQUIREMENTS NOTE: RNP APCH - GPS. DELETE PROFILE NOTE: *LNAV ONLY. DELETE ATSERISK IN PROFILE AT STARP. DELETE ASTERISK AT VDP. THIS IS RNAV (GPS) RWY 17, AMDT 2A. 2211101658-PERM