

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION

**VOR STANDARD INSTRUMENT APPROACH PROCEDURE**  
 FLIGHT STANDARDS SERVICE - FAR PART 97. 23

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

**TERMINAL ROUTES**

**MISSED APPROACH**

FROM	TO	COURSE AND DISTANCE	ALTITUDE

MAP: 8.48 MILES AFTER PUT VOR/DME OR AT PUT 8.48 DME

CLIMBING RIGHT TURN TO 2500 DIRECT PUT VOR/DME AND HOLD

**ADDITIONAL FLIGHT DATA:**

HOLD N, RT, 185.00 INBOUND  
 FAS OBST: 605 TREES 414942 / 715203  
 CHART 638 TREES 415224 / 715103  
 CHART 714 TREES 415715 / 715039

- PT NA SIDE OF COURSE            OUTBOUND            FT WITHIN            MILES OF            (IAF)
- HOLD N PUT VOR/DME, RT, 185.00 INBOUND, 2500 FT IN LIEU OF PT (IAF)
- FAC 211.40 FAF PUT VOR/DME            DIST FAF TO MAP 8.48 THLD
- MIN. ALT PUT VOR/DME 2500, SNAPO/PUT 5.00 DME 1120
- MSA FROM: PUT VOR/DME 090-270 2200, 270-090 3100

MAG VAR: 14W EPOCH YEAR: 80

**MINIMUMS**

TAKEOFF:	STANDARD	X	SEE FAA FORM 8260-15 FOR THIS AIRPORT				ALTERNATE: N A X								
CATEGORY	A			B			C			D			E		
	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA
CIRCLING	1120	1 1/4	882	1120	1 1/4	882		NA			NA				

**SNAPO FIX MINIMUMS**

CIRCLING	900	1	662	980	1 1/4	742		NA			NA				
----------	-----	---	-----	-----	-------	-----	--	----	--	--	----	--	--	--	--

NOTES:  
 USE WILLIMANTIC ALTIMETER SETTING

CITY AND STATE	ELEVATION: 238 TDZE:	FACILITY IDENTIFIER:	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:	SUP VOR OR GPS-A
DANIELSON, CT	AIRPORT NAME: DANIELSON	PUT	20202 FEB 21 2002 VOR-A, AMDT 6	AMDT 5
				DATED 12/7/95