FEDERAL AVIATION ADMINISTRATION FLIGHT STANDARDS SERVICE GRAPHIC DEPARTURE PROCEDURES (DP)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL Altitudes are minimum altitudes unless otherwise indicated Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statue miles or feet RVR unless otherwise indicated. DP NAME NUMBER **DP COMPUTER CODE** SUPERSEDED NUMBER DATED ACTUAL EFFECTIVE DATE ROWEY ONE 20 FEBRUARY 2025 ROWEY1.ROWEY TYPE: OBSTACLE COPTER SID SPECIAL RNAV \times \mathbf{X} **DP ROUTE DESCRIPTION:** RWY 11: CLIMB ON HEADING 101.00 TO 7799 THEN CLIMBING RIGHT TURN DIRECT ROWEY TO CROSS AT OR ABOVE MEA FOR ROUTE OF FLIGHT. TRANSITION ROUTES (GRAPHIC DEPICTION ONLY): TRANSITION FROM то CROSSING TRANSITION NAME COURSE DISTANCE MEA MOCA COMPUTER CODE **FIX/NAVAID FIX/NAVAID** ALTITUDE/FIXES **PBN REQUIREMENT NOTES:** RNAV 1 - GPS. EQUIPMENT REQUIREMENT NOTES: **PROCEDURAL DATA NOTES: TAKEOFF MINIMUMS:**

RWY 11: 300-1 3/8 WITH MINIMUM CLIMB OF 270 FT/NM TO 8200 OR STANDARD WITH MINIMUM CLIMB OF 310 FT/NM TO 8200.

TAKEOFF OBSTACLES NOTES:

NOTE: RWY 11: VEHICLES ON ROAD 11 FT FROM DER, 338 FT LEFT OF CENTERLINE, 7244 FT MSL. VEHICLES ON ROAD 40 FT FROM DER, 146 FT LEFT OF CENTERLINE, 7249 FT MSL. FENCE, TERRAIN BEGINNING 67 FT FROM DER, 320 FT RIGHT OF CENTERLINE, UP TO 14 FT AGL/7262 FT MSL. VEHICLES ON ROAD BEGINNING 383 FT FROM DER, 509 FT RIGHT OF CENTERLINE, UP TO 7264 FT MSL. TREES BEGINNING 5134 FT FROM DER, 1827 FT RIGHT OF CENTERLINE, UP TO 120 FT AGL/7463 FT MSL.

CONTROLLING OBSTACLES:

RWY 11: 7449 FT MSL TREE 433203.00N/10939448.00W (CEILING), 7400FT MSL TREE 433157.00N/1093939.00W (VISIBILITY), 7903 AAO 433024.00N/1093712.00W (CLIMB GRADIENT), 7926 AAO 433018.00N/1093712.00W (CLIMB-TO ALTITUDE), 7449 FT MSL TREE 433203.00N/1093948.00W (CLIMB GRADIENT), 7926 AAO 433018.00N/1093712.00W (CLIMB-TO ALTITUDE).

OBSTACLE MANDATING ROUTE DEVELOPMENT: RWY 11: 9991 FT MSL TOWER (56-023124) 433001.53N/1094117.48W

MSA:

MSA FROM KDUB, 15000.

LOST COMMUNICATIONS PROCEDURES:

ADDITIONAL FLIGHT DATA: AIRPORT MV: KDUB 10E/2025

DME/DME ASSESSMENT: NOT CONDUCTED

| DP NAME ROWEY | | | COMPUTER CODE SI ROWEY1.ROWEY | UPERSEDED NUMBER | DATED | ACTUAL EFFECTIVE DATE 20 FEBRUARY 2025 |
|--|------------------------------------|--|--|--------------------|---------------------------|---|
| AIRPORTS SERVED: AIRPORT ID | | | CITY | | | STATE |
| KDUB | | | DUBOIS | | | WY |
| COMMUNICATIONS: ZLC ARTCC FIXES AND/OR NAVAIDS: | | | | | | |
| REMARKS: 120 FT VEGETATION USED PER FPT CHECKLIST RETAINED CLIMBING RIGHT TURN IN DP ROUTE DESCRI FLIGHT INSPECTED BY JAMES KRENEK | PTION PER FPT. <u>SIGNATURE</u> | | <i>Digitally signed by</i> RAKE MCGRAW Dec 16, 2024 | OFFICE | DATE 12/12/2024 | |
| DEVELOPED BY JANTZEN TAYLOR | <u>SIGNATURE</u> | <i>Digitally signed by</i> JANTZEN L TAYLOR Nov 01, 2024 | 2 | OFFICE AJV-A422 | DATE 08/07/2024 | |
| APPROVED BY RAKE MCGRAW REQUIRED EFFECTIVE DATE | <u>SIGNATURE</u> | | Digitally signed by RAKE MCGRAW Dec 16, 2024 | OFFICE AJV-A422 | DATE | <u>TITLE</u> MANAGER |

ROUTINE

COORDINATED WITH:

A4A ALPA AOPA AOPA APA HAI NBAA OTHER: AMGR ZLC,

CHANGES - REASONS:

ORIGIONAL PROCEDURE

10/29/24: THIS IS AN UPDATED COPY OF THE FORM DEVELOPED ON 8/7/24.

1. REMOVED RWY 29 DP ROUTE DESCRIPTION, TAKEOFF MINIMUMS, TAKEOFF OBSTACLE NOTES AND CONTROLLING OBSTACLES - DEPARTURE FROM RWY 29 NA-ENVIRONMENTAL, REQUESTED DEPARTURE CG DISAPPROVED BY AFS.

2. UPDATED RWY 11 CLIMB-TO ALTITUDE CONTROLLING OBSTACLE 7926 AAO 433018.00N/1093712.00W - CORRECT OBSTACLE COORDINATES.

3. UPDATED AIRNAV DATA, INCORRECT RWY TRUE COURSE.

FEDERAL AVIATION ADMINISTRATION FLIGHT STANDARDS SERVICE DEPARTURE (DATA RECORD)

| DP NAME ROWEY | | | | | | NUMBER ONE | DP COMPUTER CO ROWEY1.ROWEY | | ERSEDED NUMBER | DATED | ACTUAL EFFECTIVE DATE 20 FEBRUARY 2025 |
|------------------|------------------------|----------|-------|-------------|-----------|---------------------|--------------------------------|-------|--------------------|--------------------|---|
| FIX/NAVAID | LAT/LONG | <u>C</u> | FO/FB | LEG TYPE | <u>TC</u> | <u>DIST</u> (NM) | ALTITUDE | SPEED | | REMARKS | |
| RW11 (AER) | 433308.60N/1094208.52W | Ν | - | - | - | - | | | | | |
| 7799 MSL | - | - | - | VA | 111.00 | - | AT/ABOVE 7799 | | 300 1- 3/8 WITH CO | G 270 FT/NM TO 820 | 0 OR 310 FT/NM TO 8200 |
| ROWEY | 431913.41N/1090410.89W | Y | FB | DF | - | - | | | | RIGHT TURN | |

-