

FEDERAL AVIATION ADMINISTRATION  
FLIGHT STANDARDS SERVICE  
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.  
Distances are in nautical miles (NM). Graphic depictions attached.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
PEBLL (RNAV)	TWO	PEBLL.PEBLL2	ONE	01/10/2013	19MAY2022

TRANSITION ROUTES:

Transition Name	Transition Computer Codes	From FIX/NAVAID	To FIX/NAVAID	Course	Distance	MEA	MOCA	MAA	Crossing Altitudes / Fixes
-----------------	------------------------------	--------------------	------------------	--------	----------	-----	------	-----	----------------------------

ARRIVAL ROUTE DESCRIPTION:

FROM PEBLL ON TRACK 100.63/86.50 TO CROSS WOMAS AT OR ABOVE 13000.

LANDING RWY 3L: FROM WOMAS ON TRACK 100.62/28.50 TO CROSS SEATO AT 6000 AND AT 210 KIAS, THEN ON HEADING 213.00. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE.

LANDING RWY 21L/R: FROM WOMAS ON TRACK 100.62/28.50 TO CROSS SEATO AT 6000 AND AT 210 KIAS, THEN ON HEADING 103.00. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE.

PBN REQUIREMENT NOTES

RNAV 1 - DME/DME/IRU OR GPS

EQUIPMENT REQUIREMENT NOTES

RADAR REQUIRED

PROCEDURAL DATA NOTES:

FIXES AND/OR HOLDING PATTERNS:

CHART HOLDING AT SEATO: HOLD N, LT, 160.00 INBOUND, 9 NM LEGS.

COMMUNICATIONS:

CHART: TRAVIS APP CON. CHART: TWR. CHART: GND CON.

AIRPORTS SERVED:

TRAVIS AFB, FAIRFIELD, CA (KSUU)

LOST COMMUNICATIONS PROCEDURE:

FROM SEATO, EXECUTE ILS OR LOC RWY 21L OR TACAN RWY 3L APPROACH. IF UNABLE, HOLD AT SEATO AS DEPICTED, MAINTAIN 6000.

REMARKS:

ABBREVIATED AMENDMENT DOES NOT MEET PERIODIC REVIEW REQUIREMENTS.



FEDERAL AVIATION ADMINISTRATION  
FLIGHT STANDARDS SERVICE  
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.  
Distances are in nautical miles (NM). Graphic depictions attached.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
<b>PEBLL (RNAV)</b>	<b>TWO</b>	<b>PEBLL.PEBLL2</b>	<b>ONE</b>	<b>01/10/2013</b>	<b>19MAY2022</b>

ADDITIONAL FLIGHT DATA:

DME/DME ASSESSMENT: SAT (RNP 2.0)  
REFERENCE MAGNETIC VARIATION = KSUU 13E/2020  
CHART AT SEATO TERMINUS: KSUU LANDING RWY 3L, 21L/R.  
CHART I-TXV AND I-SUU LOCALIZERS.  
CHART I-TXV AND I-SUU LOCALIZER FREQUENCIES.

FLIGHT INSPECTED BY:

PROCESSED IAW TECHNICAL SUPPORT GROUP (AJF-17) MEMO DATED 07/07/2021, SUBJECT: GUIDANCE FOR  
PROCEDURAL CHANGES REQUIRING FLIGHT INSPECTION VALIDATION

Date

*Digitally signed by*

**DAVID DANNER**

Jan 31, 2022

Signature

*Digitally signed by*

**DAVID DANNER**

Jan 31, 2022

DEVELOPED BY:

DAN POWELL

AJV-A442

12/02/2021

Name

Organization

Date

*Digitally signed by*

**DAVID DANNER**

Jan 31, 2022

Signature

Signature

APPROVED BY:

PAT MULQUEEN

AJV-A440

Date

Name

Organization

CHANGES:

1. ROUTE DESCRIPTION CHANGED FROM LANDING RWY 21R TO LANDING RWY 21L/R.
2. LOST COMM CHANGED TO INCLUDE ILS OR LOC RWY 21L AND 21R OR TACAN RWY 3L.
3. LOST COMM INSTRUCTIONS CHANGED FROM: "FROM SEATO, EXECUTE ILS OR LOC RWY 21R OR TACAN TWY 3L APPROACH. IF UNABLE, HOLD AT SEATO AS DEPICTED, MAINTAIN 6000;" TO: "FROM SEATO, EXECUTE ILS OR LOC RWY 21L/R OR TACAN RWY 3L APPROACH. IF UNABLE, HOLD AT SEATO AS DEPICTED, MAINTAIN 6000."
4. REMOVED LOCALIZER RWY 21R AND FREQUENCY FROM CHART.
5. ADDED LOCALIZER RWY 21L DEPICTION AND FREQUENCY (110.1) TO CHART.
6. ADDED TERMINUS DATA TO ADDITIONAL FLIGHT DATA.
7. ALL MAGNETIC COURSES/TRACKS INCREASED 3 DEGREES IN ACCORDANCE WITH MAG VAR CHANGE FROM 16E/1985 TO 13E/2020.
8. REMOVED MEA'S FROM COMMON ROUTE.

REASONS:


1. PROPONENT REQUESTED CHANGE TO ADD RWY 21L TO APPROACH PLATE IN ORDER TO FACILITATE FMS PROCESSING.
2. PROPONENT REQUESTED TO ADD RWY 21L TO LOST COMM INSTRUCTIONS.
3. VERBIAGE REQUIRED TO REFLECT NEW RWY 21L LOST COMM PROCEDURES.
4. RWY 21R LOCALIZER WAS ERRONEOUSLY CHARTED.
5. PROPONENT REQUESTED LOCALIZER RWY 21L AND FREQUENCY BE LISTED ON GRAPHICAL DEPICTION.
6. TERMINUS INFO MEETS CURRENT CRITERIA STANDARDS.
7. MAG VAR CHANGE.
8. NO LONGER REQUIRED.

QUALITY  
14  
CHECKED

FEDERAL AVIATION ADMINISTRATION  
FLIGHT STANDARDS SERVICE  
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.  
Distances are in nautical miles (NM). Graphic depictions attached.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
PEBLL (RNAV)	TWO	PEBLL.PEBLL2	ONE	01/10/2013	19MAY2022
Graphic Depiction 1					



FEDERAL AVIATION ADMINISTRATION  
FLIGHT STANDARDS SERVICE  
STAR (DATA RECORD)

Arrival Name PEBLL (RNAV)	Number TWO		STAR Computer Code PEBLL.PEBLL2		Superseded Number ONE		Dated 01/10/2013	Effective Date 19MAY2022	
FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
Common Route									
PEBLL	391540.06N / 1241223.69W	Y		IF			AT/ABOVE FL290		PEBLL.PEBLL1
WOMAS	384013.46N / 1223112.02W	Y	FB	TF	113.63	86.50	AT/ABOVE 13000		
Runway Transition									
WOMAS	384013.46N / 1223112.02W	Y		IF			AT/ABOVE 13000		
SEATO	382842.84N / 1215756.88W	Y	FO	TF	113.62	28.50	AT 6000	AT 210K	
KSUU:RWY 3L				VM	226.00				
Runway Transition									
WOMAS	384013.46N / 1223112.02W	Y		IF			AT/ABOVE 13000		
SEATO	382842.84N / 1215756.88W	Y	FO	TF	113.62	28.50	AT 6000	AT 210K	
KSUU:RWY 21L,RWY 21R				VM	116.00				

