

**Federal Aviation
Administration**

Transmittal Letter 22-17

June 24, 2022

**PREPARED BY THE AERONAUTICAL INFORMATION GROUP, AJV-53
(AVAILABLE ON THE WEB AT [HTTP://NFDC.FAA.GOV](http://NFDC.FAA.GOV))**

**The enclosed Standard Instrument Approach Procedures, Departure
Procedures/Takeoff Minimums and Fix Actions are effective as indicated.**

By amending: §97.23 VOR, VOR/DME, VOR or TACAN, and VOR/DME or TACAN; §97.25 LOC, LOC/DME, LDA, LDA/DME, SDF, SDF/DME; §97.27 NDB, NDB/DME; §97.29 ILS, ILS/DME, MLS, MLS/DME, MLS/RNAV; §97.31 RADAR SIAPs; §97.33 RNAV SIAPs; and §97.35 COPTER SIAPs, Identified as follows:
.....EFFECTIVE UPON PUBLICATION

AIRAC DATE	STATE	CITY	AIRPORT	FDC NUMBER	FDC DATE	SUBJECT
8/11/2022	MO	Warrensburg	Skyhaven	2/3380	6/9/2022	RNAV (GPS) RWY 1, Amdt 1

AIRAC Date: 11 AUGUST 2022

FDC 2/3380 RCM IAP SKYHAVEN, WARRENSBURG, MO. RNAV (GPS) RWY 1, AMDT 1... CHART NOTE: CIRCLING RWY 32 NA AT NIGHT. TDZE: 794. LPV DA 1044. LNAV/VNAV DA 1155. LNAV HAT 426. DELETE NOTE: DME/DME RNP-0.3 NA. PBN REQUIREMENTS NOTE: RNP APCH - GPS. CHANGE NOTE TO READ: FOR UNCOMPENSATED BARO-VNAV SYSTEMS, LNAV/VNAV NA BELOW -16C OR ABOVE 54C. CHANGE NOTE TO READ: RWY 1 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. CHANGE NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE KNOB NOSTER ALTIMETER SETTING AND INCREASE LPV DA TO 1083 FEET AND ALL VISIBILITIES 1/8 SM. INCREASE LNAV/VNAV DA TO 1194 FEET AND ALL VISIBILITIES 1/8 SM. INCREASE ALL MDAS 40 FEET AND LNAV VISIBILITY CAT C 1/8 SM, AND CIRCLING VISIBILITY CAT C 1/4 SM. THIS IS RNAV (GPS) RWY 1, AMDT 1A. 2206022131-PERM