Federal Aviation Administration

Transmittal Letter 19-13

MAY 3, 2019

PREPARED BY THE AERONAUTICAL INFORMATION GROUP, AJV-53 (AVAILABLE ON THE WEB AT HTTP://NFDC.FAA.GOV)

The enclosed Standard Instrument Approach Procedures, Departure Procedures/Takeoff Minimums and Fix Actions are effective as indicated.

By amending: §97.23 VOR, VOR/DME, VOR or TACAN, and VOR/DME or TACAN; §97.25 LOC, LOC/DME, LDA, LDA/DME, SDF, SDF/DME; §97.27 NDB, NDB/DME; §97.29 ILS, ILS/DME, MLS, MLS/DME, MLS/RNAV; §97.31 RADAR SIAPs; §97.33 RNAV SIAPs; and §97.35 COPTER SIAPs, Identified as follows:

AIRAC DATE	STATE	CITY	AIRPORT	FDC NUMBER	FDC DATE	SUBJECT
6/20/2019	TX	Stamford	Arledge Field	9/3169	4/3/2019	RNAV (GPS) RWY 17, Orig

AIRAC Date: 20 JUNE 2019

FDC 9/3169 F56 IAP ARLEDGE FIELD, Stamford, TX. RNAV (GPS) RWY 17, ORIG... DELETE PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT ROGEE VIA V18 EASTBOUND. DELETE NOTE: DME/DME RNP-0.3 NA. DELETE NOTE: USE ABILENE RGNL ALTIMETER SETTING, WHEN NOT RECEIVED USE BRECKENRIDGE ALTIMETER SETTING AND INCREASE ALL MDA 40 FEET AND LNAV CAT C VISIBILITY 1/4 MILE. CHART NOTE: USE ABILENE RGNL ALTIMETER SETTING, WHEN NOT RECEIVED USE BRECKENRIDGE ALTIMETER SETTING AND INCREASE ALL MDAS 40 FEET AND LNAV CAT C VISIBILITY 1/4 SM. PBN REQUIREMENTS NOTES: RNP APCH. THIS IS RNAV (GPS) RWY 17, ORIG-A. 1903061609-PERM