

TAKEOFF MINIMUMS AND OBSTACLE DEPARTURE PROCEDURES (ODP)

Bearings, headings, courses, tracks, and radials are magnetic. Elevations and altitudes are in feet. MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

(1) TAKEOFF MINIMUMS:
RWY 01, 09, 19, 27, STANDARD.

(2) TEXTUAL DEPARTURE PROCEDURE:

(3) TAKEOFF OBSTACLE NOTES:
NOTE: RWY 27, TREE 2212' FROM DER, 972' LEFT OF CENTERLINE, 100' AGL/933' MSL.

(4) CONTROLLING OBSTACLES:

(5) City, State

KEWANEE, IL

(6) Airport

KEWANEE MUNI

(7) Effective Date

15 JAN 2009

(8) Amdt. No.

ORIG

TL09-02 PUB. 1-15-09

TAKEOFF MINIMUMS AND OBSTACLE DEPARTURE PROCEDURES (ODP)

Bearings, headings, courses, tracks, and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

(1) TAKEOFF MINIMUMS:

RWY 01, 09, 19, 27, STANDARD.

(2) TEXTUAL DEPARTURE PROCEDURE:

(3) TAKEOFF OBSTACLE NOTES:

NOTE: RWY 27, TREE 2212' FROM DER, 972' LEFT OF CENTERLINE, 100' AGL/933' MSL.

(4) CONTROLLING OBSTACLES:

(5) City, State KEWANEE, IL	(6) Airport KEWANEE MUNI	(7) Effective Date	(8) Amdt. No. ORIG
--------------------------------	-----------------------------	--------------------	-----------------------

QUALITY
CHECKED

(9) Changes:

ORIG

(10) Reasons:

FPO REQUEST

(11) Coordinated With:

ATA

ALPA

APA

AOPA

NBAA

OTHER (specify)

APT MGR, MLI APP CON, ZAU

(12) Required Effective Date:

ROUTINE

(13) FLIGHT INSPECTED BY

Name: *John Butcher* Date:

Jeffrey W Haring

10/28/08

(14) DEVELOPED BY

Signature: *F&R Kabb* Date:

KAREN GONZALEZ
(RECO MOTEN)

05/30/08

(15) APPROVED BY

Signature: *John Bickerstaff* Date: *11/19/08*

JOHN BICKERSTAFF