

**FEDERAL AVIATION ADMINISTRATION  
FLIGHT STANDARDS SERVICE  
GRAPHIC DEPARTURE PROCEDURES (DP)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.  
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u>
TECKY	FOUR	TECKY4.TECKY	THREE	07/21/2016	<b>27JAN2022</b>

<u>TYPE:</u>	<u>OBSTACLE</u>	<u>COPTER</u>	<u>SID</u>	<u>SPECIAL</u>	<u>RNAV</u>
	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

**DP ROUTE DESCRIPTION:**

TAKEOFF RWY 12L, 12R: CLIMB ON HEADING 125.81 TO 570, THEN DIRECT NEVSE, THEN ON TRACK 115.27 TO CROSS TECKY AT OR ABOVE 13000, THENCE...

...ON (TRANSITION). MAINTAIN FL190. EXPECT FILED ALTITUDE 10 MINUTES AFTER DEPARTURE.

**TRANSITION ROUTES (GRAPHIC DEPICTION ONLY):**

<u>TRANSITION NAME</u>	<u>TRANSITION COMPUTER CODE</u>	<u>FROM FIX/NAVAID</u>	<u>TO FIX/NAVAID</u>	<u>COURSE</u>	<u>DISTANCE</u>	<u>MEA</u>	<u>MOCA</u>	<u>CROSSING ALTITUDE/FIXES</u>
VLREE	TECKY4.VLREE	TECKY	VLREE	TRACK 126.40	35.79	FL180	6200	
JFREE	TECKY4.JFREE	TECKY	JFREE	TRACK 119.28	35.99	FL180	6000	

**PROCEDURAL DATA NOTES:**

NOTE: RNAV 1

NOTE: RADAR REQUIRED FOR NON-GPS EQUIPPED AIRCRAFT.

NOTE: DME/DME/IRU OR GPS REQUIRED.

**TAKEOFF MINIMUMS:**

RWYS 12L/R: STANDARD WITH MINIMUM CLIMB OF 500 FT PER NM TO 570.

**TAKEOFF OBSTACLES NOTES:**

SEE FORM 8260-15A, TAKEOFF MINIMUMS AND OBSTACLE DEPARTURE PROCEDURES (ODP).

**CONTROLLING OBSTACLES:****LOST COMMUNICATIONS PROCEDURES:****ADDITIONAL FLIGHT DATA:**

DME/DME ASSESSMENT: SAT (RNP 2.0).

REFERENCE MAG VAR: KSJC 13E EPOCH YR: 2025

CHART: TOP ALTITUDE: FL190

**AIRPORTS SERVED:**

<u>AIRPORT NAME</u>	<u>AIRPORT ID</u>	<u>CITY</u>	<u>STATE</u>
NORMAN Y MINETA SAN JOSE INTL	KSJC	SAN JOSE	CA

**COMMUNICATIONS:**

ATIS, CLNC DEL, GND CON, SAN JOSE TOWER, NORCAL DEP CON, CPDLC.



<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u>
TECKY	FOUR	TECKY4.TECKY	THREE	07/21/2016	27JAN2022

**FIXES AND/OR NAVAIDS:**

EBAYE, LOSHN, NTELL

**REMARKS:**

ABBREVIATED AMENDMENT.

DO NOT CHART MOCA: FROM TECKY TO VLREE, TECKY TO JFREE

**FLIGHT INSPECTED BY**

GARY J VEER

*Digitally signed by*  
**CASIMIR L TABAKA**  
 Nov 08, 2021

**OFFICE****DATE**

FPO

11/02/2021

**DEVELOPED BY**

STEVEN DOUGHERTY

*Digitally signed by*  
**STEVEN DOUGHERTY**  
 Sep 29, 2021

**OFFICE****DATE**

AJV-A411

09/07/2021

**APPROVED BY**

JULIE MORGAN

*Digitally signed by*  
**CASIMIR L TABAKA**  
 Sep 30, 2021

**OFFICE****DATE****TITLE**

AJV-A410

MANAGER

**REQUIRED EFFECTIVE DATE**

ROUTINE

**COORDINATED WITH:**

**A4A** ☒ **ALPA** ☒ **AOPA** ☒ **APA** ☒ **HAI** ☐ **NBAA** ☒ **OTHER:** ZOA, NORCAL APP CON, SJC ATCT, AMGR

**CHANGES - REASONS:**

1. DELETED ALL REFERENCES TO RUNWAY 30L/R - NORCAL/FPT REQUESTED SEPARATE DEPARTURE TO BE CREATED FOR R30L/R.
2. DELETED EBAYE AND LOSN FIXES AND TRANSITIONS, RENAMED TRANSITIONS VLREE AND JFREE - NORCAL REQUEST.
3. ADDED NTELL TRANSITION - NORCAL REQUEST.
4. ADDED MOCA FROM TECKY TO VLREE, TECKY TO JFREE AND TECKY TO NTELL - PER 8260.46.
5. REMARK: ADDED STATEMENT "DO NOT CHART MOCA: FROM TECKY TO VLREE, TECKY TO JFREE, TECKY TO NTELL" - PER 8260.46.
6. TAKEOFF RWY 12L, 12R: ADDED "OM" AND REMOVED 21.95 - PER 8260.46 EXAMPLE.
7. REMOVED TAKEOFF OBSTACLE NOTES AND ADDED "SEE FORM 8260-15A, TAKEOFF MINIMUMS AND OBSTACLE DEPARTURE PROCEDURES (ODP) - PER 8260.46.
8. ADDITIONAL FLIGHT DATA: REMOVED NOTE "CHART SPEED ICONS MAXIMUM SPEED 230 KIAS AT STCLR AND MLPTS" - FIXES NO LONGER ASSOCIATED WITH THIS SID, PER NORCAL REQUEST.
9. REMOVED NOTE: RWYS 12L/R: LOSHN TRANSITION N/A - LOSHN TRANSITION REMOVED PER NORCAL REQUEST.

09/28/2021: THIS IS AN UPDATED COPY OF THE FORM DEVELOPED ON 09//07/2021.

1. DELETED NTELL TRANSITION.
2. CHARTED NTELL AS A STAND ALONE FIX.
3. DELETED "TECKY TO NTELL" IN DO NOT CHART MOCA NOTE IN REMARKS.



**FEDERAL AVIATION ADMINISTRATION  
FLIGHT STANDARDS SERVICE  
DEPARTURE (DATA RECORD)**

DP NAME				NUMBER		DP COMPUTER CODE		SUPERSEDED NUMBER		DATED		ACTUAL EFFECTIVE DATE	
TECKY				FOUR		TECKY4.TECKY		THREE		07/21/2016		27JAN2022	
FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS				
RW12L (AER)*	372220.25N/1215613.97W*	N	-	-	-	-			*DISPL THLD (1308 FT)				
570 MSL	-	-	-	VA	138.81	-	AT/ABOVE 570		CG 500 FT/NM TO 570				
NEVSE	371730.06N/1215052.10W	Y	FB	DF	-	-							
TECKY	370351.59N/1212920.45W	Y	FB	TF	128.27	21.95	AT/ABOVE 13000						
RW12R (AER)*	372215.77N/1215620.58W*	Y	-	-	-	-			*DISPL THLD (1297 FT)				
570 MSL	-	-	-	VA	138.81	-	AT/ABOVE 570		CG 500 FT/NM TO 570				
NEVSE	371730.06N/1215052.10W	Y	FB	DF	-	-							
TECKY	370351.59N/1212920.45W	Y	FB	TF	128.27	21.95	AT/ABOVE 13000						
TECKY	370351.59N/1212920.45W	Y	-	IF	-	-	AT/ABOVE 13000		TECKY4.VLREE				
VLREE	363635.68N/1210024.94W	Y	FB	TF	139.40	35.79							
TECKY	370351.59N/1212920.45W	Y	-	IF	-	-	AT/ABOVE 13000		TECKY4.JFREE				
JFREE	363932.20N/1205614.57W	Y	FB	TF	132.28	35.99							

