

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION

RNAV

STANDARD INSTRUMENT APPROACH PROCEDURE

FLIGHT STANDARDS SERVICES TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

<u>FROM</u>	<u>TO</u>	<u>COURSE AND DISTANCE</u>	<u>ALTITUDE</u>
RW03 (MAP)(40G)(41Y)(43M)	3917 MSL (CA)(42M)	035.08	
3917 MSL	AQZED (DF)(FO)(40E)(41E)(43H)		6000

CITY AND STATE ROSWELL, NM	ELEVATION: 3671 TDZE: 3667	FACILITY IDENTIFIER: RNAV	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE: RNAV (GPS) RWY 3, ORIG SEP 28 2006	SUP:
	AIRPORT NAME: ROSWELL INTERNATIONAL AIR CENTER			AMDT: NONE
	DATED:			



FAS DATA BLOCK INFORMATION

<u>DATA FIELD</u>	<u>DATA</u>
OPERATION TYPE	0
SBAS SERVICE PROVIDER IDENTIFIER	0
AIRPORT IDENTIFIER	KROW
RUNWAY	RW03
APPROACH PERFORMANCE DESIGNATOR	0
ROUTE INDICATOR	
REFERENCE PATH DATA SELECTOR	0
REFERENCE PATH IDENTIFIER	W03A
LTP/FTP LATITUDE	331709.9400N
LTP/FTP LONGITUDE	1043212.8500W
LTP/FTP ELLIPSOIDAL HEIGHT	+10947
FPAP LATITUDE	331840.6600N
FPAP LONGITUDE	1043024.3200W
THRESHOLD CROSSING HEIGHT (TCH)	00050.0
TCH UNITS SELECTOR (METERS OR FEET)	F
GLIDEPATH ANGLE (GPA)	03.00
COURSE WIDTH AT THRESHOLD	111.75
LENGTH OFFSET	0000
HORIZONTAL ALERT LIMIT (HAL)	40.0
VERTICAL ALERT LIMIT (VAL)	50.0
CRC REMAINDER	621EB307

ADDITIONAL PATH POINT RECORD INFORMATION

ICAO CODE	K2
LTP ORTHOMETRIC HEIGHT	+11177
FPAP ORTHOMETRIC HEIGHT	+11177

CITY AND STATE ROSWELL, NM	ELEVATION: 3671 TDZE: 3667	FACILITY IDENTIFIER: RNAV	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE: SEP 28 2006 RNAV (GPS) RWY 3, ORIG	SUP:
	AIRPORT NAME: ROSWELL INTERNATIONAL AIR CENTER			AMDT: NONE
				DATED:

