

FEDERAL AVIATION ADMINISTRATION  
FLIGHT STANDARDS SERVICE  
VOR STANDARD INSTRUMENT APPROACH PROCEDURE  
TITLE 14 CFR PART 97.23

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated.  
Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or feet RVR.

<u>AIRPORT ID</u> KEBA	<u>PROCEDURE NAME</u> VOR RWY 11		<u>ORIGINAL/AMENDMENT</u> 5	<u>CITY</u> ELBERTON	<u>STATE</u> GA	
<u>AIRPORT ELEVATION</u> 615	<u>TDZE</u> 615	<u>SUPERSEDED</u> VOR/DME RWY 11	<u>ORIGINAL/AMENDMENT</u> 4B	<u>DATED</u> 09/15/2016	<u>MAG VAR</u> 0E	<u>EPOCH YEAR</u> 1965
<u>FACILITY</u> AHN	<u>COORDINATES OF FACILITIES</u>	<u>ACTUAL EFFECTIVE DATE</u> 5 OCTOBER 2023	<u>REQUIRED EFFECTIVE DATE</u> ROUTINE	<u>CANCEL/SUSPEND</u>		

**TERMINAL ROUTES**

FROM	FIX TYPE	TO	FIX TYPE	LEG TYPE	FO/FB	RNP	COURSE	DISTANCE	ALTITUDE
AHN VOR/DME	IAF	HOKID/AHN 12.00 DME					070.00	12.00	2500
JOSPI/AHN 12.00 DME CW	IAF	HOKID/AHN 12.00 DME					12.00 DME ARC		2500
OCENU/AHN 12.00 DME CCW	IAF	HOKID/AHN 12.00 DME					12.00 DME ARC		2500
HOKID/AHN 12.00 DME	IF	DOTSN/AHN 21.81 DME					070.00	9.81 (AHN R-070)	2500

**MISSED APPROACH**

**MAP:**

MATKL/AHN 26.44 DME

**MISSED APPROACH INSTRUCTIONS:**

CLIMB TO 1600 THEN CLIMBING RIGHT TURN TO 2500 ON AHN VOR/DME R-070 TO DOTSN/AHN 21.81 DME AND HOLD.

**ALTERNATE MISSED APPROACH INSTRUCTIONS:**

**PROFILE:**

1. PT      SIDE OF COURSE      OUTBOUND      FT WITHIN      MILES OF      (IAF)
2. PROFILE STARTS AT HOKID/AHN 12.00 DME
3. FAC: 070.00      FAF: DOTSN/AHN 21.81 DME      DIST FAF TO MAP:      DIST FAF TO THLD: 4.63
4. MIN ALT:    HOKID/AHN 12.00 DME 2500, DOTSN/AHN 21.81 DME 2500, JUDAK/AHN 24.17 DME 1560
8. MSA FROM:    AHN VOR/DME 060-240 2500, 240-060 3700



EQUIPMENT REQUIREMENTS NOTES:

DME REQUIRED.

NOTES:

CHART NOTE: PROCEDURE NA AT NIGHT.  
CHART NOTE: RWY 11 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED.

ADDITIONAL FLIGHT DATA:

CHART CIRCLING ICON.  
DOTSN TO RW11: 3.75/42.  
HOLD W, RT, 070.00 INBOUND.  
CHART FAS OBST: 966 TOWER (13-002298) 340753N/0825146W.  
CHART AHN R-043 AT JOSPI.  
CHART AHN R-104 AT OCENU.  
FAC CROSSES RWY C/L EXTENDED 907 FT FROM THLD.

MINIMUMS:

TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT

ALTERNATE: NA ☐ STANDARD - NA WHEN LOCAL WEATHER NOT AVAILABLE.

CATEGORY:	A			B			C			D			E		
FINAL TYPE	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA
S-11	1200	1	585	1200	1	585	1200	1 3/4	585		NA				
CIRCLING	1200	1	585	1200	1 1/4	585	1280	2	665		NA				

CHANGES - REASONS

1. CHANGED ALTERNATE "NA" TO "STANDARD - NA WHEN LOCAL WEATHER NOT AVAILABLE."- AHN VOR/DME OCC MONITORED 24/7.
2. INCREASED JUDAK CROSSING ALTITUDE FROM 1460 TO 1560- TO ALIGN WITH VGSI 3.75/42.
3. INCREASED DOTSN CROSSING ALTITUDE FROM 2400 FT TO 2500 FT- TO ALIGN WITH VGSI 3.75/42.
4. CHANGED MISSED APPROACH INSTRUCTIONS FROM "CLIMBING RIGHT TURN TO 2400 ON AHN VOR/DME R-070 TO DOTSN/AHN 20.9 DME AND HOLD" TO "CLIMB TO 1600 THEN CLIMBING RIGHT TURN TO 2500 ON AHN VOR/DME R-070 TO DOTSN/AHN 21.81 DME AND HOLD."- REDUCED CLIMB-TO ALTITUDE TO LOWEST ALLOWABLE WITHOUT CIH REQUIRMENT AND UPDATED NEW DME.
5. REMOVED BACKUP ALTIMETER NOTE - MOVED TO BACK OF -9 AS A CONTINGENCY.
6. CHANGED S-11 HAT FROM 600 TO 585 ALL CATS- NEW THLD ELEVATION IN AIRNAV.
7. CHANGED CIRCLING HAA FROM CAT A-B 597, CAT C 737 TO CAT A-B 585, CAT C 665- NEW FIELD ELEVATION IN AIRNAV.
8. ADDED "DME REQUIRED" TO EQUIPMENT REQUIREMENT NOTES- DME REQUIRED FOR PROCEDURE.
9. CHANGED FAC CROSSES RWY C/L EXTENDED 910 FT FROM THLD TO FAC CROSSES RWY C/L EXTENDED 907 FT FROM THLD- UPDATED FAC PROFILE.
10. CHANGED AIRPORT ELEVATION FROM 603 TO 615- NEW AIRNAV DATA.
11. TDZE CHANGED FROM 600 TO 615- NEW AIRNAV DATA.
12. CHANGED DESCENT ANGLE FROM 3.00 TO 3.75- TO MATCH VGSI 3.75/42.
13. CHANGED TERMINAL ROUTES INTERMEDIATE SEGMENT HOKID TO DOTSN DISNTANCE FROM 8.92 TO 9.81- UPDATED DISTANCE TO REFLECT DOTSN NEW LOCATION.



COORDINATED WITH:

A4A ☐ ALPA ☒ AOPA ☒ APA ☐ HAI ☐ NBAA ☒ OTHER: ATL APP CON, AMGR, ZTL

FLIGHT CHECKED BY

ROBERT E WILLIAMS

Digitally signed by

JOHN BORDY

Jul 31, 2023

OFFICE

FPO

DATE

07/28/2023

DEVELOPED BY

JOHN BORDY (DEREK LARUE)

Digitally signed by

JOHN BORDY

Jul 31, 2023

OFFICE

AJV-A33

DATE

07/07/2023

APPROVED BY

JOHN BORDY

Digitally signed by

JOHN BORDY

Jul 31, 2023

OFFICE

AJV-A33

DATE

TITLE  
MANAGER

