

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
TITLE 14 CFR PART 97.33

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or feet RVR.

<u>AIRPORT ID</u> T90	<u>PROCEDURE NAME</u> RNAV (GPS)-A	<u>ORIGINAL/AMENDMENT</u> ORIG	<u>CITY</u> WINNIE/STOWELL	<u>STATE</u> TX		
<u>AIRPORT ELEVATION</u> 24	<u>TDZE</u>	<u>SUPERSEDED</u>	<u>ORIGINAL/AMENDMENT</u> NONE	<u>DATED</u>	<u>MAG VAR</u> 1E	<u>EPOCH YEAR</u> 2025
<u>FACILITY</u> RNAV	<u>COORDINATES OF FACILITIES</u>	<u>ACTUAL EFFECTIVE DATE</u> 5 OCTOBER 2023	<u>REQUIRED EFFECTIVE DATE</u> CONCURRENT WITH 23-ASW-4	<u>CANCEL/SUSPEND</u>		

TERMINAL ROUTES

<u>FROM</u>	<u>FIX TYPE</u>	<u>TO</u>	<u>FIX TYPE</u>	<u>LEG TYPE</u>	<u>FO/FB</u>	<u>RNP</u>	<u>COURSE</u>	<u>DISTANCE</u>	<u>ALTITUDE</u>
GYGER	IAF	ARCHU		TF	FB	1.00	177.72	6.00	2000
JOSHA	IAF	ARCHU		TF	FB	1.00	267.77	5.00	2000
ARCHU	IF	WUGOV		TF	FB	1.00	177.72	6.00	1600
WUGOV	FAF	RW17	MAP	TF	FO	0.30	177.72	4.82	
RW17	MAP	900 MSL		CA			177.72		900
900 MSL		JOSHA		DF	FO	1.00			2500

MISSED APPROACH

MAP:
RW17

MISSED APPROACH INSTRUCTIONS:

CLIMB TO 900 THEN CLIMBING LEFT TURN TO 2500 DIRECT JOSHA AND HOLD.

ALTERNATE MISSED APPROACH INSTRUCTIONS:



PROFILE:

1. PT

SIDE OF COURSE

OUTBOUND

FT WITHIN

MILES OF

(IAF)

2. PROFILE STARTS AT ARCHU

3. FAC: 177.72

FAF: WUGOV

DIST FAF TO MAP: 4.82

DIST FAF TO THLD:

4. MIN ALT: ARCHU 2000, WUGOV 1600

5. DIST TO THLD FROM OM:

MM:

IM:

150 HAT:

GS ANT:

6. MIN GP INCPT:

GP ALT AT FAF :

OM:

MM:

IM:

7. GP ANGLE:

34:1:

20:1:

TCH:

8. MSA FROM: ARP T90 3100

PBN REQUIREMENTS NOTE:

RNP APCH - GPS.

NOTES:

CHART NOTE: PROCEDURE NA AT NIGHT.
CHART NOTE: RWY 17 AND 35 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED.
CHART NOTE: USE BEAUMONT ALTIMETER SETTING; WHEN NOT RECEIVED, USE LIBERTY ALTIMETER SETTING AND INCREASE ALL MDAS 20 FEET.

ADDITIONAL FLIGHT DATA:

CHART HOUSTON CENTER FREQUENCY.
CHART BEAUMONT AWOS-3PT.
WUGOV TO RW17: 3.00/40.
HOLD E, RT, 267.77 INBOUND.
FAS OBST: 129 TREE 294940N/0942549W.

MINIMUMS:

TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT

ALTERNATE: NA ☒

CATEGORY:	A			B			C			D			E		
FINAL TYPE	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA
CIRCLING	480	1	456	480	1	456		NA			NA				

CHANGES - REASONS

ORIGINAL PROCEDURE.



AIRPORT ID
T90

PROCEDURE NAME
RNAV (GPS)-A

ORIGINAL/AMENDMENT
ORIG

CITY
WINNIE/STOWELL

STATE
TX

COORDINATED WITH:

A4A ☐ ALPA ☒ AOPA ☒ APA ☐ HAI ☐ NBAA ☒ OTHER: HOUSTON APP CON, AMGR

FLIGHT CHECKED BY
JEFFREY A FINDLEY

Digitally signed by
DAVID TEFFETELLER
Jun 30, 2023

OFFICE
FPO

DATE
06/27/2023

DEVELOPED BY
FRANK MOORE

Digitally signed by
FRANK MOORE
Mar 20, 2023

OFFICE
AJV-A433

DATE
12/05/2022

APPROVED BY
JOHNNIE BAKER

Digitally signed by
DAVID TEFFETELLER
Jun 30, 2023

OFFICE
AJV-A430

DATE

TITLE
MANAGER