

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES				MISSED APPROACH
FROM	TO	COURSE AND DISTANCE	ALTITUDE	
BEYLO	GOBYI (FB)	308.81 / 13.56	2300	<b>LNAV: RW07</b>
MADDI	JEVIN (FB)	179.52 / 5.26	2300	
JEVIN (IAF)	ETZOP (NOPT) (FB)	158.95 / 5.00	2300	<b>CLIMB TO 2300 DIRECT EXJAN AND HOLD.</b>
GLOSS (IAF)	ETZOP (NOPT) (FB)	058.12 / 8.37	2300	
GOBYI (IAF)	ETZOP (NOPT) (FB)	339.00 / 5.00	2300	
ETZOP (IF/IAF)	AVSEW (FB)	068.97 / 7.10	2300	
				<b>ADDITIONAL FLIGHT DATA:</b> <b>HOLD E. RT, 249.22 INBOUND.</b> <b>CHART FAS OBST: 905 TOWER 333359N/0831128W</b> <b>AVSEW TO RW07: 3.04/34.</b>

1. PT \_\_\_\_\_ SIDE OF COURSE \_\_\_\_\_ OUTBOUND \_\_\_\_\_ FT WITHIN \_\_\_\_\_ MILES OF \_\_\_\_\_ (IAF)
2. **HOLD W ETZOP, RT, 068.97 INBOUND, 2300 FT. IN LIEU OF PT (IAF)**
3. FAC: 069.05 FAF: AVSEW DIST FAF TO MAP: 4.92 THLD: 4.92
4. MIN. ALT: **ETZOP 2300, AVSEW 2300**
5. DIST TO THLD FROM OM: \_\_\_\_\_ MM: \_\_\_\_\_ IM: \_\_\_\_\_ 150 HAT: \_\_\_\_\_ 100 HAT: \_\_\_\_\_ GS ANT: \_\_\_\_\_
6. MIN GS INCPT: \_\_\_\_\_ GS ALT AT: \_\_\_\_\_ OM: \_\_\_\_\_ MM: \_\_\_\_\_ IM: \_\_\_\_\_
7. GS ANGLE: \_\_\_\_\_ TCH: **34:1 IS NOT CLEAR**
8. MSA FROM: **RW07 2500**

MAG VAR: 5W                      EPOCH YEAR: 2000

MINIMUMS															
TAKEOFF:	STANDARD	X	SEE FAA FORM 8260-15A FOR THIS AIRPORT	ALTERNATE: N A	STANDARD @										
CATEGORY >>>>>>	A			B			C			D			E		
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA
<b>LNAV MDA</b>	1160	1	482	1160	1	482	1160	1 1/4	482	1160	1 1/2	482			
<b>CIRCLING</b>	1220	1	531	1220	1	531	1220	1 1/2	531	1240	2	551			

NOTES:  
 CHART NOTE: DME/DME RNP-0.3 NA. @ NA WHEN LOCAL WEATHER NOT AVAILABLE.  
 CHART NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. **QUALITY**  
 CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT BEYLO VIA V5-51-267 SOUTHBOUND. **6**  
 CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED USE ATHENS ALTIMETER SETTING AND INCREASE **CHECKED**  
**ALL MDA 80 FEET: INCREASE LNAV CAT C AND D VISIBILITY AND CIRCLING CAT C VISIBILITY 1/4 MILE.**

CITY AND STATE <b>GREENSBORO, GA</b>	ELEVATION: 689 TDZE: 678 AIRPORT NAME: <b>GREENE COUNTY REGIONAL</b>	FACILITY IDENTIFIER: <b>RNAV</b>	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: <b>RNAV (GPS) RWY 7, AMDT 1</b> <b>11 FEB 2010</b>	SUP: <b>RNAV (GPS) RWY 6</b> AMDT: <b>ORIG-A</b> DATED <b>10/23/2008</b>
---	--	-------------------------------------	---	--



