

TERMINAL ROUTES				MISSED APPROACH
FROM	TO	COURSE AND DISTANCE	ALTITUDE	MAP: NENVE/KOA 2.19 DME
MUE VOR/DME	KEANY INT/MUE 8.00 DME	245.25 / 8.00	6800	CLIMBING RIGHT TURN TO 1500 ON KOA VORTAC R-294 TO ANDES/11.66 DME AND HOLD.
KOA VORTAC	KAYAK INT/ 11.66 DME	350.65 / 11.66	5500	
ANDES/KOA 11.66 DME CW (IAF)	KAYAK INT/KOA 11.66 DME (NOPT)	11.66 DME ARC	1500	ADDITIONAL FLIGHT DATA: HOLD NW, RT, 113.67 INBOUND. FAS OBST: 224 TREE 194547N/1560132W CHART VDP AT 3.76 DME; DISTANCE VDP TO THLD 1.57 MILES. CHART KOA R-294 AT ANDES. FAC CROSSES RWY C/L EXTENDED 3005 FROM THLD. INECE TO RW17: 3.14/54
TAMMI INT/KOA 22.45 DME (IAF)	KAYAK INT/KOA 11.66 DME (NOPT)	170.65 / 10.79 (KOA R-351)	1500	
KEANY INT/MUE 8.00 DME (IAF)	MALIA INT/MUE 16.00 DME (NOPT)	245.25 / 8.00 (MUE R-245)	3800	
MALIA INT/MUE 16.00 DME	KAYAK INT/KOA 11.66 DME	245.25 / 5.48 (MUE R-245)	3000	
UPP VORTAC (IAF)	SODZE INT/UPP 11.00 DME (NOPT)	201.71 / 11.00	5700	
(SEE FORM 8260-10)				

1. PT SIDE OF COURSE OUTBOUND FT WITHIN MILES OF (IAF)
2. HOLD N KAYAK, LT, 170.65 INBOUND, 1500 FT. IN LIEU OF PT (IAF)
3. FAC 170.65 FAF INECE/KOA 5.19 DME DIST FAF TO MAP - THLD 3.00
4. MIN. ALT KAYAK 1500, INECE 1000
8. MSA FROM: KOA VORTAC 080-170 14900, 170-350 3300, 350-080 11500

MAG VAR: 11E EPOCH YEAR:1990

MINIMUMS																
TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT										ALTERNATE: N A		STANDARD @				
CATEGORY ==>	A			B			C			D			E			
	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	
S-17	600	3/4	553	600	3/4	553	600	1 1/8	553	600	1 1/8	553	600	1 1/8	553	
CIRCLING	600	1	553	600	1	553	600	1 5/8	553	600	2	553	600	2	553	

NOTES:

CHART NOTE: CIRCLING NA EAST OF RWY 17-35. @ NA WHEN LOCAL WEATHER NOT AVAILABLE.

CHART PROFILE NOTE: VGSI AND DESCENT ANGLES NOT COINCIDENT.

CHART NOTE: FOR INOPERATIVE MALSR, INCREASE S-17 CATS A AND B VISIBILITY TO 1 MILE, INCREASE S-17 CAT E VISIBILITY TO 1 5/8 MILE.

CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVAL ON KOA VORTAC AIRWAY RADIALS 294 CW 327.



CITY AND STATE KAILUA/KONA, HI	ELEVATION: 47 THRE: 47 AIRPORT NAME: KONA INTL AT KEAHOLE	FACILITY IDENTIFIER: KOA	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: VOR/DME OR TACAN RWY 17, ORIG, 08/25/2011 25 AUG 2011	SUP AMDT NONE DATE
-----------------------------------	--	-----------------------------	--	--------------------------

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
TACAN OR VOR/DME STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - - TITLE 14 CFR PART 97.23

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES, (CONT.):

FROM	TO	COURSE AND DISTANCE	ALTITUDE
SODZE INT/UPP 11.00 DME	KAYAK INT/KOA 11.66 DME	201.71 / 9.48 (UPP R-202)	3000
KAYAK INT/KOA 11.66 DME (IF/IAF)	INECE/KOA 5.19 DME	170.65 / 6.47 (KOA R-351)	1000



CITY AND STATE KAILUA/KONA, HI	ELEVATION: 47 THRE: 47	FACILITY IDENTIFIER: KOA	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: VOR/DME OR TACAN RWY 17, ORIG, 08/25/2011 25 AUG 2011	SUP:
	AIRPORT NAME: KONA INTL AT KEAHOLE			AMDT: NONE
				DATED: