

US DEPARTMENT OF TRANSPORTATION  
FEDERAL AVIATION ADMINISTRATION

**RNAV - STANDARD  
INSTRUMENT APPROACH PROCEDURE  
TITLE 14 CFR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES				MISSED APPROACH
FROM	TO	COURSE AND DISTANCE	ALTITUDE	LNAV: ZOXIM
SMA NDB	JAGUT (FB)	079.02 / 43.97	4000	CLIMB TO 4000 DIRECT DICEC AND ON TRACK 295.84 TO ANESE AND HOLD, CONTINUE CLIMB-IN-HOLD TO 4000.
ANESE	JAGUT (FB)	066.21 / 20.63	4000	
MARSI	DAVBE (FB)	027.94 / 35.71	4000	ADDITIONAL FLIGHT DATA: HOLD W, RT, 090.45 INBOUND. CHART FAS OBST: 509 TREE 615255N/1615642W CHART: 559 TREE 615257N/1615636W
JAGUT (IAF)	CADUG (FB)	143.33 / 5.41	3000	
DAVBE (IAF)	CADUG (FB)	312.29 / 6.93	3000	
CADUG (IF)	FABSO (FB)	233.30 / 6.00	2900	
FABSO (FAF)	ANECA/3.00 NM TO ZOXIM (FB)	233.13 / 2.40		
(SEE FORM 8260-10)				

- PT        SIDE OF COURSE        OUTBOUND        FT WITHIN        MILES OF        (IAF)
- PROFILE STARTS AT CADUG
- FAC: 233.13 FAF: FABSO DIST FAF TO MAP: 5.40 THLD:
- MIN. ALT: CADUG 3000, FABSO 2900, ANECA/3.00 NM TO ZOXIM 2000
- DIST TO THLD FROM OM:        MM:        IM:        150 HAT:        100 HAT:        GS ANT:
- MIN GS INCPT:        GS ALT AT:        OM:        MM:        IM:
- GS ANGLE:        TCH:
- MSA FROM: ZOXIM 3900

MAG VAR: 13E EPOCH YEAR: 2015

MINIMUMS

TAKEOFF: <u>      </u>	SEE FAA FORM 8260-15A FOR THIS AIRPORT						ALTERNATE: <u>N A</u>	STANDARD @								
CATEGORY =====>	A			B			C			D			E			
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	
CIRCLING	880	1	765	1000	1 1/4	885		NA			NA					

NOTES:  
 CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE RUSSIAN MISSION ALTIMETER SETTING AND INCREASE CAT B MDA 60 FEET.  
 CHART NOTE: DME/DME RNP-0.3 NA.  
 CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT MARSI ON V506 NORTHWESTBOUND.  
 CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS ON SMA NDB AIRWAY RADIALS 195 CW 316.

@ CAT B 900-2  
 @ NA WHEN LOCAL WEATHER NOT AVAILABLE.



CITY AND STATE MARSHALL, AK	ELEVATION: 115 TDZE: AIRPORT NAME: MARSHALL DON HUNTER SR	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS)-A, AMDT 2, 05/31/2012 31 MAY 2012	SUP: AMDT: 1 DATED 04/10/2008
--------------------------------	---	------------------------------	---	-------------------------------------

**RNAV - STANDARD  
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES, (CONT.):

FROM	TO	COURSE AND DISTANCE	ALTITUDE
ANECA/3.00 NM TO ZOZIM	ZOZIM (MAP) (FO)	233.06 / 3.00	
ZOZIM (MAP)	515 MSL	233.06	
515 MSL	DICEC (FB)		
DICEC	ANESE (FO)	295.84 / 11.52	4000

CITY AND STATE  
MARSHALL, AK

ELEVATION: 115 TDZE:  
AIRPORT NAME:  
MARSHALL DON HUNTER SR

FACILITY IDENTIFIER:  
RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:  
RNAV (GPS)-A, AMDT 2, 05/31/2012  
31 MAY 2012

SUP:  
AMDT: 1  
DATED: 04/10/2008





**U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION**  
**RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE**  
**FLIGHT STANDARDS SERVICES - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC SUMMARY - 424-18 - RNAV (GPS)

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG(TRUE)	DISTANCE	ALTITUDE	SPEED
	ANESE	ANESE	010		IF		FB					
	ANESE	JAGUT	020	IAF	TF		FB	2.0	066.2(079.2T)	020.6	AA 04000	
	ANESE	CADUG	030		TF		FB	1.0	143.3(156.3T)	005.4	AA 03000	
	MARSI	MARSI	010		IF		FB					
	MARSI	DAVBE	020	IAF	TF		FB	2.0	027.9(040.9T)	035.7	AA 04000	
	MARSI	CADUG	030		TF		FB	1.0	312.3(325.3T)	006.9	AA 03000	
	SMA	SMA	010		IF		FB					
	SMA	JAGUT	020	IAF	TF		FB	2.0	079.0(092.0T)	044.0	AA 04000	
	SMA	CADUG	030		TF		FB	1.0	143.3(156.3T)	005.4	AA 03000	
		CADUG	010	FACF	IF		FB				AA 03000	
		FABSO	020	FAF	TF		FB	0.5	233.3(246.3T)	006.0	AA 02900	
		ANECA	021	SDF	TF		FB	0.3	233.1(246.1T)	002.4	AA 02000	
		ZOXIM	030	MAP	TF		FO	0.3	233.1(246.1T)	003.0	AT 01000	

MISSED APPROACH	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG(TRUE)	DISTANCE	ALTITUDE	SPEED
		040		CA		FB		233.1(246.1T)		AA 00515	
	DICEC	050		DF		FB					
	ANESE	060		TF		FO	1.0	295.8(308.8T)		AA 04000	
	ANESE	070		HM	R	FO		090.5(103.5T)	004.0	AA 04000	

POINT DATA	WAYPOINT	LAT IN SECS	LONG IN SECS	LAT IN MINS	LONG IN MINS
	SMA	N620333.79	W1631654.82	N6203.563	W16316.914
	ANECA	N615310.01	W1615517.84	N6153.167	W16155.297
	ANESE	N615745.08	W1622638.76	N6157.751	W16226.646
	CADUG	N615632.97	W1613902.70	N6156.550	W16139.045
	DAVBE	N615052.64	W1613041.89	N6150.877	W16130.698
	DICEC	N615034.12	W1620738.25	N6150.569	W16207.638
	FABSO	N615408.21	W1615039.54	N6154.137	W16150.659
	JAGUT	N620129.45	W1614338.49	N6201.491	W16143.642
	MARSI	N612407.37	W1622004.51	N6124.123	W16220.075
	ZOXIM	N615157.12	W1620104.97	N6151.952	W16201.083

CITY AND STATE <b>MARSHALL, AK</b>	ELEVATION: <b>115</b>	TDZE:	FACILITY IDENTIFIER:	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE: <b>RNAV (GPS)-A, AMDT 2</b> 31 MAY 2012	SUP:
	AIRPORT NAME: <b>MARSHALL DON HUNTER SR</b>		<b>RNAV</b>		AMDT: <b>1</b>
					DATED: <b>04/10/2008</b>