

RNAV - STANDARD INSTRUMENT APPROACH PROCEDURE TITLE 14 CFR PART 97.33				Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.															
TERMINAL ROUTES										MISSED APPROACH									
FROM		TO			COURSE AND DISTANCE			ALTITUDE		LP: RW03 LNAV: RW03 CLIMB TO 3000 DIRECT HEVUX AND HOLD. ADDITIONAL FLIGHT DATA: HOLD NE, RT, 210.83 INBOUND. CHART FAS OBST: 925 TNK 360303N/0915041W FAS OBST: 961 AAO 360054N/0915303W WAAS CHANNEL # 86434 REFERENCE PATH ID: W03A CHART CIRCLING ICON. LTP HAE: 196.1 M									
ZEDOG (IF/IAF)		JELER (FB)			030.71 / 5.93			2500											
JELER (FAF)		ZIPVA/2.00 NM TO RW03 (FB)			030.72 / 3.42														
ZIPVA/2.00 NM TO RW03		RW03 (MAP) (FO)			030.72 / 2.00														
RW03 (MAP)		1135 MSL			030.72			3000											
1135 MSL		HEVUX (FO)																	
1. PT _____ SIDE OF COURSE _____ OUTBOUND _____ FT WITHIN _____ MILES OF _____ (IAF) 2. HOLD SW ZEDOG, RT, 030.71 INBOUND, 3100 FT. IN LIEU OF PT (IAF) 3. FAC: 030.72 FAF: JELER DIST FAF TO MAP: 5.42 THLD: 5.42 4. MIN. ALT: ZEDOG 3100, JELER 2500, ZIPVA/2.00 NM TO RW03 1400 5. DIST TO THLD FROM OM: _____ MM: _____ IM: _____ 150 HAT: _____ 100 HAT: _____ GS ANT: _____ 6. MIN GS INCPT: _____ GS ALT AT: _____ OM: _____ MM: _____ IM: _____ 7. GS ANGLE: _____ TCH: 34:1 IS NOT CLEAR 8. MSA FROM: _____																MAG VAR: 1E		EPOCH YEAR: 2005	
MINIMUMS																			
TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT										ALTERNATE: N A		☒ X							
CATEGORY =====>		A			B			C			D			E					
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA				
LP MDA	1280	1	545	1280	1	545		NA			NA								
LNAV MDA	1300	1	565	1300	1	565		NA			NA								
CIRCLING	1320	1	585	1320	1	585		NA			NA								
NOTES: CHART NOTE: DME/DME RNP-0.3 NA. CHART NOTE: USE BATESVILLE ALTIMETER SETTING, WHEN NOT RECEIVED, USE MOUNTAIN HOME ALTIMETER SETTING AND INCREASE ALL MDA 20 FEET. CHART PROFILE NOTE: VISUAL SEGMENT-OBSTACLES. CHART NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED.																			
CITY AND STATE		ELEVATION: 735 TDZE: 735			FACILITY IDENTIFIER: RNAV		PROCEDURE NO./AMDT NO./EFFECTIVE DATE:				SUP:		QUALITY 22 CHECKED						
MELBOURNE, AR		AIRPORT NAME:			MELBOURNE MUNI - JOHN E MILLER FIELD		RNAV (GPS) RWY 3, AMDT 2				AMDT: 1B								
							13 OCTOBER 2016				DATED 05/29/2014								

US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TAA

	FROM	TO	ALT
1.	301/30 CW 121/30 (NOPT) 301/15 CW 121/15	301/15 CW 121/15 ZEDOG (IF/IAF) (FB)	3600 3100
2.	121/30 CW 301/30	ZEDOG (IF/IAF) (FO)	3100

CITY AND STATE
MELBOURNE, AR

ELEVATION: 735 TDZE: 735
AIRPORT NAME:
MELBOURNE MUNI - JOHN E MILLER FIELD

FACILITY
IDENTIFIER:
RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:
RNAV (GPS) RWY 3, AMDT 2
13 OCTOBER 2016

SUP:
AMDT: 1B
DATED: 05/29/2014

QUALITY
22
CHECKED

**RNAV STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

FAS DATA BLOCK INFORMATION

<u>DATA FIELD</u>	<u>DATA</u>
OPERATION TYPE	0
SBAS SERVICE PROVIDER IDENTIFIER	0
AIRPORT IDENTIFIER	42A
RUNWAY	RW03
APPROACH PERFORMANCE DESIGNATOR	0
ROUTE INDICATOR	
REFERENCE PATH DATA SELECTOR	0
REFERENCE PATH IDENTIFIER (APPROACH ID)	W03A
LTP/FTP LATITUDE	360358.7010N
LTP/FTP LONGITUDE	0915001.3155W
LTP/FTP ELLIPSOIDAL HEIGHT	+01961
FPAP LATITUDE	360514.5710N
FPAP LONGITUDE	0914903.4660W
THRESHOLD CROSSING HEIGHT (TCH)	00040.0
TCH UNITS SELECTOR (METERS OR FEET USED)	F
GLIDEPATH ANGLE (GPA)	03.00
COURSE WIDTH AT THRESHOLD	106.75
LENGTH OFFSET	1528
HORIZONTAL ALERT LIMIT (HAL)	40.0
VERTICAL ALERT LIMIT (VAL)	0.0
 <u>CRC REMAINDER</u>	 529F9F6F

ADDITIONAL PATH POINT RECORD INFORMATION

ICAO CODE	K4
LTP ORTHOMETRIC HEIGHT	+02240
FPAP ORTHOMETRIC HEIGHT	+02240

CITY AND STATE

MELBOURNE, AR

ELEVATION: 735

TDZE: 735

AIRPORT NAME:

MELBOURNE MUNI - JOHN E MILLER FIELD

FACILITY
IDENTIFIER:

RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:

RNAV (GPS) RWY 3, AMDT 2

13 OCTOBER 2016

SUP:

AMDT:

DATED:

 QUALITY
22
CHECKED

1B

05/29/2014

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE FLIGHT STANDARDS SERVICES - TITLE 14 CFR PART 97.33	Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.
--	--

ARINC SUMMARY - 42A

ROUTES

TRANSITION	WPT SEQ	WPT NAME	LEG TYPE	FB/FO	RNP	MAG CRS	REC NAV	ANGLE	TURN DIR	CENTER FIX	TURN RADIUS	ALTITUDE DESCRIPTION & VALUE	SPEED LIMIT DESCRIPTION & VALUE	WPT DESCRIPTION CODE
ZEDOG	010	ZEDOG	HF	FO		030.7			R			AA 03100		EE A
	010	ZEDOG	IF	FB								AA 03100		E I
	020	JELER	TF	FB	1.0	030.7						AA 02500		E F
	021	ZIPVA	TF	FB	0.3	030.7		3.00				AA 01400 GS 01414		E S
	030	RW03	TF	FO	0.3	030.7		3.00				AT 00775		GY M
	040		CA	FB		030.7						AA 01135		M
	050	HEVUX	DF	FO								AA 03000		EY
	060	HEVUX	HM	FO		210.8			R			AA 03000		EE

POINTS

POINT NAME	LATITUDE	LONGITUDE
HEVUX	N361357.70	W0914223.52
JELER	N355921.86	W0915332.09
ZEDOG	N355418.66	W0915722.66
ZIPVA	N360216.46	W0915119.22

RUNWAYS

RUNWAY	THRESHOLD LATITUDE	THRESHOLD LONGITUDE	THRESHOLD ELEVATION	PROCEDURE TCH
RW03	N360358.70	W0915001.32	00735	40

CITY AND STATE MELBOURNE, AR	ELEVATION: 735 TDZE: 735 AIRPORT NAME: MELBOURNE MUNI - JOHN E MILLER	FACILITY IDENTIFIER: RNAV	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE: RNAV (GPS) RWY 3, AMDT 2 13 OCTOBER 2016	SUP: QUALITY 22 CHECKED
				AMDT: 1B
				DATED: 05/29/2014