

TAKEOFF MINIMUMS AND OBSTACLE DEPARTURE PROCEDURES (ODP)

Bearings, headings, courses, tracks, and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

(1) TAKEOFF MINIMUMS:

RWY 12, 30 STANDARD

(2) TEXTUAL DEPARTURE PROCEDURE:

RWY 30 - CLIMB HEADING 313.38 TO 1800 BEFORE TURNING LEFT.

(3) TAKEOFF OBSTACLE NOTES:

NOTE: RWY 12, TREES BEGINNING 146' FROM DER, 220' RIGHT OF CENTERLINE, UP TO 106' AGL/885' MSL. TREES BEGINNING 304' FROM DER, 230' LEFT OF CENTERLINE, UP TO 97' AGL/856' MSL.

NOTE: RWY 30, TREES BEGINNING 254' FROM DER, 127' LEFT OF CENTERLINE, UP TO 89' AGL/928' MSL. TREES BEGINNING 76' FROM DER, 137' RIGHT OF CENTERLINE, UP TO 105' AGL/944' MSL.

(4) CONTROLLING OBSTACLES:

RWY 30: 1,502 MSL TOWER 382313.85N/0823944.71W



(5) City, State

HUNTINGTON, WV

(6) Airport

TRI-STATE/MILTON J. FERGUSON FIELD

(7) Effective Date

13 JAN 2011

(8) Amdt. No.

1

TAKEOFF MINIMUMS AND OBSTACLE DEPARTURE PROCEDURES (ODP)

Bearings, headings, courses, tracks, and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

(1) TAKEOFF MINIMUMS:

RWY 12, 30 STANDARD

(2) TEXTUAL DEPARTURE PROCEDURE:

RWY 30 - CLIMB HEADING 313.38 TO 1800 BEFORE TURNING LEFT.

(3) TAKEOFF OBSTACLE NOTES:

NOTE: RWY 12, TREES BEGINNING 146' FROM DER, 220' RIGHT OF CENTERLINE, UP TO 106' AGL/885' MSL. TREES BEGINNING 304' FROM DER, 230' LEFT OF CENTERLINE, UP TO 97' AGL/856' MSL.

NOTE: RWY 30, TREES BEGINNING 254' FROM DER, 127' LEFT OF CENTERLINE, UP TO 89' AGL/928' MSL. TREES BEGINNING 76' FROM DER, 137' RIGHT OF CENTERLINE, UP TO 105' AGL/944' MSL.

(4) CONTROLLING OBSTACLES:

RWY 30: 1,502 MSL TOWER 382313.85N/0823944.71W



(5) City, State HUNTINGTON, WV	(6) Airport TRI-STATE/MILTON J. FERGUSON FIELD	(7) Effective Date 13 JAN 2011	(8) Amdt. No. 1
-----------------------------------	---	-----------------------------------	--------------------

TAKEOFF MINIMUMS AND OBSTACLE DEPARTURE PROCEDURES (ODP)

Bearings, headings, courses, tracks, and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

(1) TAKEOFF MINIMUMS:

RWY 12, 30 STANDARD

(2) TEXTUAL DEPARTURE PROCEDURE:

RWY 30 - CLIMB HEADING 313.38 TO 1800 BEFORE TURNING LEFT.

(3) TAKEOFF OBSTACLE NOTES:

NOTE: RWY 12, TREES BEGINNING 146' FROM DER, 220' RIGHT OF CENTERLINE, UP TO 106' AGL/885' MSL. TREES BEGINNING 304' FROM DER, 230' LEFT OF CENTERLINE, UP TO 97' AGL/856' MSL.

NOTE: RWY 30, TREES BEGINNING 254' FROM DER, 127' LEFT OF CENTERLINE, UP TO 89' AGL/928' MSL. TREES BEGINNING 76' FROM DER, 137' RIGHT OF CENTERLINE, UP TO 105' AGL/944' MSL.

(4) CONTROLLING OBSTACLES:

RWY 30: 1,502 MSL TOWER 382313.85N/0823944.71W

(5) City, State

HUNTINGTON, WV

(6) Airport

TRI-STATE/MILTON J. FERGUSON FIELD

(7) Effective Date

(8) Amdt. No.

1



(9) Changes:

1. DELETED DEPARTURE EVALUATION FOR RUNWAYS 3/21 AND ALL DATA.
2. UPDATED TAKEOFF OBSTACLE NOTES FOR RUNWAYS 12/30.

(10) Reasons:

1. PER FPO/ATC REQUEST, RUNWAY IS BEING CLOSING.
2. NEW SURVEY DATA.



(11) Coordinated With:



OTHER (specify)



ZID, HTS APP CON, HTS ATCT, APT MGR

(12) Required Effective Date:

ROUTINE

(13) FLIGHT INSPECTED BY

Name:

JORGE A. MALCUN

Date:

10/14/10

(14) DEVELOPED BY

Signature:

FRANK JACKSON JR., AJW-3752

Date:

12/15/09

(15) APPROVED BY

Signature:

GEORGE DAVIS

Date:

NOV 03 2010