

**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
RNAV (RNP) STANDARD INSTRUMENT APPROACH PROCEDURE
TITLE 14 CFR PART 97.33**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or feet RVR.

<u>AIRPORT ID</u> GVT	<u>PROCEDURE NAME</u> RNAV (RNP) Z RWY 35	<u>ORIGINAL/AMENDMENT</u> ORIG	<u>CITY</u> GREENVILLE	<u>STATE</u> TX
<u>AIRPORT ELEVATION</u> 535	<u>TDZE</u> 532	<u>ORIGINAL/AMENDMENT</u> NONE	<u>DATED</u>	<u>MAG VAR</u> 5E
<u>FACILITY</u> RNAV	<u>COORDINATES OF FACILITIES</u>	<u>ACTUAL EFFECTIVE DATE</u> 3 SEPTEMBER 2026	<u>REQUIRED EFFECTIVE DATE</u> ROUTINE	<u>EPOCH YEAR</u> 1995
				<u>CANCEL/SUSPEND</u>

TERMINAL ROUTES

<u>FROM</u>	<u>FIX TYPE</u>	<u>TO</u>	<u>FIX TYPE</u>	<u>LEG TYPE</u>	<u>FO/FB</u>	<u>RNP</u>	<u>COURSE</u>	<u>DISTANCE</u>	<u>ALTITUDE</u>
COBUG	IAF	JAYXX		TF	FB	1.00	212.39	17.54	4000
ROCKK	IAF	TRKIN		TF	FB	1.00	317.04	14.14	4000
CABUN	IAF	BENTE		TF	FB	1.00	248.11	14.42	4000
KLECH	IF	CULIE		TF	FB	1.00	175.81	5.69	4000
CULIE		GUYSE		RF	FB	1.00	(3.50 NM RADIUS CW (CFMFR))	11.00	2200
VECUN	IF	GUYSE		TF	FB	1.00	355.73	6.99	2200
TRKIN	IF	GUYSE		TF	FB	1.00	355.73	5.67	2200
JAYXX	IF	REUTR		TF	FB	1.00	212.48	8.96	4000
REUTR		GUYSE		RF	FB	1.00	(3.36 NM RADIUS CW (CFNWS))	8.42	2200
BENTE	IF	PHILC		TF	FB	1.00	265.87	3.02	4000
PHILC		GUYSE		RF	FB	1.00	(6.99 NM RADIUS CW (CFLNK))	10.97	2200
GUYSE	PFAF	RW35	MAP	TF	FO	0.30	355.73	5.02	
RW35	MAP	CIPEX		TF	FO	1.00	355.73	13.35	3000

MISSED APPROACH

MAP:

RNP: DA

MISSED APPROACH INSTRUCTIONS:

CLIMB TO 3000 ON TRACK 355.73 TO CIPEX AND HOLD.

ALTERNATE MISSED APPROACH INSTRUCTIONS:

QUALITY
21
CHECKED

PROFILE:

1.	PT	SIDE OF COURSE	OUTBOUND	FT WITHIN	MILES OF	(IAF)									
2.	PROFILE STARTS AT GUYSE														
3.	FAC:	355.73	FAF:	GUYSE	DIST FAF TO MAP:	DIST FAF TO THLD:									
4.	MIN ALT:	GUYSE 2200													
5.	DIST TO THLD FROM PFAF:	5.02	MM:	IM:	150 HAT:	318 HAT:	0.81	GS ANT:							
6.	MIN GP INCPT:	2200	GP ALT AT PFAF:	GUYSE 2200		OM:		MM:		IM:					
7.	GP ANGLE:	3.02	34:1:	IS NOT CLEAR	20:1:	IS CLEAR	TCH:	66.1							
8.	MSA FROM:	RW35 2400													

PBN REQUIREMENTS NOTE:

RNP AR APCH - GPS. AUTHORIZATION REQUIRED. FROM REUTR, CULIE, PHILC: RF.

NOTES:

CHART NOTE: FOR UNCOMPENSATED BARO-VNAV SYSTEMS, PROCEDURE NA BELOW -16°C OR ABOVE 54°C.
CHART PROFILE NOTE: SEE PLANVIEW FOR MULTIPLE IF LOCATIONS.
CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, PROCEDURE NA.
CHART SPEED ICON IN PLANVIEW AT BENTE: MAX 240 KIAS.

ADDITIONAL FLIGHT DATA:

HOLD N, RT, 175.73 INBOUND.
CHART AT OR BELOW 13000 AND AT OR ABOVE 4000 AT COBUG.
CHART AT OR BELOW 8000 AND AT OR ABOVE 4000 AT ROCKK.
CHART AT OR BELOW 11000 AND AT OR ABOVE 4000 AT CABUN.

MINIMUMS:

TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT

ALTERNATE: NA ☐ STANDARD; NA WHEN LOCAL WEATHER NOT AVAILABLE.

CATEGORY:	A			B			C			D			E		
FINAL TYPE	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA
AUTHORIZATION REQUIRED															
RNP 0.15 DA	850	1	318	850	1	318	850	1	318	850	1	318			
RNP 0.30 DA	906	1	374	906	1	374	906	1	374	906	1	374			

CHANGES - REASONS



COORDINATED WITH:

A4A☐

ALPA☒

AOPA☒

APA☐

HAI☐

NBAA☒

OTHER:

FLIGHT CHECKED BY

WILLIAM R GEISER

Digitally signed by

RAKE MCGRAW

Jun 29, 2026

OFFICE

AJF

DATE

06/26/2026

DEVELOPED BY

RALPH P. MILLER

Digitally signed by

RAKE MCGRAW

Jun 29, 2026

OFFICE

AJV-A422

DATE

03/11/2026

APPROVED BY

RAKE MCGRAW

Digitally signed by

RAKE MCGRAW

Jun 29, 2026

OFFICE

AJV-A422

DATE

TITLE

MANAGER

