

**FEDERAL AVIATION ADMINISTRATION  
FLIGHT STANDARDS SERVICE  
TAKEOFF MINIMUMS AND OBSTACLE DEPARTURE PROCEDURES (ODP)  
TITLE 14 CFR PART 97.37**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.  
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.



| AIRPORT ID | CITY     | STATE | AMDT NO | ACTUAL EFFECTIVE DATE |
|------------|----------|-------|---------|-----------------------|
| GUM/PGUM   | TAMUNING | GU    | 2A      | 2 OCTOBER 2025        |

**TAKEOFF MINIMUMS:**

RWY 6L: 400-1 3/4 OR STANDARD WITH MINIMUM CLIMB OF 450 FT/NM TO 800.  
RWY 6R: 400-1 7/8 OR STANDARD WITH MINIMUM CLIMB OF 522 FT/NM TO 900.  
RWY 24L: STANDARD WITH MINIMUM CLIMB OF 280 FT/NM TO 1700.  
RWY 24R: STANDARD WITH MINIMUM CLIMB OF 286 FT/NM TO 1700.

**TEXTUAL DEPARTURE PROCEDURES:**

RWY 6L: CLIMB ON HEADING 062.95 TO 1000 BEFORE TURNING SOUTHEAST.  
RWY 6R: CLIMB ON HEADING 062.95 TO 1000 BEFORE TURNING SOUTHEAST.

**VISUAL CLIMB OVER AIRPORT:**

**TAKEOFF OBSTACLE NOTES:**

NOTE: RWY 6L: TERRAIN 11 FT FROM DER, 300 FT LEFT OF CENTERLINE, 306 FT MSL.  
VEGETATION, TERRAIN BEGINNING 159 FT FROM DER, 316 FT LEFT OF CENTERLINE, UP TO 312 FT MSL.  
TERRAIN BEGINNING 196 FT FROM DER, 316 FT RIGHT OF CENTERLINE, UP TO 315 FT MSL.  
TERRAIN 321 FT FROM DER, 452 FT LEFT OF CENTERLINE, 315 FT MSL.  
TERRAIN 328 FT FROM DER, 563 FT RIGHT OF CENTERLINE, 322 FT MSL.  
TERRAIN 378 FT FROM DER, 333 FT LEFT OF CENTERLINE, 317 FT MSL.  
TERRAIN BEGINNING 426 FT FROM DER, 374 FT RIGHT OF CENTERLINE, UP TO 326 FT MSL.  
TREES, TERRAIN BEGINNING 432 FT FROM DER, 336 FT LEFT OF CENTERLINE, UP TO 352 FT MSL.  
TERRAIN BEGINNING 528 FT FROM DER, 443 FT RIGHT OF CENTERLINE, UP TO 332 FT MSL.  
TREES BEGINNING 599 FT FROM DER, 387 FT LEFT OF CENTERLINE, UP TO 361 FT MSL.  
TERRAIN BEGINNING 611 FT FROM DER, 430 FT RIGHT OF CENTERLINE, UP TO 337 FT MSL.  
TERRAIN 700 FT FROM DER, 586 FT RIGHT OF CENTERLINE, 341 FT MSL.  
TREES, TERRAIN BEGINNING 711 FT FROM DER, 348 FT LEFT OF CENTERLINE, UP TO 371 FT MSL.  
TERRAIN 768 FT FROM DER, 644 FT RIGHT OF CENTERLINE, 344 FT MSL.  
TERRAIN BEGINNING 774 FT FROM DER, 465 FT RIGHT OF CENTERLINE, UP TO 345 FT MSL.  
TREES, TERRAIN BEGINNING 802 FT FROM DER, 358 FT LEFT OF CENTERLINE, UP TO 376 FT MSL.  
TERRAIN 853 FT FROM DER, 688 FT RIGHT OF CENTERLINE, 348 FT MSL.  
FENCES, TERRAIN BEGINNING 885 FT FROM DER, 447 FT RIGHT OF CENTERLINE, UP TO 9 FT AGL/358 FT MSL.  
TREE, TERRAIN, FENCES, POLE, SIGN BEGINNING 993 FT FROM DER, 409 FT RIGHT OF CENTERLINE, UP TO 371 FT MSL.  
TREES, POLE, TERRAIN BEGINNING 1050 FT FROM DER, 375 FT LEFT OF CENTERLINE, UP TO 380 FT MSL.  
TREES, TRAVERSE WAYS, SIGN, POLES, TERRAIN, FENCES BEGINNING 1194 FT FROM DER, 359 FT RIGHT OF CENTERLINE, UP TO 385 FT MSL.  
TREES, TERRAIN BEGINNING 1215 FT FROM DER, 341 FT LEFT OF CENTERLINE, UP TO 392 FT MSL.  
TREES, TERRAIN, POLES, FENCES, TRAVERSE WAYS BEGINNING 1328 FT FROM DER, 339 FT RIGHT OF CENTERLINE, UP TO 390 FT MSL.  
TREES, TERRAIN BEGINNING 1482 FT FROM DER, 318 FT LEFT OF CENTERLINE, UP TO 407 FT MSL.  
TREES, TERRAIN, FENCES, POLES, TRAVERSE WAYS BEGINNING 1524 FT FROM DER, 329 FT RIGHT OF CENTERLINE, UP TO 395 FT MSL.  
TREES, TERRAIN, VEGETATION BEGINNING 1649 FT FROM DER, 79 FT LEFT OF CENTERLINE, UP TO 411 FT MSL.  
TREES, TERRAIN, FENCES, BUILDINGS, POLES, TRAVERSE WAY BEGINNING 1701 FT FROM DER, 71 FT RIGHT OF CENTERLINE, UP TO 399 FT MSL.  
TREE 1861 FT FROM DER, 618 FT LEFT OF CENTERLINE, 415 FT MSL.  
TREES, TERRAIN BEGINNING 1861 FT FROM DER, 3 FT LEFT OF CENTERLINE, UP TO 417 FT MSL.  
TREE, FENCES BEGINNING 1914 FT FROM DER, 733 FT RIGHT OF CENTERLINE, UP TO 404 FT MSL.  
TREES, TERRAIN, BUILDING, FENCES BEGINNING 1933 FT FROM DER, 110 FT RIGHT OF CENTERLINE, UP TO 406 FT MSL.  
TREES, TERRAIN, TRAVERSE WAY, BUILDING, FENCES, POLE BEGINNING 1986 FT FROM DER, 68 FT RIGHT OF CENTERLINE, UP TO 413 FT MSL.  
TREES, BUILDINGS, TERRAIN, FENCES, POLES, TRAVERSE WAY BEGINNING 2056 FT FROM DER, 78 FT RIGHT OF CENTERLINE, UP TO 423 FT MSL.  
TREES, BUILDING, FENCE, POLE BEGINNING 2271 FT FROM DER, 463 FT RIGHT OF CENTERLINE, UP TO 427 FT MSL.  
TREES, TERRAIN, FENCES, BUILDINGS, TRAVERSE WAYS, POLES, VERTICAL STRUCTURE BEGINNING 2301 FT FROM DER, 301 FT RIGHT OF CENTERLINE, UP TO 435 FT MSL.  
TREES, TERRAIN BEGINNING 2418 FT FROM DER, 294 FT LEFT OF CENTERLINE, UP TO 419 FT MSL.  
TREES, TERRAIN BEGINNING 2611 FT FROM DER, 297 FT LEFT OF CENTERLINE, UP TO 423 FT MSL.  
TREES, TERRAIN BEGINNING 2761 FT FROM DER, 302 FT LEFT OF CENTERLINE, UP TO 426 FT MSL.  
TREES BEGINNING 2908 FT FROM DER, 504 FT LEFT OF CENTERLINE, UP TO 427 FT MSL.  
TREES, BUILDING BEGINNING 2918 FT FROM DER, 497 FT RIGHT OF CENTERLINE, UP TO 437 FT MSL.  
TREES, TERRAIN, VEGETATION, TRANSMISSION LINES, POLES BEGINNING 2924 FT FROM DER, 15 FT LEFT OF CENTERLINE, UP TO 434 FT MSL.  
TRANSMISSION LINES, TREES, FENCES, TERRAIN, BUILDINGS, POLES, TRAVERSE WAYS, SIGNS, TANKS, WALLS, VEGETATION BEGINNING 2933 FT FROM DER, 2 FT RIGHT OF CENTERLINE, UP TO 67 FT AGL/469 FT MSL.  
POLES, TREES, TRANSMISSION LINE BEGINNING 3770 FT FROM DER, 7 FT LEFT OF CENTERLINE, UP TO 86 FT AGL/436 FT MSL.  
TREES, BUILDINGS, VEGETATION, TRAVERSE WAY, POLE, RIG, TERRAIN BEGINNING 4058 FT FROM DER, 45 FT RIGHT OF CENTERLINE, UP TO 473 FT MSL.  
TREES, POLES, FENCES, BUILDINGS BEGINNING 4683 FT FROM DER, 578 FT RIGHT OF CENTERLINE, UP TO 474 FT MSL.  
TREES, POLES BEGINNING 5048 FT FROM DER, 254 FT RIGHT OF CENTERLINE, UP TO 480 FT MSL.

| <u>AIRPORT ID</u> | <u>CITY</u> | <u>STATE</u> | <u>AMDT NO</u> | <u>ACTUAL EFFECTIVE DATE</u> |
|-------------------|-------------|--------------|----------------|------------------------------|
| GUM/PGUM          | TAMUNING    | GU           | 2A             | 2 OCTOBER 2025               |

POLE, TREES, BUILDING BEGINNING 5205 FT FROM DER, 266 FT RIGHT OF CENTERLINE, UP TO 34 FT AGL/516 FT MSL.  
TREES, POLE BEGINNING 5486 FT FROM DER, 378 FT RIGHT OF CENTERLINE, UP TO 536 FT MSL.  
TREES, BUILDINGS BEGINNING 5635 FT FROM DER, 492 FT RIGHT OF CENTERLINE, UP TO 556 FT MSL.  
TREES, POLES, BUILDINGS BEGINNING 5767 FT FROM DER, 640 FT RIGHT OF CENTERLINE, UP TO 576 FT MSL.  
TREES, POLES BEGINNING 1.1 NM FROM DER, 697 FT RIGHT OF CENTERLINE, UP TO 622 FT MSL.

QUALITY  
42  
CHECKED

NOTE: RWY 6R: TERRAIN BEGINNING 0 FT FROM DER, 110 FT LEFT OF CENTERLINE, UP TO 302 FT MSL.  
LIGHT POLES 9 FT FROM DER, 159 FT LEFT OF CENTERLINE, 1 FT AGL/303 FT MSL.  
SIGNS BEGINNING 58 FT FROM DER, 280 FT LEFT OF CENTERLINE, UP TO 4 FT AGL/304 FT MSL.  
TREES BEGINNING 139 FT FROM DER, 442 FT RIGHT OF CENTERLINE, UP TO 378 FT MSL.  
TREES, TERRAIN BEGINNING 163 FT FROM DER, 408 FT RIGHT OF CENTERLINE, UP TO 390 FT MSL.  
TREES, TERRAIN BEGINNING 616 FT FROM DER, 408 FT RIGHT OF CENTERLINE, UP TO 405 FT MSL.  
TREES, POLE, TERRAIN BEGINNING 939 FT FROM DER, 276 FT RIGHT OF CENTERLINE, UP TO 407 FT MSL.  
TREES, TERRAIN BEGINNING 1110 FT FROM DER, 449 FT RIGHT OF CENTERLINE, UP TO 414 FT MSL.  
TREES BEGINNING 1231 FT FROM DER, 572 FT RIGHT OF CENTERLINE, UP TO 417 FT MSL.  
TREES, TERRAIN BEGINNING 1291 FT FROM DER, 406 FT RIGHT OF CENTERLINE, UP TO 424 FT MSL.  
TREES, TERRAIN, FENCES, BUILDINGS, POLES, TRAVERSE WAYS, WALL BEGINNING 1648 FT FROM DER, ON AND RIGHT OF CENTERLINE, UP TO 432 FT MSL.  
TERRAIN 1853 FT FROM DER, 10 FT LEFT OF CENTERLINE, 348 FT MSL.  
FENCES BEGINNING 1884 FT FROM DER, 27 FT LEFT OF CENTERLINE, UP TO 9 FT AGL/358 FT MSL.  
POLE, FENCES, SIGN BEGINNING 2073 FT FROM DER, 20 FT LEFT OF CENTERLINE, UP TO 14 FT AGL/362 FT MSL.  
TREES, SIGN, POLE, FENCES BEGINNING 2194 FT FROM DER, 12 FT LEFT OF CENTERLINE, UP TO 385 FT MSL.  
TREES, POLE, FENCES BEGINNING 2328 FT FROM DER, ON AND LEFT OF CENTERLINE, UP TO 390 FT MSL.  
TREES, FENCES BEGINNING 2524 FT FROM DER, 24 FT LEFT OF CENTERLINE, UP TO 395 FT MSL.  
TREE 2903 FT FROM DER, 20 FT LEFT OF CENTERLINE, 397 FT MSL.  
TREE, FENCE BEGINNING 2932 FT FROM DER, 12 FT LEFT OF CENTERLINE, UP TO 406 FT MSL.  
TREES, FENCES BEGINNING 3033 FT FROM DER, ON AND LEFT OF CENTERLINE, UP TO 409 FT MSL.  
BUILDINGS, TREES, FENCES, POLES BEGINNING 3208 FT FROM DER, 6 FT RIGHT OF CENTERLINE, UP TO 29 FT AGL/435 FT MSL.  
TREES, FENCES, BUILDINGS BEGINNING 3298 FT FROM DER, 16 FT RIGHT OF CENTERLINE, UP TO 444 FT MSL.  
TRANSMISSION LINE, BUILDINGS, TRAVERSE WAY, TREES, FENCES, POLES, VERTICAL STRUCTURE BEGINNING 3359 FT FROM DER, 5 FT RIGHT OF CENTERLINE, UP TO 76 FT AGL/482 FT MSL.  
TREE 3363 FT FROM DER, 1081 FT LEFT OF CENTERLINE, 414 FT MSL.  
TREES BEGINNING 3430 FT FROM DER, 220 FT LEFT OF CENTERLINE, UP TO 415 FT MSL.  
TREES BEGINNING 3524 FT FROM DER, 60 FT LEFT OF CENTERLINE, UP TO 417 FT MSL.  
TRANSMISSION LINES, TREES, BUILDINGS, FENCES, TRAVERSE WAYS, POLES, SIGNS, TERRAIN BEGINNING 3571 FT FROM DER, 20 FT RIGHT OF CENTERLINE, UP TO 81 FT AGL/486 FT MSL.  
TREE 3590 FT FROM DER, 1430 FT LEFT OF CENTERLINE, 419 FT MSL.  
TREE 3609 FT FROM DER, 338 FT LEFT OF CENTERLINE, 421 FT MSL.  
TREES BEGINNING 3616 FT FROM DER, 57 FT LEFT OF CENTERLINE, UP TO 425 FT MSL.  
TREE 3920 FT FROM DER, 1257 FT LEFT OF CENTERLINE, 427 FT MSL.  
TREES BEGINNING 3924 FT FROM DER, 37 FT LEFT OF CENTERLINE, UP TO 434 FT MSL.  
TREES, POLES, BUILDINGS, TANKS, TRANSMISSION LINE, TRAVERSE WAYS BEGINNING 4375 FT FROM DER, 56 FT RIGHT OF CENTERLINE, UP TO 516 FT MSL.  
TREES, TRANSMISSION LINES, POLE BEGINNING 4427 FT FROM DER, 42 FT LEFT OF CENTERLINE, UP TO 446 FT MSL.  
TREES, BUILDINGS, POLE, TRAVERSE WAY BEGINNING 4681 FT FROM DER, 179 FT RIGHT OF CENTERLINE, UP TO 522 FT MSL.  
TREES, BUILDINGS, POLES BEGINNING 4792 FT FROM DER, 29 FT RIGHT OF CENTERLINE, UP TO 554 FT MSL.  
TREES, POLES BEGINNING 4814 FT FROM DER, 23 FT LEFT OF CENTERLINE, UP TO 456 FT MSL.  
TREES, POLES, TRAVERSE WAYS, BUILDINGS BEGINNING 5014 FT FROM DER, 590 FT RIGHT OF CENTERLINE, UP TO 568 FT MSL.  
TREES, VEGETATION BEGINNING 5058 FT FROM DER, 9 FT LEFT OF CENTERLINE, UP TO 473 FT MSL.  
TREES, BUILDINGS, POLE BEGINNING 5218 FT FROM DER, 16 FT RIGHT OF CENTERLINE, UP TO 585 FT MSL.  
TREES, BUILDINGS, POLE BEGINNING 5418 FT FROM DER, 19 FT RIGHT OF CENTERLINE, UP TO 597 FT MSL.  
TREES, POLE BEGINNING 5684 FT FROM DER, 54 FT RIGHT OF CENTERLINE, UP TO 615 FT MSL.  
TREE 5814 FT FROM DER, 2036 FT RIGHT OF CENTERLINE, 636 FT MSL.  
POLES, TREES BEGINNING 5850 FT FROM DER, 113 FT RIGHT OF CENTERLINE, UP TO 41 FT AGL/654 FT MSL.  
TREES, POLE BEGINNING 5965 FT FROM DER, 529 FT RIGHT OF CENTERLINE, UP TO 660 FT MSL.  
BUILDINGS, TREES, POLES, TERRAIN BEGINNING 1 NM FROM DER, 26 FT RIGHT OF CENTERLINE, UP TO 90 FT AGL/702 FT MSL.  
TREE 1.1 NM FROM DER, 150 FT LEFT OF CENTERLINE, 479 FT MSL.

NOTE: RWY 24L: LIGHT POLES, TERRAIN BEGINNING 10 FT FROM DER, 85 FT RIGHT OF CENTERLINE, UP TO 2 FT AGL/233 FT MSL.  
LIGHT POLES 11 FT FROM DER, 4 FT LEFT OF CENTERLINE, 1 FT AGL/232 FT MSL.  
SIGNS BEGINNING 59 FT FROM DER, 282 FT RIGHT OF CENTERLINE, UP TO 3 FT AGL/239 FT MSL.  
TREE 1416 FT FROM DER, 365 FT LEFT OF CENTERLINE, 269 FT MSL.  
TREE 1511 FT FROM DER, 405 FT LEFT OF CENTERLINE, 270 FT MSL.  
TREE 1578 FT FROM DER, 333 FT LEFT OF CENTERLINE, 273 FT MSL.

NOTE: RWY 24R: LIGHT POLES, SIGN BEGINNING 12 FT FROM DER, 2 FT RIGHT OF CENTERLINE, UP TO 2 FT AGL/235 FT MSL.

#### **CONTROLLING OBSTACLES:**

RWY 6L: 469 FT MSL TRANSMISSION LINE 132931.40N/1444915.75E (CLIMB GRADIENT), 622 FT MSL TREE 132938.80N/1444956.59E (CLIMB GRADIENT TERMINATION ALTITUDE) (CEILING), 525 FT MSL TREE 132944.19N/1445012.16E (VISIBILITY).  
RWY 6R: 702 FT MSL BUILDING 132928.22N/1444942.11E (CLIMB GRADIENT) (CLIMB GRADIENT TERMINATION ALTITUDE) (CEILING), 538 FT MSL TREE 132947.96N/1445009.27E (VISIBILITY).

RWY 24L: 1274 FT MSL AAO 132557.67N/1444245.07W (CLIMB GRADIENT) (CLIMB GRADIENT TERMINATION ALTITUDE).  
RWY 24R: 1274 FT MSL AAO 132557.67N/1444245.07W (CLIMB GRADIENT) (CLIMB GRADIENT TERMINATION ALTITUDE).  
OBSTACLES MANDATING ODP ROUTE DEVELOPMENT: RWY 6L, 6R: 813 FT MSL ANTENNA 132921.87N/1444946.17E.

**REMARKS:**

LETTER OF APPROVAL FOR EXCESSIVE CLIMB GRADIENT (522 FT/NM) FROM RWY 6R ON FILE.  
LETTER OF APPROVAL FOR VCOA OPT-OUT ON FILE.

**FLIGHT INSPECTED BY**

PROCESSED IAW TECHNICAL SUPPORT GROUP (AJF-17) MEMO DATED 07/07/2021, SUBJECT: GUIDANCE FOR PROCEDURAL CHANGES REQUIRING FLIGHT INSPECTION/VALIDATION

*Digitally signed by*  
**RAKE MCGRAW**  
May 20, 2025

**DATE**

**DEVELOPED BY**  
JANTZEN TAYLOR

*Digitally signed by*  
**JANTZEN L TAYLOR**  
May 05, 2025

**OFFICE**  
AJV-A422

**DATE**  
03/05/2025

**APPROVED BY**  
RAKE MCGRAW

*Digitally signed by*  
**RAKE MCGRAW**  
May 20, 2025

**OFFICE**  
AJV-A422

**DATE**  
08/28/2025

**TITLE**  
MANAGER

**REQUIRED EFFECTIVE DATE:**

ROUTINE

**COORDINATED WITH:**

A4A ☒ ALPA ☒ AOPA ☒ APA ☒ HAI ☐ NBAA ☒

**OTHER:** ARPT MGR, GUAM CERAP, AGANA, ATCT

**CHANGES - REASONS:**

1. CITY: CHANGED CITY FROM GUAM TO TAMUNING - 28 DAY TRACKER REVIEW #27520
2. CONTROLLING OBSTACLES: ALL REFERENCES TO "CLIMB-TO ALTITUDE" CHANGED TO "CLIMB GRADIENT TERMINATION ALTITUDE" - UPDATED SYSTEM AND CRITERIA CHANGED VERBIAGE, NO CHANGE TO CONTROLLERS.

QUALITY  
42  
CHECKED