

**FEDERAL AVIATION ADMINISTRATION  
FLIGHT STANDARDS SERVICE  
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE  
TITLE 14 CFR PART 97.33**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated.  
Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or feet RVR.

<b>AIRPORT ID</b> X59	<b>PROCEDURE NAME</b> RNAV (GPS)-A	<b>ORIGINAL/AMENDMENT</b> ORIG	<b>CITY</b> VALKARIA	<b>STATE</b> FL
<b>AIRPORT ELEVATION</b> 26	<b>TDZE</b>	<b>SUPERSEDED</b>	<b>DATED</b>	<b>MAG VAR</b> 7W
<b>FACILITY</b> RNAV	<b>COORDINATES OF FACILITIES</b>	<b>ACTUAL EFFECTIVE DATE</b> 26 DECEMBER 2024	<b>REQUIRED EFFECTIVE DATE</b> CONCURRENT WITH 24-ASO-5	<b>EPOCH YEAR</b> 2025
				<b>CANCEL/SUSPEND</b>

**TERMINAL ROUTES**

FROM	FIX TYPE	TO	FIX TYPE	LEG TYPE	FO/FB	RNP	COURSE	DISTANCE	ALTITUDE
RAMZY	IF	NADEA		TF	FB	1.00	256.93	9.63	1500
NADEA	FAF	BAMBM	MAP	TF	FO	0.30	263.99	5.85	
BAMBM	MAP	426 MSL		CA			263.99		
426 MSL		ADAAM		DF	FO	1.00			2000

**MISSED APPROACH**

**MAP:**  
BAMBM

**MISSED APPROACH INSTRUCTIONS:**

CLIMBING RIGHT TURN TO 2000 DIRECT ADAAM AND HOLD.

**ALTERNATE MISSED APPROACH INSTRUCTIONS:**

**PROFILE:**

- PT SIDE OF COURSE OUTBOUND FT WITHIN MILES OF (IAF)
- PROFILE STARTS AT RAMZY
- FAC: 263.99 FAF: NADEA DIST FAF TO MAP: 5.85 DIST FAF TO THLD:
- MIN ALT: RAMZY 2000, NADEA 1500
- DIST TO THLD FROM OM: MM: IM: 150 HAT: GS ANT:
- MIN GP INCPT: GP ALT AT FAF: OM: MM: IM:
- GP ANGLE: 34:1 20:1 TCH:
- MSA FROM: ARP X59 2100



**PBN REQUIREMENTS NOTE:**

RNP APCH - GPS.

**NOTES:**

CHART NOTE: CIRCLING RWY 10, 14, 28 NA AT NIGHT.  
CHART NOTE: RWY 10, 14, AND 28 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED.  
CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE MLB ALTIMETER SETTING AND INCREASE ALL MDAS 40 FEET AND VISIBILITY CAT C 1/4 SM.

**ADDITIONAL FLIGHT DATA:**

HOLD E, RT, 282.04 INBOUND.  
FAS OBST: 280 SHIP 275835N/0803024W.

**MINIMUMS:**

**TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT**

**ALTERNATE:** NA  STANDARD - CAT D 800-2 1/2, NA WHEN LOCAL WEATHER NOT AVAILABLE.

<b>CATEGORY:</b>	<b>A</b>			<b>B</b>			<b>C</b>			<b>D</b>			<b>E</b>		
<b>FINAL TYPE</b>	<b>DA/MDA</b>	<b>VIS</b>	<b>HAT/HAA</b>	<b>DA/MDA</b>	<b>VIS</b>	<b>HAT/HAA</b>	<b>DA/MDA</b>	<b>VIS</b>	<b>HAT/HAA</b>	<b>DA/MDA</b>	<b>VIS</b>	<b>HAT/HAA</b>	<b>DA/MDA</b>	<b>VIS</b>	<b>HAT/HAA</b>
CIRCLING	540	1	514	540	1	514	620	1 1/2	594	780	2 1/2	754			

**CHANGES - REASONS**

ORIGINAL PROCEDURE

09/25/2024: THIS IS AN UPDATED COPY OF THE FORM DEVELOPED ON 08/12/2024.  
1. ADDED CHART NOTE: RWY 10, 14, AND 28 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED.

**COORDINATED WITH:**

**A4A**  **ALPA**  **AOPA**  **APA**  **HAI**  **NBAA**  **OTHER:** ORL APP CTL, AMGR

**FLIGHT CHECKED BY**  
WILLIAM MARK YINGLING

*Digitally signed by*  
**JOSEPH L ZEDER**  
Sep 26, 2024

**OFFICE**  
FIOG **DATE**  
09/20/2024

**DEVELOPED BY**  
JON NEIDIGH

*Digitally signed by*  
**JON M NEIDIGH**  
Sep 25, 2024

**OFFICE**  
AJV-A432 **DATE**  
08/12/2024

**APPROVED BY**  
JOSEPH L. ZEDER

*Digitally signed by*  
**JOSEPH L ZEDER**  
Sep 26, 2024

**OFFICE**  
AJV-A430 **DATE**  
**TITLE**  
MANAGER

