

PREPARED BY THE PRODUCT SUPPORT GROUP, AJV-34

By amending: §97.23 VOR, VOR/DME, VOR or TACAN, and VOR/DME or TACAN; §97.25 LOC, LOC/DME, LDA, LDA/DME, SDF, SDF/DME; §97.27 NDB, NDB/DME; §97.29 ILS, ILS/DME, MLS, MLS/DME, MLS/RNAV; §97.31 RADAR SIAPs; §97.33 RNAV SIAPs; and §97.35 COPTER SIAPs, Identified as follows:
EFFECTIVE UPON PUBLICATION

AIRAC DATE	STATE	CITY	AIRPORT	FDC NUMBER	FDC DATE	SUBJECT
21-Aug-14	NY	Elmira/Corning	Elmira/Corning Rgnl	4/9301	06/19/14	RNAV (GPS) RWY 24, Amdt 2

FDC 4/9301 ELM IAP ELMIRA/CORNING RGNL, ELMIRA/CORNING, NY. RNAV (GPS) RWY 24, AMDT 2... LPV DA** 1155. LPV DA 1348. LNAV/VNAV DA 1807/HAT 852 ALL CATS. LNAV HAT 785 ALL CATS. CHART TDZE 955 DELETE THRE 954. CHANGE CIRCLING TO RWY 10 AND 28 NA AT NIGHT NOTE TO READ: NIGHT LANDING: RWY 10 NA. CHANGE FOR UNCOMPENSATED BARO-VNAV SYSTEMS NOTE TO READ: FOR UNCOMPENSATED BARO-VNAV SYSTEMS, LNAV/VNAV NA BELOW -20C (-4F) OR ABOVE 54C (130F). CHART NOTE: FOR INOPERATIVE MALSR, INCREASE LNAV CATS C/D VISIBILITY TO 2 1/2 MILE. CHANGE LOCAL ALTIMETER SETTING NOTE TO READ: WHEN LOCAL ALTIEMTER SETTING NOT RECEIVED, USE PENN YAN ALTIMETER SETTING AND INCREASE ALL DA 73 FEET AND ALL MDA 80, AND INCREASE LPV ALL CATS AND LNAV CATS C/D VISIBILITY 1/4 MILE AND LNAV/VNAV ALL CATS VISIBILITY 1 1/2 MILE; INOPERATIVE TABLE DOES NOT APPLY TO LNAV/VNAV ALL CATS; FOR INOPERATIVE MALSR, INCREASE LPV DA** ALL CATS VISIBILITY TO 7/8 AND LPV ALL CATS VISIBILITY TO 1 1/2. THIS IS RNAV (GPS) RWY 24, AMDT 2A. 1406171642-PERM