Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name Number STAR Computer Code Superseded Number Dated Effective Date GOPAC (RNAV) THREE GOPAC.GOPAC3 TWO 12/07/2017 15 JUN 2023

TRANSITION ROUTES:

Transition Name	Transition Computer Codes	From FIX/NAVAID	To FIX/NAVAID	Course	Distance	MEA	MOCA	MAA	Crossing Altitudes / Fixes
CHZHD	CHZHD.GOPAC3	CHZHD	CHZHD						
			LEEDN	022.22	43.89	7000	2500		
			MUMPR	001.32	31.85	7000	2500		
			DETIE	359.01	06.97	7000	2500		
			MOWSR	356.73	11.42	7000	2500		
			TRUDO	356.65	08.22	7000	2500		
			KNARF	354.03	03.34	7000	2300		
			GOPAC	013.13	04.73	7000	2300		
LEEDN	LEEDN.GOPAC3	LEEDN	LEEDN						
			MUMPR	001.32	31.85	7000	2500		
			DETIE	359.01	06.97	7000	2500		
			MOWSR	356.73	11.42	7000	2500		
			TRUDO	356.65	08.22	7000	2500		
			KNARF	354.03	03.34	7000	2300		
			GOPAC	013.13	04.73	7000	2300		
OGECA	OGECA.GOPAC3	OGECA	OGECA						
			OHLIE	089.84	83.63	9000	3200		
			YEDSU	091.15	45.16	7000	3100		
			GIWFY	092.29	07.03	7000	2600		
			KPACK	090.96	06.92	7000	2600		
			ZOWRO	092.06	08.67	7000	2300		
			LEEDR	080.41	06.07	7000	2300		
			GOPAC	080.68	05.28	7000	2300		

ARRIVAL ROUTE DESCRIPTION:

LANDING ALL AIRPORTS: FROM GOPAC ON TRACK 074.95/6.35 TO TAAIL, THEN ON TRACK 074.95. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE.

PBN REQUIREMENT NOTES:

RNAV 1 - DME/DME/IRU OR GPS



Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
GOPAC (RNAV)	THREE	GOPAC.GOPAC3	TWO	12/07/2017	15 JUN 2023

EQUIPMENT REQUIREMENT NOTES:

RADAR REQUIRED

PROCEDURAL DATA NOTES:

NOTE: LANDING KUGN, EXPECT RADAR VECTORS TO FINAL APPROACH COURSE.

NOTE: LANDING KPWK, EXPECT RADAR VECTORS TO HIGUH, THEN TO DESTINATION AIRPORT.

FIXES AND/OR HOLDING PATTERNS:

CHART HOLDING AT LEEDN: HOLD S, RT, 001.32 INBOUND, 10 NM LEGS.

CHART HOLDING AT ZOWRO: HOLD W, RT, 092.96 INBOUND, 10 NM LEGS.

CHART STAND-ALONE NAVAID/WAYPOINTS: OBK VOR/DME, HIGUH, TALOR.

COMMUNICATIONS:

CHART: MILWAUKEE APP CON.

AIRPORTS SERVED:

AIRPORT ID	<u>CITY</u>	STATE
KRAC	RACINE	WI
KBUU	BURLINGTON	WI
KPWK	CHICAGO/PROSPECT HEIGHTS/WHEELING	IL
57C	EAST TROY	WI
KMKE	MILWAUKEE	WI
KHXF	HARTFORD	WI
KENW	KENOSHA	WI
KMWC	MILWAUKEE	WI
KUGN	CHICAGO/WAUKEGAN	IL
KUES	WAUKESHA	WI
KETB	WEST BEND	WI

LOST COMMUNICATIONS PREFERENCES:

REMARKS:

100 FT MAXIMUM VEGETATION HEIGHT UTILIZED.

ADDITIONAL FLIGHT DATA:

DME/DME ASSESSMENT: SAT (RNP 2.0)

MAG VAR: KMKE 04W/2020.

CHART AT TAAIL TERMINUS: LDG KRAC, KBUU, KPWK, 57C, KMKE, KHXF, KENW, KMWC, KUGN, KUES AND KETB.



Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Comp	uter Code	Superseded Number	Dated	Effective Date
GOPAC (RNAV)	THREE	GOPAC.G	OPAC3	TWO	12/07/2017	15 JUN 2023
					Digitally signed by	
FLIGHT INSPECTED BY:	ORGANIZATION:	DATE:			ERIC N SUSKI	
SCOTT WIEBE	FPO	03/15/2023	Flight Inspected	Signature:	Mar 17, 2023	
		00/10/2020			Digitally signed by	
DEVELOPED BY:					MICHAEL A MCCARTNEY	
MICHAEL MCCARTNEY	AJV-A431	12/29/2022	Developed By Si	gnature:	Jan 13, 2023	
ADDDOVED DV					Digitally signed by	
APPROVED BY:						
JOHNNIE BAKER	AJV-A430		Approved By Sig	nature:	ERIC N SUSKI	
					Jan 23, 2023	

CHANGES:

- 1. CHANGED WAYPOINT FIX NAME FROM FIX DREWD TO FIX MOWSR.
- 2. CHANGED MOCA OF MOWSR-TRUDO LEG FROM 2300 TO 2500.
- 3. ADDED CHZHD TRANSITION.
- 4. ADDED KPWK AIRPORT TO STAR.
- 5. ADDED TO BEGINNING OF ARRIVAL ROUTE DESCRIPTION "LANDING ALL AIRPORTS:"
- 6. DELETED ARRIVAL ROUTE DESCRIPTION "(MEA 5000)" ON GOPAC-TAAIL LEG.
- 7. DELETED ARRIVAL ROUTE DESCRIPTION TAAIL-BONOT LEG AND CHANGED RESULTING TERMINUS TRACK FROM 076.31 AT FIX BONOT TO 074.95 AT FIX TAAIL.
- 8. MOVED AND REFORMATTED FROM PROCEDURAL DATA NOTES "NOTE: RNAV 1" AND "NOTE: DME/DME/IRU OR GPS REQUIRED" TO PBN REQUIREMENT NOTES AND CHANGED TO READ "RNAV 1 DME/DME/IRU OR GPS".
- 9. MOVED FROM PROCEDURAL DATA NOTES "NOTE: RADAR REQUIRED FOR NON-GPS EQUIPPED AIRCRAFT" TO EQUIPMENT REQUIREMENT NOTES AND CHANGED TO READ "RADAR REQUIRED"
- 10. ADDED PROCEDURAL DATA NOTES "NOTE: LANDING KUGN, EXPECT RADAR VECTORS TO FINAL APPROACH COURSE." AND "NOTE: LANDING KPWK, EXPECT RADAR VECTORS TO HIGUH, THEN TO DESTINATION AIRPORT."
- 11. DELETED FIXES AND/OR HOLDING PATTERNS JVL VOR/DME AND ASSOCIATED HOLDING DATA.
- 12. ADDED TO FIXES AND/OR HOLDING PATTERNS "CHART STAND-ALONE NAVAID/WAYPOINTS: OBK VOR/DME. HIGUH. TALOR."
- 13. ADDED "CHART:" TO COMMUNICATIONS BLOCK AND DELETED "MILWAUKEE ATIS, TIMMERMAN ATIS, WAUKEGAN ATIS, KENOSHA ATIS, WAUKESHA ATIS."
- 14. REMOVED AIRPORT NAMES FROM AIRPORTS SERVED.
- 15. UPDATED ADDITIONAL FLIGHT DATA MAGNETIC VARIATION FORMAT FROM "REFERENCE MAGNETIC VARIATION = KMKE 04W/2020" TO "MAG VAR: KMKE 04W/2020."
- 16. ADDED ADDITIONAL FLIGHT DATA "CHART AT TAAIL TERMINUS: LDG KRAC. KBUU. KPWK. 57C. KMKE. KHXF. KENW. KMWC. KUGN. KUES AND KETB."
- 17. DELETED "RECOMMENDED NAVAID: VIO VOR/DME" FROM FAA FORM 8260-17.2.

REASONS:

- 1. ATC REQUEST TO RESOLVE SIMILAR SOUNDING FIX NAME/SAFETY ISSUE.
- 2. LEG MOCA MUST NOT BE LOWER THAN FOLLOWING LEG MOCA IAW FAAO 8260.3E PARA 2-2-7.D.(3).
- 3. ZKC ARTCC REQUEST INCREASE EFFICIENCY OF INTERFACILITY HANDOFFS.
- 4-5. ATC REQUEST.
- 6. MEAS NOT ESTABLISHED ON COMMON ROUTES IAW FAAO 8260.3E PARAGRAPH 2-2-7.E.(3).
- 7. ATC REQUEST NO LONGER NEEDED.
- 8. PBN REQUIREMENTS FORMAT IAW FAAO 8260-19.I PARAGRAPH 4-5-13.A.



Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.


Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
GOPAC (RNAV)	THREE	GOPAC.GOPAC3	TWO	12/07/2017	15 JUN 2023

- 9. ATC REQUEST RADAR VECTORS AT TERMINUS AND FORMAT IAW 8260.19I PARAGRAPH 4-5-12.D.(6).
- 10. ATC REQUEST TO REDUCE PILOT INQUIRIES.
- 11. JVL VOR/DME SCHEDULED FOR DECOMMISSIONING UNDER VOR MON.
- 12. ATC REQUEST FOR PILOT AND CONTROLLER REFERENCE, DOCUMENTED IAW FAAO 8260.19I PARAGRAPH 4-5-12.E.
- 13. ATIS CHARTED AUTOMATICALLY AND FORMAT IAW FAAO 8260.19I PARAGRAPH 4-5-12.F.
- 14. AIRPORTS SERVED FORMAT IAW FAAO 8260.19I PARAGRAPH 4-5-12.G.
- 15. MAGNETIC VARIATION FORMAT IAW FAAO 8260.19I PARAGRAPH 4-5-13.C.(2).
- 16. TERMINUS ACCESSIBLE AIRPORTS DOCUMENTED IAW FAAO 8260.19I PARAGRAPH 4-5-2.H.(1).
- 17. NO LONGER DOCUMENTED.

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
GOPAC (RNAV)	THREE	GOPAC.GOPAC3	TWO	12/07/2017	15 JUN 2023

Graphic Depiction 1



FEDERAL AVIATION ADMINISTRATION FLIGHT STANDARDS SERVICE STAR (DATA RECORD)

Arrival Name GOPAC (RNAV)		Number THREE		S	GOPAC.G		Supersede TW		Dated 12/07/2017	Effective Date 15 JUN 2023
FIX/NAVAID	LAT/LONG	. <u>C</u>	FO/FB	LEG TYPE	<u>TC</u>	DIST (NM)	ALTITUDE	SPEED	REMARKS	
En Route Transition										
CHZHD	410106.21N / 0883718.27W	Υ		IF					CHZHD.GOPAC3	
LEEDN	414247.37N / 0881858.87W	Υ	FB	TF	018.22	43.89				
MUMPR	421436.90N / 0882059.29W	Υ	FB	TF	357.32	31.85				
DETIE	422133.64N / 0882148.38W	Υ	FB	TF	355.01	06.97				
MOWSR	423253.36N / 0882345.72W	Υ	FB	TF	352.73	11.42				
TRUDO	424102.48N / 0882511.27W	Υ	FB	TF	352.65	08.22		AT 250K		
KNARF	424419.77N / 0882558.32W	Υ	FB	TF	350.03	03.34				
GOPAC	424900.26N / 0882457.07W	Υ	FB	TF	009.13	04.73				
En Route Transition										
LEEDN	414247.37N / 0881858.87W	Υ		IF					LEEDN.GOPAC3	
MUMPR	421436.90N / 0882059.29W	Υ	FB	TF	357.32	31.85				
DETIE	422133.64N / 0882148.38W	Υ	FB	TF	355.01	06.97				
MOWSR	423253.36N / 0882345.72W	Υ	FB	TF	352.73	11.42				
TRUDO	424102.48N / 0882511.27W	Υ	FB	TF	352.65	08.22		AT 250K		
KNARF	424419.77N / 0882558.32W	Υ	FB	TF	350.03	03.34				
GOPAC	424900.26N / 0882457.07W	Υ	FB	TF	009.13	04.73				
En Route Transition										
OGECA	423824.55N / 0920501.07W	Υ		IF					OGECA.GOPAC3	
OHLIE	424332.94N / 0901150.75W	Υ	FB	TF	085.84	83.63				
YEDSU	424531.39N / 0891036.77W	Υ	FB	TF	087.15	45.16				
GIWFY	424543.61N / 0890104.62W	Υ	FB	TF	088.29	07.03				
KPACK	424605.24N / 0885142.03W	Υ	FB	TF	086.96	06.92				
ZOWRO	424622.25N / 0883956.45W	Υ	FB	TF	088.06	08.67				
LEEDR	424747.53N / 0883155.67W	Υ	FB	TF	076.41	06.07		AT 250K		
GOPAC	424900.26N / 0882457.07W	Υ	FB	TF	076.68	05.28				

FEDERAL AVIATION ADMINISTRATION FLIGHT STANDARDS SERVICE STAR (DATA RECORD)

Arrival Name GOPAC (RNAV)		Number THREE		STAR Computer Code GOPAC.GOPAC3			Superseded Number TWO		Dated 12/07/2017	Effective Date 15 JUN 2023
FIX/NAVAID	LAT/LONG	<u>c</u>	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS	
Common Route										
GOPAC	424900.26N / 0882457.07W	Υ		IF					GOPAC.GOPAC3	
TAAIL	425104.38N / 0881647.38W	Υ	FO	TF	070.95	06.35				
57C,KBUU,KENW, KETB,KHXF,KMKE, KMWC,KPWK,KRAC, KUES,KUGN				FM	070.95					