

**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE**

TITLE 14 CFR PART 97.33

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or feet RVR.

<u>AIRPORT ID</u> KBQR	<u>PROCEDURE NAME</u> RNAV (GPS) RWY 9	<u>ORIGINAL/AMENDMENT</u> ORIG	<u>CITY</u> LANCASTER	<u>STATE</u> NY		
<u>AIRPORT ELEVATION</u> 752	<u>TDZE</u> 752	<u>SUPERSEDED</u>	<u>ORIGINAL/AMENDMENT</u> NONE	<u>DATED</u>	<u>MAG VAR</u> 10W	<u>EPOCH YEAR</u> 1985
<u>FACILITY</u> RNAV	<u>COORDINATES OF FACILITIES</u>	<u>ACTUAL EFFECTIVE DATE</u> 29 DECEMBER 2022	<u>REQUIRED EFFECTIVE DATE</u> ROUTINE	<u>CANCEL/SUSPEND</u>		

TERMINAL ROUTES

FROM	FIX TYPE	TO	FIX TYPE	LEG TYPE	FO/FB	RNP	COURSE	DISTANCE	ALTITUDE
WOTGU	IAF	PLICA		TF	FB	1.00	118.45	13.44	3400
ZOBSO	IAF	PLICA		TF	FB	1.00	047.81	10.53	3400
PLICA	IF	JIDUP		TF	FB	1.00	086.69	5.00	2400
JIDUP	FAF	RW09	MAP	TF	FO	0.30	086.76	5.05	
RW09	MAP	1152 MSL		CA			086.76		
1152 MSL		DMRIO		DF	FO	1.00			3400

MISSED APPROACH

MAP:

LNAV: RW09

MISSED APPROACH INSTRUCTIONS:

CLIMB TO 3400 DIRECT DMRIO AND HOLD, CONTINUE CLIMB-IN-HOLD TO 3400.

ALTERNATE MISSED APPROACH INSTRUCTIONS:



COORDINATED WITH:

A4A **ALPA** **AOPA** **APA** **HAI** **NBAA** **OTHER:** AMGR, BUF APP CON, ZOB ARTCC

FLIGHT CHECKED BY

JAMES D ARNOLD

Digitally signed by

ERIC N SUSKI

Sep 30, 2022

OFFICE

FPO

DATE

09/20/2022

DEVELOPED BY

ERIC N SUSKI (MICHAEL MCCARTNEY)

Digitally signed by

ERIC N SUSKI

Aug 05, 2022

OFFICE

AJV-A431

DATE

07/12/2022

APPROVED BY

JOHNNIE BAKER

Digitally signed by

ERIC N SUSKI

Aug 05, 2022

OFFICE

AJV-A430

DATE

TITLE
MANAGER

